Local Development Plan Provisions Legend **Location Plan** 1. DWELLING ORIENTATION (PUBLIC OPEN SPACE SURVEILLANCE) Lots Subject to Local Development Plan Designated Driveway Location 1.1. For lots abutting public open space (Lots 215-221): Residential R10 Retaining Walls by Developer • Dwellings shall provide at least one major opening from a habitable room that is Residential R25 --- Uniform Fencing by Developer oriented towards the public open space; and Primary Dwelling Orientation • An outdoor living area shall be provided with a minimum dimension of 4m abutting public open space and have no permanent roof cover within 2m from the boundary of the public open space. • Buildings shall be setback a minimum 2m from the public open space boundary. 2. GARAGES 2.1. For lots where a footpath adjoins the boundary, the garage must be setback a minimum 4.5m from that boundary, except where the garage is located to the Secondary Street. 3. STREETSCAPES 3.1. Vehicular access to corner lots (Lots 223, 235, 253 & 254) may be provided from the primary street in lieu of the secondary street, subject to providing all of the following: · As a minimum, fencing on the secondary street boundary shall be visually permeable above 1.2m for a minimum length of 1/3 of the length of that boundary or 6m (whichever is the lesser) from the truncation; • A minimum of one major opening from a habitable room of the dwelling is to face the secondary street, adjacent to where the visually permeable fencing is located; • Where solid fencing on the secondary street boundary is to be installed, it is to be constructed of brick or masonry. PINETREE ENTRANCE 3.2. All dwellings to provide an appropriate, high quality design interface with the surrounding streetscape, through the use of at least three of the following 1 architectural design features: • Articulation in dwelling façade (i.e. varied wall setbacks of the dwelling when viewed from the street - not including the garage or carport); • A minimum of two building materials, colours and/or finishes (e.g. render, brick, 221 cladding). A roof feature such as gable-ends or dormer windows; 220 • A verandah or balcony that is a minimum 30% of the width of the façade (excluding the width of the garage or carport) and 1.5m deep, with the longest 219 ROAD 3 (15.4m ROAD RESERVE) portion parallel to the street; A portico: or 218 • A built-in planter box (minimum 4 courses high). 217 4. UNIFORM FENCING 216 4.1. Any Estate/Uniform fencing provided on private lots shall be maintained as visually permeable by landowners, and shall not be modified without the written approval from the City of Kwinana. 5. STREET TREES This Local Development Plan (LDP) has been approved by the City 5.1. In accordance with the City's Policy, a minimum of one street tree per lot and three street trees for corner lots (with two of the three trees provided on the verge of the of Kwinana under the provisions of Local Planning Scheme No.2 and longer boundary) is required. Street trees will be provided by the developer within the Schedule 2 (Deemed Provisions) of the Planning and Development road verge, and maintained for a minimum of two years until establishment. Street (Local Planning Schemes) Regulations 2015. This LDP is valid for trees are not to be relocated or removed by landowners. the period specified in this approval, unless the City earlier revokes its approval. 01/08/2025 2025-1334 Approval Date **Delegated Authority** City Ref. City of Kwinana 01/08/2030

TBB Planning

Level 7, 160 St Georges Terrace Perth WA 6000

T (08) 9226 4276

E admin@tbbplanning.com.au tbbplanning.com.au

 Scale
 Date
 P

 1:2000@A3
 9/07/2025
 2:

 1:1000@A1
 G
 G

 0
 10
 20
 30
 40m
 A
 G

Plan Drawn
22/113/004A MH

Grid Approved
PCG94 EM



LOT 39 TREEBY ROAD, ANKETELL



Expiry Date