

ENDORSEMENT PAGE

This structure plan is prepared under the provisions of the City of Kwinana Local Planning Scheme No.2

IT IS CERTIFIED THAT THIS STRUCTURE PLAN WAS APPROVED BY RESOLUTION OF THE WESTERN AUSTRALIAN PLANNING COMMISSION ON:

February 2010

In accordance with Schedule 2, Part 4, Clause 28 (2) and refer to Part 1, 2. (b) of the *Planning and Development (Local Planning Schemes)*Regulations 2015.

Date of Expiry: 19 OCTOBER 2028

WELLARD VILLAGE STRUCTURE PLAN

A JOINT VENTURE BETWEEN PEET & COMPANY LIMITED AND LANDSTART

SEPTEMBER 2006

Prepared by: Taylor Burrell Barnett Town Planning and Design

187 Roberts Road SUBIACO WA 6008

Ph: 9382 2911 Fax: 9382 4586 planning@taylorburrell.com.au

In association with: TABEC Consulting Engineers

ATA Environmental

EPCAD Landscape Architects

Creating Communities

ADLink JLS Marketing Consultants

ERM Traffic Consultants

Patrick Partners Retail Consultants

Fugro Surveys

Jim Davies and Associates Hydrogeological Consultants

SCHEDULE OF MODIFICATIONS

1. Northern Struc	cture Plan Modifications			
(i) SP/P.45	Modified existing Structure Plan and updated paragraph on page 45 to incorporate further information on Wellard downgrading as per attached.			
(ii) SP	Modified existing Structure Plan to reflect the plan of subdivision (Stages 1, 2, 3) approved by the WAPC on 20 January 2005 (WAPC Ref:).			
(iii) SP	Modified existing Structure Plan to reflect latest subdivision plan lodged with the WAPC for approval. The latest plan has been given support in principle by the Commission and reflects amendments to the original approved plan.			
(iv) SP	Modified existing Structure Plan to reflect road modifications and amendments to the lot layout to incorporate the buffer setback requirements as specified by the Department of Environment and Conservation.			
(v) SP & report	Modifications to the Structure Plan and accompanying report to reflect the annotation of 'Neighbourhood Centre' rather than 'Village Centre'.			
(vi) SP & report	All items as specified above, are now reflected on the Structure Plan and accompanying report.			
2. Southern Stru	cture Plan Modifications			
(i) SP	Residential densities have been increased around the Neighbourhood Centre (and associated Rail Station). Other areas of commercial and mixed uses are located within an 800-metre catchment of the rail station.			
(ii) SP, P. 26, 37, 38, 39	All areas of Public Open Space in the Southern Structure Plan have been reviewed and reflected in the Structure Plan and report. New POS Schedule and Table have been prepared and included in the report.			
(iii) SP & report	The larger residential lots abutting 'Homestead Ridge' to be classified as 'Large Lots' rather than given a density code. The lots are now classified as 'Large Lots - R10' to include the need for a specified density code.			
(iv) Fig 12	The 'Large Lots' as shown on the Structure Plan are now rezoned and reflected on the zoning plan as being 'Residential' rather than the previous zoning of 'Special Residential'.			
(v) Fig 37	The provision of integrated cycle and pedestrian network.			
(vi) Attached	Please refer to attached.			
(vii) SP	Structure Plan reflecting use of a constructed road to act as a firebreak and access to the Leda Reserve.			
(viii) Attached	Detailed location and design treatment of a pedestrian underpass across the railway as well as a new fauna underpass provided as part of the extension of Leda Boulevard.			
(ix) Attached	Detailed information regarding the community purpose site as per attached information.			
(x) Attached	Detailed information regarding the treatment of the Acid Sulphate Soils as per attached information.			

SCHEDULE OF MODIFICATIONS

As outlined in the Western Australian Planning Commission's correspondence dated 18 March 2005, they agreed to endorse in principle the Local Structure Plan for Wellard Village (Northern Precinct) dated January 2003 as a guide to subdivision, land use and development for the landholdings north of the railway reservation subject to a number of modifications to the plan and accompanying report.

Northern Wellard Structure Plan

We have addressed the Commissions requests for modifications, and have outlined these requirements below.

(i) The LSP and accompanying report being modified to reflect the current MRS status of Wellard Road as an Other Regional Road, however, acknowledging the status and management of the road is under review.

Wellard Road is currently identified as 'Other Regional Road Reserve' on the MRS.

In accordance with Council's report, 'Kwinana Transport Structure Plan', this Structure Plan acknowledges the downgrading of Wellard Road. The removal of the ORR status currently forms part of MRS Amendment 1099/33.

The proposed downgrading was originally supported by the Transport Committee and hence the proposal was included as part of Amendment No. 1099/33. The amendment was initiated by the Western Australian Planning Commission and the downgrading is supported by both the Commission and the Town of Kwinana.

The amendment is due to commence advertising mid to late April 2005.

(ii) The LSP and accompanying report being modified to reflect the accompanying subdivisional road layout and land uses proposed in accompanying broad acre subdivision plan dated 20 January 2004 (WAPC 122614).

The revised LSP is reflective of the subdivisional layout of Stages 1, 2, & 3. However, we can advise that several revised plans have been lodged and approved by the Commission since the approval of the plan dated 20 January 2004. The revised LSP reflects the latest and most up-to-date approved subdivision design for these stages as well as the latest lodged subdivision plan for Stages 4, 5 and 6.

(iii) The LSP and accompanying report being modified to reflect the proposals for the Wellard Station Precinct proposed in the accompanying subdivision (WAPC 124206) and Commission development approval for Wellard Station (85% design stage)

The revised LSP reflects the latest design proposed for the Wellard Station Precinct.

We must advise that recent liaison between the Public Transport Authority, the Commission and Taylor Burrell Barnett has resulted in need for further modifications to the subdivisional layout of the station precinct.

As the variations of the design were deemed substantial by the Commission, a new subdivision plan and application was lodged on 1 February 2005 and is currently being assessed by the Commission (WAPC Ref: 127545).

The revised subdivision design has received 'Support in Principle' from the Commission. This plan has been reflected in the modified LSP.

(iv) The subdivisional road layout for the proposed residential R40 pocket located adjacent to the Conservation Category Wetland (CCW) being reviewed to provide a sufficient buffer setback to the CCW (to the satisfaction of DoE) and provide a satisfactory frontage treatment.

The subdivision design of Stages 4, 5 & 6 of Wellard (those stages adjacent to the Conservation Category Wetland) has been reviewed to include a buffer setback of between 37 metres and 140 metres, which averages to be 72.2 metres, which is approximately 22 metres more than that required by the Department of Environment.

The final design was lodged as a subdivision application with the Commission on 8 November 2005 and is currently being assessed. It is this latest subdivision plan that has been reflected within the modified LSP.

(v) The annotation of land uses on the LSP should be consistent with the land uses referred to Amendment No. 85 to the local scheme and all land uses clearly shown on the LSP legend.

All land uses denoted on the LSP are consistent with those referred to on Amendment No. 85 and the Town's Local Planning Scheme.

Modifications to the Structure Plan and report include:

- The term 'Village Centre' being replaced with the term 'Neighbourhood Centre'
- (vi) That items (i) to (v) above, be addressed in the final Wellard Village LSP documentation submitted to the Commission for final approval.

As outlined above.

Southern Wellard Structure Plan

The Commission also specified the need to address a number of issues relating to the preparation of the Local Structure Plan for the Southern Precinct. These have been addressed as follows:

(i) Maximise residential densities and transit orientated land uses within the 800 metre walkable (southern) catchment of the Wellard Station;

Residential allotments located south of the proposed Wellard Rail Station and within a 400-500 metre walkable catchment of the station, have been allocated higher densities to reflect the principals of Transit Oriented Design.

Directly south of the station, Residential R40 rear loaded lots are provided, with the remainder of the catchment area being prescribed the Residential R30 code.

Portion of the town centre is also located directly south of the rail station.

(ii) Review the size and function of Public Open Space areas and update the POS Schedule for the LSP including the accreditation for drainage and wetland areas, accordingly;

After having liaised and met with the Town on several occasions on site, the significant vegetation and trees were identified and classified as either having the potential for retention or removal. All significant vegetation was identified and mapped using GPS.

As a result of the identification of the significant trees located on site, the overall design of the Southern Structure Plan was reviewed and modified to include 'green belts' and areas of open space to enable the retention of significant trees.

Several new pockets of open space were included in the design, and previous areas reduced or removed.

A modified POS Schedule for the Structure Plan area has been prepared and is reflective of the modifications made to the Southern Structure Plan.

A total of 12.93% of public open space has been proposed for the Wellard Village development.

(iii) The annotation of land uses on the LSP should be consistent with the land uses referred to in Amendment No. 85 to the local scheme and all land uses clearly shown on the LSP legend;

All land uses denoted on the LSP are consistent with those referred to on Amendment No. 85 and the Town's Local Planning Scheme.

Modifications to the Structure Plan and report include;

- The large lots abutting the existing 'Homestead Ridge' development being specified as 'Large Lots R10' rather than just being coded 'Residential R10'.
- (iv) The lot configuration and interface treatment of the south eastern portion of land (adjacent to the Homestead Ridge estate and the existing linear open space area) proposed to be zoned from 'Special Residential' to 'Residential' by Amendment No. 85 to the local scheme;

The lots are now shown on Figure 12 – Existing zoning as being coded 'Residential' rather than the previously zoning of 'Special Residential' as per Amendment No. 85.

(v) The provision of an integrated cycle and pedestrian network;

An updated cycle and pedestrian network plan has been provided within this document and is reflective of the requirements of the Town of Kwinana and Commission as specified within previous planning approvals.

(vi) Justification for the size and function of neighbourhood/local centre adjacent to the High School site – Public Purpose reservation.

The Structure Plan's original designation as 'Local Centre' has been modified to 'Neighbourhood Node', with the following description included under section 6.3.2.1 of the Structure Plan text.

"The Neighbourhood Node's primary objective is to establish a focal destination for the localised community (within 400 m). It should offer a small commercial (convenience store between 100-200 m² GLA) and community based use, and thus offer both convenience and service type facilities from this. It should exist on a single street block of approximately 1,500 m² in area.

The built form of Neighbourhood Node should include the following attributes:

- i. Street based, with a reduced setback to the primary street boundary;
- ii. Incorporate on street car parking where practical, as well as off street parking;
- iii. Verge areas between kerb lines and building fronts treated as a hard paved side walk, including street furniture;
- iv. Sidewalk areas afforded weather protection by awnings;
- Buildings at nodes architecturally contributing to the street, and providing an active edge.

A Detailed Area Plan must be submitted and approved by Council for development of the Neighbourhood Node."

(vii) Design interface treatment with the existing Leda Reserve/Bush Forever Site (No. 349) to provide for adequate access and fire management.

A road is proposed to abut the Leda Reserve/Bush Forever Site No. 349 and will provide access to the reserve and act as a firebreak between the proposed residential development and reserve.

(viii) Location and design treatment of a pedestrian/fauna pass across Railways reservation (southwest extension)

The Department of Environment and Conservation determined that a fauna underpass was not required to be provided directly south of the most southern wetland. A dedicated pedestrian underpass has been provided in this location.

The Town of Kwinana in reviewing the Southern Structure Plan identified the need for a new fauna underpass to be provided as part of the extension of Leda Boulevard. Accordingly, the Structure Plan has been updated to identify the general location for the underpass and also includes notation relating to the requirement for a fauna underpass to be provided as detailed following.

"Denotes location for dedicated fauna underpass to be provided as part of the extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the adjacent Bush Forever Site. The underpass

is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of Kwinana."

(ix) Identification of a community purpose site of 5000m² and the status of the Community Needs Study required by the Town;

In June 2004 Creating Communities completed a Community Facilities Needs Assessment for The Village at Wellard to determine the best mix of community facilities for the estate. The needs assessment methodology included:

- A literature review
- A demographic and standards analysis
- A review of existing provision, and
- Consultation with key stakeholders and community representatives.

The needs assessment report adopted a broad view and considered existing and future needs for community facilities across the Town of Kwinana to inform a facility provision strategy for The Village at Wellard.

The report identifies primary and secondary community facility requirements:

Primary Requirements:

- Facilities, equipment, training and support for community groups
- Office equipment, meeting facilities, training & support for home based businesses and business enterprise
- Meeting rooms
- Multipurpose function/activity facilities
- Volunteer recruitment, training and support services
- Workshop/seminar and training facilities
- Dance studio
- Community information point
- Youth facilities
- Active district open space (2 ovals) for formal outdoor sports with multipurpose pavilion
- Quality open space landscaped with passive amenity

Secondary Requirements:

- Art and design activities and gallery space/visual arts display
- Youth hang out/ sit and chat spaces
- Outreach community health/ child health/ family support services

- Integrated social support services
- Low cost programs and services
- Support services for multicultural groups/ Adult literacy
- Playgroup facilities
- 'Computer skills training courses
- Social facilities for seniors
- Community bus
- Multipurpose outdoor sports courts
- On-line computers/ internet access/ word processing facilities
- Children's activities
- Homework support/ tutoring/ exam supervision
- Counselling facilities

A key recommendation of the needs assessment is for the provision of a multipurpose community centre on the main street of the village precinct to provide a focal point for community interaction, local information, social activity and community education/training.

The recommendations of the needs assessment report have since been endorsed by the Community Facility Planning Reference Group, and a feasibility study for the main street community centre is now proceeding.

Following various discussions and meetings with the Town in relation to the proposed size of the multi-purpose community centre, the Structure Plan has been updated to include notation relating to the community purposes site and explains that the site may be reduced in land area subject to a number of requirements. The wording notated on the Structure Plan is detailed below.

"Denotes a community purposes site of 5,000 m² to be vested free of cost in the Crown in accordance with section 152(1)(f) of the Planning and Development Act 2005 or to the Town of Kwinana in freehold land. This site may be reduced in land area subject to the following requirements being met:

- i. The Council of the Town of Kwinana agrees to the reduction;
- ii. The reduction is not more than 3,800 m² (ie minimum site area 1200 m²);
- iii. The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement for a community centre to be developed on the site;
- iv. The community centre under iii is that chosen by the Council of the Town of Kwinana:

v. The land owner enters into a suitable agreement with the Town of Kwinana guaranteeing requirements i to iv are met."

Other local community facilities that are being planned as a result of the needs assessment include a multi-purpose community pavilion, two shared 'school/community' ovals, passive parks incorporating a variety of play equipment and public amenity, and an interpretive walk trail about the wetland/conservation area.

(x) Treatment of Acid Sulphate Soils in accordance with Commission Bulletin No. 64.

The Western Australian Planning Commission Bulletin No. 64 identified the wetland soils (located on the western boundary of the subject land) as being moderate to high risk of acid sulphate soils.

An investigation into the acid-generating potential of soils within the western portion of the Structure Plan area is currently being undertaken by ATA Environmental. The investigations comprise both soil and groundwater investigations. Field tests were conducted on all samples to determine which samples required further laboratory analyses. These groundwater samples have been analysed and it was determined that ASS are present on the site. An Acid Sulphate Soils Management Plan is currently being prepared and will outline measures for managing the problem.

This proposed management strategy has been utilised by ATA Environmental previously and has demonstrated ability to handle and treat acid sulphate soils and dewatering effluent.

TABLE OF CONTENTS

INTRO	DDUCTION	1		4.2	Town of Kwinana Planning Scheme No. 2	21
1.1	Background	1		4.3	Leda Structure Plan (February 1997)	21
1.2	Joint Venture	1		4.4	Enquiry by Design Workshop	24
1.3	The Wellard Village Structure Plan	1		4.5	Relevant Policies	25
1.4	_	1				25
1.5	·	4				25
	1.5.1 Planning and Infrastructure	4				26
	1.5.2 Community and Economy	4			4.5.4 Bush Forever	27
	3	5	5.0	OPP	ORTHNITIES AND CONSTRAINTS	29
1.6	Community Consultation	5	3.0			29
EXIST	ING ENVIRONMENT	6				
2.1	Physical Environment	6			_	29
	2.1.1 Topography	6				29
	2.1.2 Geology and Soils	6		5.4	Bush Forever	30
2.2	Biological Environment	6		5.5	Noise and Vibration	30
	2.2.1 Wetlands	6		5.6	Interface with Leda Reserve	30
	•				5.6.1 Wetland	31
			6.0	WELL	LARD VILLAGE STRUCTURE PLAN	33
2.2				6.1	Design Philosophy	33
2.3				6.2	Community Benefit	33
		15			•	33
DECI		16			6.3.1 Community Development Initiatives	33
					6.3.2 Community Facilities	34
3.1					6.3.3 Education	36
	S S	16		6.4	Structure Plan Yields	37
3.2		16		6.5	Residential Densities	38
0.2		16		6.6	Town Centre	38
	3.2.2 Local Institutions	18				38
3.3	Economics	19				38
	3.3.1 Employment	19				11
	3.3.2 Education	20				41 41
PLAN	INING BACKGROUND	21				42
		21			6.6.6 Market Factors	42
	I				6.6.7 Neighbourhood Centre Staging	43
	1.1 1.2 1.3 1.4 1.5 1.6 EXIST 2.1 2.2 2.3 REGI 3.1 3.2	1.2 Joint Venture 1.3 The Wellard Village Structure Plan 1.4 Land Description 1.5 Project Philosophy and Objectives	1.1 Background 1 1.2 Joint Venture 1 1.3 The Wellard Village Structure Plan 1 1.4 Land Description 1 1.5 Project Philosophy and Objectives 4 1.5.1 Planning and Infrastructure 4 1.5.2 Community and Economy 4 1.5.3 Environment all Sustainability 5 1.6 Community Consultation 5 EXISTING ENVIRONMENT 6 2.1 Physical Environment 6 2.1.1 Topography 6 2.1.2 Geology and Soils 6 2.2.1 Wellands 6 2.2.1 Wellands 6 2.2.2 Vegetation 8 2.2.1 Flora 13 2.2.2 Vegetation 8 2.2.3 Flora 13 2.2.4 Fauna 13 2.3 Other Environmental Issues 14 2.3.1 Noise and Vibration 14 2.3.2 Aboriginal Heritage 15<	1.1 Background 1 1.2 Joint Venture 1 1.3 The Wellard Village Structure Plan 1 1.4 Land Description 1 1.5 Project Philosophy and Objectives 4 1.5.1 Planning and Infrastructure 4 1.5.2 Community and Economy 4 1.5.3 Environmental Sustainability 5 1.6 Community Consultation 5 EXISTING ENVIRONMENT 6 2.1 Physical Environment 6 2.1.1 Topography 6 2.1.2 Geology and Soils 6 2.2.1 Wetlands 6 2.2.1 Wetlands 6 2.2.2 Vegetation 8 2.2.3 Flora 13 2.2.1 Wetlands 6 2.2.2 Vegetation 8 2.2.3 Flora 13 2.2.4 Fauna 13 2.3 Other Environmental Issues 14 3.1 Sub-Regional Heritage 15	1.1 Background 1 4.3 1.2 Joint Venture 1 4.4 1.3 The Wellard Village Structure Plan 1 4.5 1.4 Land Description 1 4.5 1.5 Project Philosophy and Objectives 4 1.5.1 Planning and Infrastructure 4 1.5.2 Community and Economy 4 1.5.3 Environmental Sustainability 5 1.6 Community Consultation 5 5.0 OPP EXISTING ENVIRONMENT 6 5.2 2.1 Physical Environment 6 5.3 2.1.1 Topography 6 5.3 2.1.2 Geology and Solis 6 5.4 2.2.1 Wetlands 6 5.6 2.2.2 Vegetation 8 2.2.3 Flora 13 6.0 WELL 2.2.4 Fauna 13 6.0 WELL 2.3.1 Noise and Vibration 14 6.2 2.3.2 Aboriginal Heritage 15 6.3 REGIONAL CONTEXT 16 3.1.1 Sub-Regional Context 16 6.4 3.2.1 Demographics 16 6.5 3.2.1 Demographics 16 6.6 3.2.2 Local Institutions 18 3.3.3 Employment 19 3.3.1 Employment 19 3.3.2 Education 20 PLANNING BACKGROUND 21	1

		6.6.8	Neighbourhood Centre Design	43			9.1.1 Kwinana Freeway	63
	6.7	Staging	of Development	44			9.1.2 Thomas Road	63
7.0	DUDU		·	47			9.1.3 Rockingham Road/Patterson Road	63
7.0		IC OPEN S		46			9.1.4 Mandurah Road	63
	7.1		ape Overview	46			9.1.5 Dixon Road	65
	7.2	Parks ar	nd Pocket Parks	46			9.1.6 Mundijong Road 9.1.7 Gilmore Avenue	65 65
		7.2.1	Introduction	46			9.1.8 Wellard Road	65
		7.2.2	Overall Principles	47			9.1.9 Fremantle Rockingham Controlled Access	00
		7.2.3	Security and Surveillance	47			Highway (FRCAH)	66
		7.2.4	Public Art	47			9.1.10 Conclusion	66
		7.2.5	Microclimate	47		0.0		
	7.3	Open S	pace Elements	49		9.2	Town of Kwinana Transport Structure Plan	66
	7.4	Materia	ıls	49			9.2.1 Summary of Findings 9.2.2 Conclusions	66 70
		7.4.1	Structures and Detailing	49		0.0		
		7.4.2	Furnishing	50		9.3	Local Traffic Estimates	71
		7.4.3	Species	50			9.3.1 Wellard Village Landuse and Daily Traffic	71
	7.5	Streets		50			Forecast 9.3.2 Preliminary Estimation of Through Traffic on the	71
		7.5.1	Paving	50			Wellard Deviation	73
		7.5.2	Species	50		0.4		
		7.5.3	Street Furniture and Signage	50		9.4	Street Types and Arterial Access	74
	7.6	Mainter	nance and Management	51			9.4.1 Residential Street Types	74
	7.7		tribution & Function	51			9.4.2 Access to the Regional Road System 9.4.3 Staging of Wellard Deviation	79 80
	7.8	7.8.1	S Spaces POS Areas 31 & 32	52 53		9.5	Public Transport	80
		7.8.1 7.8.2	Pos Areas 33	52 52			9.5.1 Future Rail Service and Wellard Rail Station	80
		7.8.3	Northern Wetland Buffer and POS Area 34	52 52			9.5.2 Future Bus feeder Services for Wellard station9.5.3 Service Frequencies and Coordination with Rail	81
			Notthern Wettand Burier and FO3 Alea 34	52			9.5.3 Service Frequencies and Coordination with Rail Operations	81
8.0	SERV	ICING		54		0.7	•	
	8.1	Sitework	ks & Earthworks	54		9.6	Cyclist and Pedestrian Facilities	83
	8.2	Roadwo	orks	59		9.7	Summary and Conclusions	85
	8.3	Stormwa	ater Drainage	59	10.0	COM	MMITMENTS AND RESPONSIBILITIES SCHEDULE	88
	8.4		Reticulation	61	11.0	IMPLI	EMENTATION	91
	8.5	Water S	Supply	62		11.1	Process	91
	8.6	Power S	Supply	62		11.2	Adoption of Structure Plan	91
	8.7	Gas		62			Modifications to the MRS and TPS	91
	8.8	Commi	unications	62			11.3.1 Metropolitan Region Scheme	91
							11.3.2 Town Planning Scheme No. 2	91
9.0			SPORT AND TRAFFIC MANAGEMENT	63		11.4	Environmental Management Principals	92
	9.1	Regiona	al Road System	63			11.4.1 Wetland Management	92

11.4.2 Vegetation Management	92	FIGURES	
11.4.3 Fauna Management	93		
11.4.4 Noise and Vibration	93	Figure 1	Locality Plan
		Figure 2	Land Descriptions
TABLES		Figure 3	Vegetation Associations
TABLES		Figure 4	Vegetation Condition & Wetland Location
Table 1.1: Land Description	Δ	Figure 5	Regional Context
Table 2.1: Wetland Management Categories & Objectives	8	Figure 6	Town of Kwinana Population Growth
Table 2.2: Predicted Noise Levels	14	Figure 7	Kwinana Age Demographics
Table 3.1: Kwinana Organisations	18	Figure 8	Kwinana Income
Table 3.2: Education Establishments	20	Figure 9	Town of Kwinana Employment Pattern
Table 6.1: Public Open Space Calculations	37	Figure 10	Employment by Sector
Table 6.2: Anticipated Lot Yields/Population Projections	38	Figure 11	Existing Metropolitan Region Scheme Zoning
Table 6.3: Wellard Neighbourhood Centre Retail Catchment	42	Figure 12	Existing Zoning
Table 7.1: Public Open Space	51	Figure 13	Leda Structure Plan (February 1997
Table 8.1: Drainage Requirements	59	Figure 14	Bush Forever Site Agreed Outcome
Table 9.1: Screenline Traffic Forecasts – Vehicles/day on Wellard Road and	07	Figure 15	Wellard Village Structure Plan
Wellard Road Deviation	67	Figure 16	Proposed Community Infrastructure
Table 9.2: Assumed Wellard Village Daily Vehicle Trip Distribution to External	07	Figure 17	Neighbourhood Centre Concept
Roads	71	Figure 18	Staging
Table 9.3: Local Traffic From Wellard Village – Vehicles/Day	7. 71	Figure 19	Public Open Space Distribution
Table 9.4: Comparison of Local vs. Total Traffic for Estimation of Through	, ,	Figure 20	POS Areas 14 & 15
Traffic on Wellard Village Roads at Year 2021	73	Figure 21	POS Areas 16 & 17
Hamo on Wollard Villago Rodds at Four 2021	70	Figure 22	POS Area 19
		Figure 23	POS Area 21
APPENDICES		Figure 24	Preliminary Bulk Earthworks
ALL ENDIGES		Figure 25	Preliminary Cut to Fill Contours
APPENDIX A Species List		Figure 26	Preliminary Cross Sections - 1
APPENDIX B Aboriginal Heritage Site Search		Figure 27	Preliminary Cross Sections - 2
APPENDIX C Year 2021 Traffic Forecasts		Figure 28	Proposed Drainage Catchments
APPENDIX D ERM Local Traffic Model		Figure 29	Regional Road Reservations (MRS)
APPENDIX E Wellard Station Concept Plan		Figure 30	Kwinana Transport Structure Plan - 1
APPENDIX F 1999 Kwinana Bike Plan		Figure 32	Kwinana Transport Structure Plan - 2
		Figure 32	Ultimate Development – Site Traffic Only
		Figure 33	Street Types Plan
		Figure 34	Access Streets
		Figure 35	Neighbourhood Connector Typical Cross Sections
		Figure 36	Future Bus routes Linking Wellard Station to Kwinana Bus Station Interchange
		Figure 37	Cycle Routes, Paths

1.0 INTRODUCTION

1.1 Background

The Wellard Village Project is a joint venture initiative between Peet and Company Limited and Landstart. This report has been prepared to support structure plan approval for the subject land to facilitate subdivision approval. It also serves as a reference document for community comment and to assist foster partnerships with local community groups, government agencies and local businesses in delivering the project's objectives.

The project area comprises approximately 320.5888 hectares and includes portions of Lots 254, 271, 272, 242 and 277 in the localities of Wellard and Leda. The land is bound by Wellard Road to the north, the existing Homestead Ridge Estate to the east, Leda Reserve to the south and Gilmore Avenue to the west (Figure 1).

A Structure Plan has been prepared for the site drawing on the skills and expertise of a multidisciplinary consultancy team that includes:

- Taylor Burrell (Planning and Urban Design)
- TABEC Consulting Engineers
- ATA Environmental (Environment)
- EPCAD (Landscape)
- Creating Communities (Community, Economic Development)
- ADLink JLS (Marketing)
- ERM Traffic Consultants (Traffic)
- Patrick Partners (Retail Consultants)
- Fugro Surveys (Survey)
- Jim Davies & Associates (Hydrogeological Consultants)

Together with the Peet and Co and Landstart the project team has developed a unique approach to the project that serves to link social, economic and environmental objectives. The plan has been prepared in accordance with the Western Australian Planning Commission's Liveable Neighbourhoods.

1.2 Joint Venture

In March 2002, Peet and Company Limited submitted a joint venture proposal to Landstart for the Leda Project. This proposal included a Structure Plan for Leda, which identified Peet and Company's vision for the development.

Peet and Company Limited was subsequently announced as the preferred tenderer, and as a result, a design review process followed, involving the client, consultant team and relevant local and state government agencies including the Town of Kwinana and the Perth Urban Rail Development (PURD).

The Joint Venture partnership has now been formalised between Peet & Company and Landstart and for the purposes of this report will be referred to as the 'Joint Venture'.

The Joint Venture also wish to foster similar partnerships with the community and key stakeholders throughout the life of the project.

1.3 The Wellard Village Structure Plan

The Wellard Village Structure Plan and Report elaborates on the previous planning for the area and has been prepared on behalf of the Joint Venture to provide the rationale and framework to support future subdivision and development within the Structure Plan.

The Structure Plan has been prepared in accordance with the requirements of Liveable Neighbourhoods.

Support and approval to the Structure Plan is sought from the Town of Kwinana and Department for Planning and Infrastructure.

1.4 Land Description

The subject land comprises approximately 320 hectares of land as outlined below in **Table 1.1**. **Figure 2** indicates the location of the various land parcels:




Figure Locality Plan




Table 1.1: Land Description

Lot Number	Volume/folio	Area (ha)
Lot 254	2136/94	255.7210
Pt 277	2144/1000	22.2438
Part 271	2136/95	34.8123
Part 272	2136/95	7.2087
Part Lot 242	2144/1000	0.6030
Total Structure Plan Area		320.5888

1.5 Project Philosophy and Objectives

The Wellard Village Project has been formulated to reflect the principles of sustainability. The core objective is to maximise community formation by creating an integrated land use pattern in a manner that generates social, economic and environmental opportunities. This Structure Plan presents a unique opportunity given Wellard Village has all of the aspects of control required to develop the station precinct as a model for transport and landuse integration, including:

- Single landownership around the station precinct;
- Control of planning and statutory requirements covering the station;
- Control of the district movement network;
- The ability to facilitate access and services infrastructure that are critical to development;
- The ability to facilitate establishment of a subdivision development front, integral with the establishment of the rail station and public transport feeder services;

 A synergy of purpose and the willing cooperation of the stakeholders, including Department for Planning and Infrastructure, Landstart and the Town of Kwinana, which is critical.

Within this context a number of subsidiary objectives have been developed that have been categorised into three inter-related elements.

1.5.1 Planning and Infrastructure

- To deliver a diverse range of functioning planning precincts;
- To create a mixed use town centre;
- To create a transit oriented village;
- To deliver a pedestrian oriented built form;
- To deliver a functioning road layout and movement network for pedestrians, cyclists and vehicles;
- To create a diversity of functional public open spaces;
- To ensure that land use zonings and densities create a functioning and robust community structure;
- To ensure that all infrastructure is of a high standard;
- To ensure that the urban design reflects the principles of the WAPC's Liveable Neighbourhoods; and
- To ensure that lot layout and housing orientation maximises passive surveillance.

1.5.2 <u>Community and Economy</u>

- To create a vibrant and robust local community;
- To ensure that Wellard Village creates local employment opportunities;
- To ensure that a wide range of recreational and leisure opportunities are provided;
- To ensure that the urban design outcome creates spaces and places for social interaction;
- To ensure that the project fosters partnership opportunities;
- To ensure that the development has the feel of the safety and security;
- To ensure that the provision of community facilities is effective and does not unnecessarily duplicate facilities in surrounding areas:

4 02/19 Rev 2

- To ensure that the community has access to a high standard of education services;
- To create a community that is integrated into the existing Kwinana population;
- To ensure that the development has the support of the local community; and
- To ensure that there is a strong sense of community through the preparation of a community development plan.

1.5.3 <u>Environmental Sustainability</u>

- To ensure that the development is energy efficient;
- To ensure that existing wetland areas are protected and rehabilitated:
- To ensure that the existing landform is protected where possible;
- To ensure that that there is adequate preservation of remnant vegetation;
- To ensure that detailed management plans are prepared for ecologically sensitive areas;
- To ensure that water sensitive urban design principles are adopted;
- To ensure people are encouraged to walk, cycle or take public transport; and
- To ensure that lot layout maximises solar efficiency.

These objectives form the planning framework of the project, but they also serve to guide the ongoing development of the site and the way it relates to the surrounding community.

1.6 Community Consultation

The development of Wellard Village represents a substantial investment in the area that will ultimately produce a broad spectrum of community benefits. The Joint Venture and the project team have undertaken a comprehensive synthesis of the opportunities and constraints to formulate a plan that is cognisant of the community values and expectations for the regions. A number of opportunities now exist to implement the ingredients to ensure the creation of a successful community environment.

It is envisaged that Wellard Structure Plan process and the ongoing development of the site will be the subject of an extensive community consultation process above any statutory obligations.

The purpose of the initial consultation will allow the project team to further refine the overall design philosophy and make adjustments as required to better reflect community sentiment. In addition to its statutory requirements, a rolling display will also be set up and stationed by members of the project team to ensure that the community has the opportunity to comment on the plan.

A series of workshops will also be held over the next six months with key local stakeholders. The purpose of these sessions will be to develop an overall community development vision for the project to complement the built form in developing a sense of place and stimulating a vibrant and robust local community. This will comprise an economic, environment and social component.

Strategies will also be put in place during construction stages to ensure that the community is kept informed of progress and has the opportunity to comment on and become involved in the project.

02/19 Rev 2 5

2.0 EXISTING ENVIRONMENT

2.1 Physical Environment

2.1.1 <u>Topography</u>

The Structure plan area is characterised by two north-south parallel ridges. The eastern ridge is the highest of these and rises to a maximum elevation of 38m AHD near Homestead Drive. The western ridge generally rises to 26m AHD with a high point of 28m AHD towards the northern end.

Two linear swale areas are located adjacent to the ridges. The western swale has the lowest elevation with an elevation of approximately 3m AHD and contains two wetland areas. The eastern swale is broad and has a higher elevation with a low point of 8m AHD.

2.1.2 Geology and Soils

The structure plan area comprises soils from the Karrakatta and Cottesloe units, both of which are representative of the Spearwood Dune System. The Cottesloe soil unit is characterised by shallow, yellow-brown sands overlying Tamala limestone and occurs in the western portion of the structure plan area. The Karrakatta soil unit is similar to the Cottesloe but is deeper and more deeply leached and occurs in the eastern portion of the structure plan area.

The soils of the Structure plan area are highly permeable and promote rapid infiltration of rainfall to the water table with little surface runoff.

2.2 Biological Environment

2.2.1 Wetlands

Two wetland areas are located within the structure plan area. A Conservation Category Sumpland is located in the north-western portion of the Structure Plan area near the junction of Wellard Road and Gilmore Avenue. A Resource Enhancement Category sumpland is located to the south of the Conservation Category Sumpland adjacent to Dalrymple Road, Leda.

The boundaries of the wetland areas have been delineated on site by ATA Environmental. The wetland areas were defined based on the presence of wetland plant species, soils, aerial photography and topographic contours. The boundaries are similar to those previously determined by Hill *et al.* (1996) and are shown in **Figure 3**. The northern wetland area encompasses approximately 9.3 ha and the southern wetland area encompasses approximately 1.2 ha.

The northern sumpland has fringing vegetation dominated by *Eucalytpus rudis* with an understorey dominated by *Acacia saligna*. The central portion of the sumpland contains *Melaleuca rhaphiophylla* with an understorey of *Baumea* sp, *Lepidosperma longitudinale* and *Villarsia albiflora*. The condition of vegetation within the northern sumpland is generally Very Good.

The southern sumpland is dominated by *Eucalyptus rudis* with an understorey of *Acacia saligna*, *Baumea* sp., *Lepidosperma longitudinale*, *Villarsia albiflora* and *Pennisetum clandestinum*.

A site inspection indicates that both wetland areas are expected to contain above ground water during part of the year although no open water is present. Both wetlands are generally below 3m AHD.

The management categories and objectives for wetlands as described by Hill *et al.* (1996) are outlined in **Table 2.1**.

6 02/19 Rev 2




Table 2.1: Wetland Management Categories & Objectives

Management Category	General Description of Wetlands	Management Objectives
Conservation Wetlands	Wetlands which support high levels of attributes and functions.	To preserve wetland attributes and functions through reservation in national parks, crown reserves, state owned land and protection under environmental protection policies.
Resource Enhancement wetlands	Wetlands that have been partly modified but still support substantial functions and attributes.	To restore wetlands through maintenance and enhancement of wetland functions and attributes by protection in crown reserves, state or local government owned land and by environmental protection policies, or in private property by sustainable management.
Sustainable use – Multiple Use Wetlands.	Wetlands with few attributes, which still provide important wetland functions.	Use, development and management should be considered in the context of water (catchment/strategic drainage planning), town (land use) and environmental planning through landcare.

From Wetlands of the Swan Coastal Plan Volume 2b (Hill et al., 1996)

2.2.2 Vegetation

2.2.2.1 <u>Description</u>

ATA Environmental conducted a survey of the Structure Plan area on 13 January 2002. The survey was conducted by traversing the area by vehicle and foot. The major landforms and vegetation communities were surveyed, as identified using a colour aerial photograph. The vegetation was described and mapped according to the structure and species composition of the dominant stratum.

Eleven vegetation associations were identified during the site visit. These were:

- Eucalyptus marginata/Corymbia calophylla Woodland over Avena fatua/ Ehrharta calycina Grassland.
- Eucalyptus marginata/Corymbia calophylla/ Banksia grandis Woodland over Jacksonia furcellata Tall Shrubland over Avena fatua/ Ehrharta longiflora Grassland.
- Eucalyptus gomphocephala/Eucalyptus marginata Woodland over Jacksonia furcellata/ Macrozamia fraseri Shrubland over Briza maxima Grassland.
- Eucalyptus gomphocephala/Eucalyptus marginata Woodland over Dryandra sessilis/ Acacia pulchella Shrubland over Ehrharta calycina/ Briza maxima Grassland.
- Eucalyptus gomphocephala/ Banksia attenuata/Allocasuarina fraseriana Woodland over Dryandra sessilis/ Macrozamia fraseri Shrubland over Ehrharta calycina/ Conostylis aculeata Grassland.
- Eucalyptus gomphocephala/Eucalyptus marginata/Banksia grandis Woodland over Grevillea vestita/Macrozamia fraseri Shrubland over Briza maxima Grassland.
- Eucalyptus gomphocephala/Banksia attenuata/Allocasuarina fraseriana Woodland over Acacia rostellifera/Macrozamia fraseri Shrubland over Ehrharta calycina/ Conostylis aculeata Grassland.
- Eucalyptus marginata/Banksia attenuata Woodland over Jacksonia sternbergiana Shrubland over Conostylis aculeata/ Ehrharta calycina Herbland to Grassland.
- Eucalyptus marginata/ Banksia attenuata Woodland over Acacia pulchella/ Hakea lissocarpha Shrubland over Ehrharta calycina/ Ehrharta longiflora Grassland.
- Eucalyptus rudis Woodland over Acacia saligna Tall Open Scrub over Villarsia albiflora/ Baumea sp. Herbland.
- Eucalyptus rudis Woodland over Acacia saligna Tall Open Scrub over Villarsia albiflora/ Baumea sp. Herbland with patches of Melaleuca rhaphiophylla.

8 02/19 Rev 2

The boundaries of these vegetation communities were not particularly discrete, with one community often grading into another forming a mosaic of varied vegetation types.

The eleven vegetation communities identified and mapped during this assessment are described below:

- Eucalyptus marginata/Corymbia calophylla Woodland over Avena fatua/ Ehrharta calycina Grassland This vegetation association occurs over a large proportion of the broad eastern swale and in disturbed areas along the western boundary of the study area. The association is dominated by Eucalyptus marginata and Corymbia calophylla to 12 15m over a Grassland dominated by the introduced grasses Avena fatua and Ehrharta calycina. Other common species include Macrozamia fraseri, Jacksonia furcellata, Euphorbia terracina and Lupinus cosentinii. Banksia grandis is present in places.
- Eucalyptus marginata/Corymbia calophylla/ Banksia grandis Woodland over Jacksonia furcellata Tall Shrubland over Lepidosperma longitudinale/ Avena fatua/ Ehrharta longiflora Grassland - This vegetation association occurs towards the western boundary of the study area and grades into Eucalyptus marginata/Corymbia calophylla Woodland over Avena fatua/ Ehrharta calycina Grassland and Eucalyptus gomphocephala/ Eucalyptus marginata Woodland over Jacksonia furcellata/ Macrozamia fraseri Shrubland over Briza maxima Grassland. The association is dominated by Eucalyptus marginata and Corymbia calophylla to 10 - 15m and Banksia grandis to 8m. The understorey vegetation is dominated by Jacksonia furcellata to 3m over Avena fatua and Ehrharta longiflora. Other common Hardenbergia species include comptoniana and Gomphocarpus fruticosus.
- Eucalyptus gomphocephala/ Eucalyptus marginata Woodland over Jacksonia furcellata/ Macrozamia fraseri Shrubland over Briza maxima Grassland This association occurs to the south of the northern wetland and on the easterly sloping area adjacent to Dalrymple Road. Vegetation is dominated by Eucalyptus gomphocephala and Eucalyptus marginata to 10 15m. Understorey vegetation is dominated by Jacksonia furcellata and Macrozamia fraseri to 3m over Briza maxima dominated Grassland. Other common species include Banksia grandis, Euphorbia terracina and Lupinus cosentinii.

- Eucalyptus gomphocephala/ Eucalyptus marginata Woodland over Dryandra sessilis/ Acacia pulchella Shrubland over Ehrharta calycina/ Briza maxima Grassland This association occurs along the westerly facing slope of the western north-south linear ridge. Vegetation is dominated by Eucalyptus gomphocephala and Eucalyptus marginata to 10 15m. Understorey vegetation is dominated by Dryandra sessilis to 3.5m and Acacia pulchella over Ehrharta calycina and Briza maxima. Other common species include Hypochaeris radicata and Conostylis aculeata. The association grades into the Eucalyptus gomphocephala/ Banksia attenuata/ Allocasuarina fraseriana Woodland over Dryandra sessilis/ Macrozamia fraseri Shrubland over Petrorhagia velutina/ Ehrharta calycina/ Conostylis aculeata Grassland association towards the top of the ridge.
- Eucalyptus gomphocephala/ Banksia attenuata/ Allocasuarina fraseriana Woodland over Dryandra sessilis/ Macrozamia fraseri Shrubland over Ehrharta calycina/ Conostylis aculeata Grassland this association occurs on the westerly ridgeline on a limestone substrate. The association is dominated by Eucalyptus gomphocephala, Banksia attenuata, and Allocasuarina fraseriana to 12m. Understorey vegetation is dominated by Dryandra sessilis and Macrozamia fraseri to 2.5m over introduced grasses and Conostylis aculeata. Other common species include Briza maxima, Hakea prostrata, Burchardia umbellata, Petrorhagia velutina and Dianella divaricata.
- Eucalyptus gomphocephala/ Eucalyptus marginata/ Banksia grandis Woodland over Grevillea vestita/ Macrozamia fraseri Shrubland over Briza maxima Grassland This association occurs in the broad north-south linear swale area towards the eastern portion of the Structure Plan area. The association is similar to the Eucalyptus gomphocephala/ Eucalyptus marginata Woodland over Jacksonia furcellata/ Macrozamia fraseri Shrubland over Briza maxima Grassland described previously with more Banksia grandis in the overstorey and the absence of Jacksonia furcellata in the shrub layer. The association is dominated by Eucalyptus gomphocephala, Eucalyptus marginata and Banksia grandis to 10 15m over Grevillea vestita and Macrozamia fraseri to 3m. The understorey is dominated by Briza maxima. Other common species include Euphorbia terracina and Lupinus cosentinii.

- Eucalyptus gomphocephala/ Banksia attenuata/ Allocasuarina fraseriana Woodland over Acacia rostellifera/ Macrozamia fraseri Shrubland over Ehrharta calycina/ Conostylis aculeata Grassland - This association occurs towards the centre of the northern portion of the Structure Plan area near the site of the proposed railway station. The association grades into the Eucalyptus gomphocephala/ Eucalyptus marginata/ Banksia grandis Woodland over Grevillea vestita/ Macrozamia fraseri Shrubland over Briza maxima Grassland broad swale vegetation to the south and is similar to the vegetation occurring on the limestone ridge although Grevillea vestita is absent within the shrub layer. The association is dominated by Eucalyptus gomphocephala to 15m and Banksia attenuata and Allocasuarina fraseriana to 8m. Understorey vegetation comprises Acacia rostellifera and Macrozamia fraseri to 2m over Ehrharta calycina and Conostylis aculeata. Other common species include Trachyandra divaricata and Petrorhagia velutina
- Eucalyptus marginata/ Banksia attenuata Woodland over Jacksonia sternbergiana Shrubland over Conostylis aculeata/ Ehrharta calycina Herbland to Grassland This association occurs towards the eastern boundary of the Structure Plan area as the topography rises towards Homestead Drive and also in the west of the Structure plan area adjacent to Dalrymple Road. The association is dominated by Eucalyptus marginata and Banksia attenuata to 8 10m over Jacksonia sternbergiana to 2m. The understorey vegetation is dominated by Ehrharta calycina and Conostylis aculeata. Other common species include Petrorhagia velutina, Persoonia saccata and Petrophile linearis.
- Eucalyptus marginata/ Banksia attenuata Woodland over Acacia pulchella/ Hakea lissocarpha Shrubland over Ehrharta calycina/ Ehrharta longiflora Grassland This association occurs towards the northern boundary of the Structure Plan area. The association is dominated by Eucalyptus marginata to 12m and Banksia grandis to 8m. Understorey vegetation comprises Acacia pulchella and Hakea lissocarpha to 2m over Ehrharta calycina and Ehrharta longiflora. Other common species include Olearia axillaris and Kunzea ericifolia. Dryandra sessilis, Acacia pulchella, Ehrharta calycina and Avena fatua are present in the understorey adjacent to Wellard Road.


- Eucalyptus rudis Woodland over Acacia saligna Tall Open Scrub over Villarsia albiflora/ Baumea sp. Herbland This vegetation association occurs in the two sumpland areas in the western portion of the Structure Plan area. The association occurs on the outer fridges of the larger northerly sumpland area and in the southern smaller sumpland area. The association is dominated by Eucalyptus rudis to 10 12m over Acacia saligna to 2 4m. Understorey vegetation is dominated by a herbland of Villarsia albiflora and Baumea sp. Dense patches of Lepidosperma longitudinale occur in some areas. The introduced grass Pennisetum clandestinum is also common in the southern sumpland. Other common species include Pelargonium capitatum, Conyza albida and Isolepis nodosa.
- Eucalyptus rudis Woodland over Acacia saligna Tall Open Scrub over Villarsia albiflora/ Baumea sp. Herbland with patches of Melaleuca rhaphiophylla This association occurs in the centre of the larger northerly sumpland area and is dominated by Eucalyptus rudis to 10 12m over Acacia saligna to 2 4m. Understorey vegetation is dominated by a herbland of Villarsia albiflora and Baumea sp. Dense patches of Lepidosperma longitudinale occur in some areas. Towards the centre of the sumpland patches of Melaleuca rhaphiophylla occurs.

2.2.2.2 Vegetation Condition

The condition of vegetation surveyed during the site visit was assessed according to the criteria in Bush Forever (2000). Vegetation condition is mapped in **Figure 4**. A description of the vegetation condition scales for those conditions identified during the site visit are outlined below.

Very Good (3)

Vegetation structure altered, obvious signs of disturbance. For example, disturbance to vegetation structure caused by repeated fires, the presence of some more aggressive weeds, dieback, logging and grazing.



Good (4)

Vegetation structure significantly altered by very obvious signs of multiple disturbance. Retains basic vegetation structure or ability to regenerate to it. For example, disturbance to vegetation structure caused by very frequent fires, the presence of some very aggressive weeds at high density, partial clearing, dieback and grazing.

Degraded (5)

Basic vegetation structure severely impacted by disturbance. Scope for regeneration but not to a state approaching good condition without intensive management. For example, disturbance to vegetation structure caused by very frequent fires, the presence of very aggressive weeds, partial clearing, dieback and grazing.

The condition of vegetation varies across the Structure Plan area. Vegetation in Good to Very Good condition is found along the westerly ridge and towards the eastern boundary of the site as the topography slopes up towards Homestead Ridge. The remainder of vegetation in the Structure Plan area is generally in Degraded to Good Condition with a large proportion of the area being subject to clearing and other disturbance in the past. The condition of vegetation in the Structure Plan area is indicated in **Figure 4**.

A survey conducted by Ecoscape and Galvan Dieback Services in 2000 (cited in Bowman Bishaw Gorham, 2002) indicated no infestation by the plant pathogen *Phytophthora cinnamomi* was present within the proposed railway alignment. Based on this, it is highly unlikely that *Phtyophthora cinnamomi* would occur in any other parts of the Structure Plan area.

2.2.2.3 <u>Vegetation Significance</u>

The vegetation of the study area is representative of vegetation of the Spearwood Dunes and comprises two different vegetation complexes. The eastern portion of the Structure Plan is mapped as Karrakatta Complex – Central – South and the western portion of the Structure plan area mapped as Cottesloe Complex – Central – South in Bush Forever (Government of Western Australia, 2000). The Karrakatta Complex – Central – South currently has 8% remaining in conservation estate which is below the target of 10% minimum protection as recommended in Bush Forever (2000).

A portion of the Karrakatta Complex - Central - South vegetation in the south-eastern part of the site was recommended for protection in Bush Forever to assist in the protection status of this vegetation complex. The remaining bushland was not identified as regionally significant.

The vegetation does have some local significance however, with the high aesthetic value of the trees within the Structure plan area as well as connections through to the wetland chain in Leda reserve to the south.

The sumpland vegetation in the Structure Plan area is representative of Floristic Community Type 17 - Melaleuca rhaphiophylla - Gahnia trifida seasonal wetlands. The remainder of the vegetation in the Structure plan area is representative of Floristic Community Type 28 - Spearwood Banksia attenuata or B. attenuata - Eucalyptus woodlands. These Floristic Community Types are not listed as Threatened Ecological Communities (English and Blythe 1997). Vegetation of these Floristic Community Types are conserved within the adjacent Bush Forever Site 349 and Bush Forever Sites 67 and 356.

Tuart (*Eucalyptus gomphocephala*) has a natural range restricted to near coastal habitats between Ludlow and Moore River. Tuart dominated communities have been significantly impacted by partial clearing, grazing, frequent fire, forestry and horticulture and weed invasion and are considered to be poorly represented within the conservation reserve system (Keighery, B. J and Longman, V. M., 2002).

The Tuart vegetation in the study area has been significantly disturbed and is not considered a good example of remnant intact Tuart communities. Stands of Tuart dominated vegetation are conserved in the adjacent Bush Forever Site 349 Leda and Adjacent Bushland Leda, and in Bush Forever Site 356 Lake Cooloongup, Lake Walyungup and Adjacent Bushland, Hillman to Port Kennedy to the south. Stands of Tuart dominated vegetation are also conserved in Bush Forever Site 67 Parmelia Avenue bushland, Parmelia to the north.

12 02/19 Rev 2

2.2.3 Flora

A total of 106 species were recorded from the site during the ATA Environmental January 2003 survey. The total includes one Gymnosperm (*Macrozamia fraseri*), 32 Monocotyledons and 73 Dicotyledons. The flora assessment was undertaken in January, a time of the year when some ephemeral species such as orchids and lilies are not present. The total number of species occurring on the site therefore is expected to be considerably larger than the 106 species identified.

Of the 106 plant species recorded, 77 (73%) were native and 29 (27%) were introduced. Families with the greatest representation of taxa were the Proteaceae (*Banksia*) family (15 taxa), the Poaceae (Grass) family (10 taxa) and Papilionaceae (Pea) family (9 taxa). The species list is contained in **Appendix A**.

No Priority species, Declared Rare Flora or Commonwealth Listed species were recorded from the study area.

A search of CALM's Declared Rare and Priority Flora database was undertaken prior to the survey of the Structure plan area. The database search found that one taxon had been previously recorded from the vicinity of the study area.

• Rhodanthe pyrethrum (Priority 3)

This species typically occurs in clayey wetlands of the type that do not occur in the Structure Plan area. This species is highly unlikely to occur on the site.

2.2.4 <u>Fauna</u>

The Southern Brown Bandicoot (*Isoodon obesulus fusciventer*) is known to occur within the Structure Plan area. Ecologia Environmental Consultants conducted a survey of the wetland POS area in 1996 to determine population numbers.

Assessment of the bandicoot population size was conducted using wires cage traps and Elliott traps to facilitate mark-recapture trapping. In addition to population number, information regarding sex, weight, reproductive organ size and status and condition of the animal was recorded.

A total of 21 animals were captured during the course of the five-day survey resulting in an estimate of a total population size of 29 individuals. Five of the 11 females captured were reproductively active with young at various stages of development. Teats were also detected indicative of young having recently left the pouch. The Leda Bandicoot population exhibited standard demographic patterns for a healthy population, with a range of age classes represented and evidence of recruitment in the form of pouch young.

The Bandicoot population within the Wellard Village Structure Plan area is not directly connected to any other Bandicoot populations and the vegetated links that currently exist have been subject to clearing and disturbance in the past.

Although the Bandicoot is considered to be of State conservation significance the population in the Wellard Village Structure Plan area is not considered to be significant at a state level in terms of species distribution and overall abundance. On a regional scale the small local population of Bandicoots does make a significant contribution to the species preservation in the surrounding Kwinana region. However the small size and isolation of the population (due to lack of suitably vegetated corridors) limits the potential for a larger more viable population on a regional scale (Ecologia, 1997).

Locally it is considered that while the population may continue to exist in the short term the area and the population may be too small and isolated to be self sustaining in the longer term (15 – 20 years) (Ecologia, 1997).

2.3 Other Environmental Issues

2.3.1 Noise and Vibration

The state government has identified the need for a passenger railway linking the existing Perth rail network to the cities of Rockingham and Mandurah. The proposed railway traverses the Structure Plan area from the north-eastern corner in a south-westerly direction. A station is proposed to be sited in the centre of the Structure Plan area and will form the central focus for a planned commercial precinct.

As part of the Public Environmental Review (PER) for the proposed southwest metropolitan railway a Noise and Vibration Management Plan (NVMP) was prepared by Lloyd Acoustics Pty. Ltd in 2002. The aim of the NVMP was to quantify the noise and vibration levels along the proposed rail route and to compare the levels against a range of criteria currently being evaluated for Western Australia by the Infrastructure Co-ordinating Committee of the WA Planning Commission Working Group.

2.3.1.1 <u>Noise</u>

For the initial assessment of noise impacts the two suggested criteria currently being evaluated are detailed below:

Criteria 1 Noise level above which noise mitigation will be provided

- LAeq (daytime) 60dB(A); and
- LAeq(night-time) 55dB(A).

Criteria 2 Noise Level above which noise mitigation will be considered

- L Aeq (daytime) 55dB(A); and
- L Aeq(night-time) 50dB(A).

The majority of the noise produced by passenger trains results from the interaction between the train wheels and the track, however other potential sources of noise include noise from the pantograph connected to the power lines and signals (Lloyd Acoustics, 2002). Future potential noise emissions from the rail alignment were calculated using the sound pressure levels and travelling speed for trains to be used on the railway. Specific receiver locations were chosen along the railway alignment allowing variables such as topography, existing fencing and barriers to be taken into consideration. Other variables included train length and the height of the noise source.

Seven of the noise receiver locations chosen in the noise study were in close proximity with the Structure Plan area Six were located close to the north-eastern corning of the Structure plan area with one located in close proximity to Dalrymple Road. The following table indicates the noise levels predicted for those receivers in close proximity to the Structure Plan area.

Table 2.2: Predicted Noise Levels

Receive r ID	Location	Distance from Track	Daytime Noise Level Predictions L _{Aeq (daytime)} dB(A)	Night-time Noise Level Predictions Laeq (nightime)dB(A)
D229	Timbertop Cres	84	55	46
D230	Timbertop Cres	112	54	45
D231	Timbertop Cres	74	57	48
D232	Wellard Road	69	53	44
D233	Wellard Road	46	57	48
D234	Wellard Road	103	51	42
D235	Dalrymple Dr	164	56	47

Source: Lloyd Acoustics, 2002

Note: No predicted noise levels exceed Criteria 1. Shaded cells indicate where Criteria 2 is exceeded.

As illustrated in the table above three predicted noise levels exceed Criteria 2 daytime noise levels.

2.3.1.2 Vibration

Ground borne vibration resulting from train pass-bys can depending on the energy levels result in annoyance or structural damage to structures. Lloyd (2002) states that there have been few complaints in Western Australia received regarding vibration from railways. No criteria exist to address vibration levels from transportation corridors. Studies conducted for the South West Metropolitan Railway Noise and Vibration Management Plan used criteria developed to address vibration issues in Switzerland. These criteria were adopted in the NVMP with certain actions required based on predicted vibration levels. The criteria used in the NVMP are as follows.

- Criterion 1 Vibration Limit Curve 2 (109dB); and
- Criterion 2 Vibration Planning and Design Level Curve 1.4 (106dB).

Above Criterion 1 (Vibration Limit), vibration isolation measures would be required and incorporated into the design of the railway. In terms of planning, noise sensitive rezoning/development would only be permitted where the new building was vibration isolated. Criterion 2 (Planning and Design Level) is a level to which the project should be designed, and above which the planning system should avoid placing new residential areas where practicable.

In the Structure Plan area and surrounding area one receiver station exceeded Criterion 2 – Vibration Planning and Design level.

2.3.2 Aboriginal Heritage

A search of sites registered with the Aboriginal Affairs Department indicates no sites have been recorded within the Structure plan area. The site search is contained in **Appendix B**.

02/19 Rev 2 15

3.0 REGIONAL CONTEXT

3.1 Location

3.1.1 Sub-Regional Context

The subject land is located 1 kilometre south of the Kwinana Town Centre and 9 kilometres north-east of the Rockingham Town Centre, refer **Figure 5**. The Kwinana Freeway is located 2.5 kilometres east of the subject land on the extension of Wellard Road – Mortimer Road with access directly available via the Mortimer Road Freeway Ramps.

Thomas Road, Wellard Road and Gilmore Avenue are important regional movement systems and perform important linkages to Kwinana, Rockingham, Mandurah and Perth.

3.1.2 Local Context

The subject land is located west of the steep sloping escarpment adjacent Parmelia and Orelia, between the localities of Wellard and the Spectacles, with Casuarina and the balance of Wellard to the east of the Freeway. Leda is located west of the subject land, with the Leda Reserve forming the southern boundary to the development.

3.2 Regional Structure

3.2.1 <u>Demographics</u>

The Town of Kwinana's has a current population of 20,809 (2001, ABS Census), which is an 8.7% increase since 1996. Driven by a number of major infrastructure projects, by 2016 the population is conservatively expected to expand to 35,000 (Town of Kwinana, 2000) (See **Figure 6**)




Figure 6 - Town of Kwinana Population Growth

The structure of the Town's demographics in the past years remained relatively stable, with only a few noticeable shifts (**Figure 7**). The most prominent in this regard was the decline in the number of 20-29 year olds, which totalled 3204 in 1996 and 2924 in 2001. The median age changed from 29 in 1996 to 32 in 2001. Nonetheless, the Town of Kwinana's population still remains relatively young with over 63% still under the age of forty. Forecasts predict that in time the area will be increasingly aged.





Figure 7 - Kwinana Age Demographics



The median individual weekly income during 1996 and 2001 period rose from \$200-299 to \$300-399. The most prominent income trend is the decline in the number of low income earners (see Figure 8).




Figure 8 - Kwinana Income

Between 1996 and 2001 the average household size slightly declined from 2.8 to 2.7 persons per household.

These trends and issues will be drawn out more fully in the ongoing community development initiatives proposed for the project. For now they serve as useful contextual information for the structure plan which has considered these issues in the design process.

3.2.2 Local Institutions

The Town of Kwinana is in the fortunate position of being well serviced with local institutions and community organisations, which is a testimony to the a strong sense of community. **Table 3.1** provides a snapshot of these organisations, which total some 145. The Wellard Village Structure Plan will require the development of additional institutions to support the local population. The population influx should also add to the social and economic viability of existing organisations. Partnerships with these groups will be encouraged throughout the course of the project and opportunities for additional facilities will be explored.

Table 3.1: Kwinana Organisations

Type Organisations	No.
Aboriginal Organisations	2
Children services	13
Church Services	9
Community & service Clubs	8
Community Action Groups	3
Cultural Services	6
Disability Services	1
Education Services	2
Schools	9
Emergency Services	3
Family Support Services	16
Government Services	2
Health Services	7
Hobby and Interest Groups	4
P & C Organisations	6
Policing	2
Progress Associations	6
Recreation and Leisure	4
Senior Services	10
Social Clubs	2
Sporting Clubs	27
Youth Clubs	3
Total	145

3.3 Economics

3.3.1 Employment

Wellard Village is located 1 km south of the Kwinana Town Centre, which has been revitalised in recent years. Wellard Village will complement these efforts and provide additional population to support the Town of Kwinana's economic development initiatives.

One main issues facing the Town of Kwinana is the levels of youth unemployment. Overall unemployment rests at about 13%. There is also a trend towards an increase in the percentage of the workforce engaged in casual and part-time work (see **Figure 9**).




Figure 9 - Town of Kwinana Employment Pattern

Manufacturing and the retail sector remained the municipalities largest employers, account for 19% and 17% of all employment (see **Figure 10**). Most people were employed as tradespeople, clerical/service workers, transport workers or labourers.




Figure 10 - Employment by Sector

The Kwinana industrial estate, located within 10 km of Wellard Village is a significant local employer. The opportunity exists to explore linkages within Wellard Village with respect to employment and traineeships.

Overall the Town of Kwinana, is well positioned for sustained economic growth. Wellard Village will assist in the process by providing additional population and employment/business opportunities. Together with the partnership approach developed by the project team, the development will add and build upon the municipalities regional, national and global competitive edge.

3.3.2 Education

The Kwinana District comprises a range of educational establishments as outlined below in Table 3.2 (refer **Figure 5**):

Table 3.2: Education Establishments

Primary Schools	North Parmelia Primary School Orelia Primary School Medina Primary School Calista Primary School Leda Primary School Saint Vincent's Primary School (private) Bertram Primary School (proposed)
High School	Kwinana Senior High School

The Education Department has advised that current primary school facilities within the district are at capacity and a strong demand exists for new facilities in the Wellard area which can also be supported by new growth rapidly occurring in Bertram and a lack of facilities in Parmelia.

4.0 PLANNING BACKGROUND

4.1 Metropolitan Regional Scheme

The subject land is predominantly zoned 'Urban' under the Metropolitan Region Scheme except for:

- The Perth to Mandurah Railway Line, which traverses the subject land from north-east to south-west, is included within the Railways Reservation
- A proposed High School site has been reserved for Public Purposes (High School) consistent with a previously approved Structure Plan for the site
- Other Regional Roads Reservations for Wellard Road, along the northern boundary and Gilmore Avenue along the western boundary
- Parks and Recreation Reservations for Leda Reserve along the southern boundary of the site.

The extent of zonings and reservations within the Metropolitan Region Scheme is shown in **Figure 11**.

4.2 Town of Kwinana Planning Scheme No. 2

The majority of the subject land is included within the Residential Zone with an R Coding of R20 under the Town of Kwinana Town Planning Scheme No. 2 (Refer **Figure 12**). A recent Amendment No. 75 proposes to rezone the southern portion of the site from Rural to Special Residential, Parks and Recreation Reservation and Residential R20.

Under the provisions of Council's Town Planning Scheme No. 2, the land is identified as part of Area 19 – Leda, where there is a requirement for the preparation of a Structure Plan to be approved by Council and the Western Australian Planning Commission.

The purpose of this Structure Plan is to satisfy this requirement and facilitate development.

4.3 Leda Structure Plan (February 1997)

The Leda Structure Plan (refer **Figure 13**) was prepared by the Roberts Day Group on behalf of LandCorp in 1997, following a review of the approved Leda Structure Plan of 1992.






Figure 13 - Leda Structure Plan (February 1997)





Due to the reservation of land for a future rapid rail transit system between Perth and Mandurah which traverses the site, Landstart initiated a review of the Structure Plan to address and reflect this planning initiative as part of an overall assessment of its requirement for the land.

As a result Landstart commenced a series of investigations to assess the appropriate long term use for the landholding within an acceptable review process.

The first phase involved liaison with a number of consultant groups during which time a number of alternatives were considered. The schemes produced during this phase highlighted the need to involve representation from both the local community and the technical service agencies as well as the Kwinana Town Council. Many of the components in the resulting Structure plan reflect the findings and outcomes that were derived from the workshops particularly in regard to matters such as the location and content of open space; the provision of tree lined boulevards; the retention of vegetation, the number and location of education facilities, a variety of lots sizes and the central location of community and commercial facilities.


Key elements of the plan, relevant to this application include:

- Town Centre Village comprising 'Main Street' commercial development focussed on the Railway Station and including park and ride and bus transfer station and community infrastructure
- High School located south of the railway line
- Retention of wetlands within the public open space system along the western boundary of the site

4.4 Enquiry by Design Workshop

In 2001 the DPI conducted two design workshops attended by representatives of Council, Department of Transport and Landstart to consider appropriate modifications to the 2001 structure Plan to accommodate a new transit location and to address various infrastructure requirements requested by approval agencies.

As a result of the two workshops, two new structure plans were produced by DPI, see below. The preferred option, below, embraces Liveable Neighbourhoods planning which promotes strong linkages to public open space, recreation, community and regional facilities as well as being pedestrian oriented.



Overall DPI Preferred Option

4 02/19 Rev 2

4.5 Relevant Policies

Although various policies prepared, adopted and administered by the WAPC have broader relevance to the study area, the most relevant and significant include:

- Liveable Neighbourhoods
- Policy DC1.6 Planning to Enhance Public Transport Use
- Transit Oriented Development

4.5.1 <u>Liveable Neighbourhoods</u>

Liveable Neighbourhoods was prepared to implement the objectives of the State Planning Strategy that aim to guide the sustainable development in Western Australia to 2029. It operates as a development control policy to facilitate the development of sustainable communities. The key elements of Liveable Neighbourhoods critical to the development of the subject land include:

- Maximising residential density and mixed use development focussed on the station precinct and the main approach roads.
- Providing for choice and accessibility (walking, cycling, bus,, rail, and car within the station precinct).
- Providing a permeable street network that optimises walkability to the station as well as creating main road links to the Kwinana Town Centre and the Rockingham District Centre.
- Creating employment opportunities through local neighbourhood commercial integrated with the station precinct.
- Creating a strong identity for the station precinct with landmarks where possible, and establishing strong view corridors from the station precinct to focal points within the neighbourhoods.

- Staging it will be important that the first stage of the development be integrated and co-ordinated as closely as possible with construction and commissioning of the rail station to develop an appropriate identity, provide opportunities for local commercial ventures to maximise returns early, establish public transport as a viable alternative to private car usage, encourage patronage, and maximise transport infrastructure investment.
- Permeable street design should be based on creating an attractive environment, with shared paths for cycling and walking on both sides of the street, street side parking and strategically located bus stops. Station parking should be design so as to not dominate the urban form and may be considered in the ling term future as potential land banking for development as provided by demand and increased land values.
- Creating an environment in and around the station, park and ride and around the areas for mixed use development that has a high degree of passive surveillance.
- In and around the station, pedestrians will have priority of access, and be mixed at grade with buses and kiss and ride cars through appropriately detailed calming techniques based on encouraging safety awareness and co-existence rather than conflict.
- Public open space is to be provided in appropriate locations, safe with good surveillance, useable integrated, linked, sufficient size for purpose and with possible links to school sites and community sites.

4.5.2 <u>Policy DC 1.6 Planning to Enhance Public Transport Use</u>

Policy DC1.6 – "Planning to enhance Public Transport Use" applies to all land within the Metropolitan Region situated within 800 metres of a railway station. It contains six main policy measures:

 To promote public transport as an alternative to car travel and enhance mobility in the community, particularly for those who do not have access to a car.

02/19 Rev 2 25

- To ensure the optimum use of land close to railway stations, bus terminals, transport interchanges and routes containing frequent public transport services for residential, commercial and other intensive uses.
- To maximise accessibility to electric rail and other public transport services, in particular high frequency bus routes and System 21 bus corridors.
- To maximise accessibility by rail and other public transport to a range of work, shopping and other urban activities.
- To facilitate safe pedestrian and cycle access to and from public transport services and a range of activities focussed around them.
- To promote the development of a more sustainable urban form.
- To promote designs for public transport that minimise any adverse impact on local amenity arising from public transport operations.
- To ensure adequate consideration is given to public transport access by planning authorities, consultants and developers.

With respect to land use in areas accessible to major public transport infrastructure, the Policy supports higher residential densities, commercial and mixed use developments should be encouraged as outlined below:

- Medium to high density residential development and accommodation for groups dependent upon public transport such as the aged, socio economically disadvantaged and those with disabilities.
- Commercial development such as retail office uses (where appropriate and consistent with other relevant policy statements), focussed on the core area of public transport precincts.
- Intensive recreation, education and leisure activities.
- Other uses likely to attract significant employment.

Unless as part of a staged program looking to implement preliminary uses, there should be a presumption against the use of land within public transport precincts for:

- low intensity commercial uses such as showrooms and showroom-warehouse development, except as part of an established or proposed commercial centre identified under a relevant policy;
- warehouses;
- general industry with extensive land needs;
- low density residential development;
- public utilities and drainage reserves; and
- large areas of undeveloped public open space.

4.5.3 Recent Design Trends

Since the 1980's, a major international urban design trend variously referred to as 'New Urbanism', 'Neo Traditional Planning' or 'Liveable Neighbourhoods' has emerged. This trend has focussed upon the redefinition of urban spaces in general, and 'town centres' in particular.

Key proponents of the trend have included Duany/Plater-Zyberk, Calthorpe, Krier, Murrain, Morris/Kaufman, Katz, et al. Apart from initially being academically driven, the trend is increasingly being embraced by the development and commercial/retail industry. Recent surveys by KPMG for example have documented a decline in consumer preference for mall-based shopping, whilst street based commercial development has retained (or increased) consumer share.

Moreover, most design aspects of these trends are now embodied in the Liveable Neighbourhoods adopted by the WAPC in June 2000.

Key physical attributes of 'Neo Traditional' planning include the following:

i) "Streets are laid out on a grid or network, so that there are alternate routes to every destination. This permits most streets to be smaller, with slower traffic. They are equitable for both vehicles and pedestrians."

- ii) "Streets are spatially defined by buildings which enfront the sidewalk in a disciplined manner uninterrupted by parking lots."
- "Buildings are various in function, but compatible in size and in disposition on their lots. There is a mixture of houses, large and small, outbuildings, small apartment buildings, shops, restaurants, offices and warehouses."
- iv) "Civic buildings (schools, meeting halls, theatres, churches, clubs, museums, etc) are often placed on squares or at the termination of street vistas. By receiving important locations, these buildings serve as landmarks."
- v) "Open Space is provided in the form of specialised squares, playgrounds and parks." (excerpt from a presentation by Andres Duany to the American Institute of Certified Planners, via http://www.erdman.com/mhills/livable.htm 9/6/99).

Further attributes also include:

- re-introducing parking on-street (to maintain convenience and commercial viability),
- ii) accommodating additional off-street parking internally within street blocks,
- encouraging finer grained (detailed) and more responsive architecture facing the street (eg, punctuating important thresholds and nodes)

Of particular relevance to Wellard Village is a further 'New Urbanist' scheme developed by Peter Calthorpe and others, and typically referred to as 'Transit Orientated Development' (TOD) which integrates landuse and transportation strategies.

Key elements of TOD design relevant to the study area include:

i) focussing roads and activity on the primary transit stop (via, railway station/bus transfer station) to allow optimal accessibility;


- ii) encouraging a mix of commercial and residential uses within a ten minute walk (800 metres) of the transit stop, with the most intense/highest density being closest to the station; and
- iii) incorporating some civic elements (eg, halls, parks, etc) within the precinct to strengthen the community focus of the TOD.

Calthorpe's TOD principles are generally theoretic, and are ideally applied to greenfield sites.

4.5.4 Bush Forever

The Wellard Structure Plan area is adjacent to Bush Forever Site 349 Leda and Adjacent Bushland Leda, refer **Figure 14**. Bush Forever Site 349 comprises approximately 960 ha of vegetation and contains a number of wetland and dryland vegetation types. The boundaries of Bush Forever Site 349 have been the subject of Negotiated Planning Solution with an area at the southern portion of the Wellard Structure Plan area exchanged for an area in the south-eastern portion of the Structure Plan area adjacent to Homestead Ridge.

02/19 Rev 2 **27**



BUSH FOREVER SITE



5.0 OPPORTUNITIES AND CONSTRAINTS

5.1 Wetlands

The Department of Environmental Protection (DEP) require a buffer to be retained around wetland areas. The buffer width typically recommended is a minimum of 50m or 1m AHD higher than the outer edge of wetland dependent vegetation, which ever is the larger. A 50m buffer around the wetland area is shown on Figure 4. Subdivision would not be permitted within the buffer area, although earthworks for the purposes of drainage management and the development of POS is sometimes acceptable depending on the condition of the buffer. In this case, the buffer around the wetlands is significantly degraded and could be enhanced though rehabilitation and use as POS or used for appropriately designed drainage swales or infiltration basins.

5.2 Remnant Vegetation

Much of the Structure Plan area comprises Eucalyptus Woodland with understorey vegetation in varying condition. A portion of the Structure Plan area has been identified as regionally significant in Bush Forever and will be required to be protected for conservation purposes. The remaining vegetation within the Structure Plan area is not considered regionally significant in Bush Forever and does not contain any Threatened Ecological Communities. In addition, the vegetation types are well represented within conservation reserves in the surrounding area. Therefore, the vegetation itself does not present a constraint to development.

The Study Area does however contain some areas of good quality vegetation. Remnant vegetation should therefore be retained where possible to retain some of the environmental values of the site. The retention of remnant vegetation will lend an instant maturity to future residential development and will provide opportunistic habitat and feeding opportunities for native fauna species.

The retention of remnant vegetation will be achieved in a number of areas within the Structure Plan. Remnant vegetation will be retained in the wetland POS area and within the southern wetland area. In addition, vegetation will be retained in parkland areas and Eucalypts will be retained within road verges and around formal recreational areas where possible. Management of remnant vegetation is outlined in Section 11.4.2.

Further to the above, there is an important vegetation area identified on the Structure Plan, south of the railway. The existing linear public open space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect the vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of vegetation.

5.3 Fauna

The Bandicoot population in the Wellard Structure Plan area is considered to be restricted to the northerly sumpland area as this area contains the densest understorey vegetation in the area.

The sumpland area is proposed to be retained within an area of Public Open Space and managed to maintain vegetation condition and structure. With adequate protection and management of the sumpland area the Bandicoot population should remain viable in the longer term (15 – 20 years) (Ecologia, 1997). Management of fauna within the structure plan is outlined in Section 11.4.3.

A dedicated fauna underpass will be provided as part of the extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the adjacent Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of Kwinana.

02/19 Rev 2 **29**

5.4 Bush Forever

In addition to providing refuge for flora and fauna the presence of Bush Forever Site 349 Leda and Adjacent Bushland Leda adjacent to the Structure Plan area will lend a natural environment atmosphere to any proposed future residential development. Potential impacts on the reserve arising from the future development of the Structure Plan area may result from inappropriate usage and unrestricted access into the reserve. Potential impacts resulting from housing development adjacent to bushland reserves include:

- Killing of native fauna by domestic pets.
- Weed introduction through dumping of garden waste, pets and people.
- Cutting of native vegetation.
- Increased risk of fire.

The interface between Bush Forever Site 349 and the Structure plan area will require adequate design and management to avoid any potential impacts. Management guidelines are outlined in Section 11.4.2.

5.5 Noise and Vibration

One receiver near the corner of Wellard Road and Homestead Drive recorded noise levels 2Db above daytime Criterion 2 levels and vibration levels 3Db above Criterion 2 levels.

The NVMP prepared by Lloyd acoustics (2002) indicates that if noise levels exceed Criterion 2 mitigation measures may be considered. Management of noise from the railway line is discussed in section 11.3.4.

The predicted vibration calculations are based on measured vibrations of trains travelling along a track on ballast in the Metropolitan area. However ground borne vibrations are complicated by the soil/rock structure of the ground and will vary from site to site (Lloyd, 2002). The NVMP recommends that specific vibration analysis including assessment of the ground geology should be undertaken by the Perth Urban Rail Development Office prior to construction of the line to determine if vibration control is necessary.

The new generation trains to be used on the proposed railway line are expected to reduce vibration levels by 3Db (Lloyd, 2002). Given that the current prediction for vibration near Homestead Ridge is to exceed Criterion 2 by 3Db the use of new generation trains is expected to lower the vibration levels to below Criterion 2 levels. Management of vibration from the railway line is discussed in section 11.3.4.

5.6 Interface with Leda Reserve

As indicated in **Figure 15** the majority of the Structure Plan area has a road interface with Bush Forever Site 349 Leda and Adjacent Bushland Leda. A road interface with the reserve will act as a firebreak and discourage disposal of garden waste in the reserve as well as providing a bushland outlook for nearby houses.

Two exceptions to the road interface exist; consisting of two areas of Public Open Space. These POS areas will contain grassed areas as well as native vegetation retained where possible.

The following management principals should guide the treatment of the Reserve/Subdivision interface:


- Areas of POS abutting the reserve will need a controlled edge to delineate the reserve boundary. This may include fencing as described above and the use of limestone blocks, vegetation screening or similar landscaping features.
- The reserve boundary must be clearly marked and fenced prior to commencement of construction to prevent unnecessary disturbance within the reserve.

30 02/19 Rev 2

5.6.1 Wetland

The Conservation Category wetland is proposed to be maintained within an area of POS in the northeast of the Structure Plan area. The wetland area itself will be retained in its natural state with a boardwalk or similar structure providing controlled access for viewing. The remainder of the POS will largely comprise the 50m wetland buffer. Some areas of the POS will be landscaped to provide passive recreational opportunities such as grassed areas, seating and a dual use path. The POS area will also be used for stormwater drainage with a retention basin or similar structure within the wetland buffer area.

02/19 Rev 2 31



6.0 WELLARD VILLAGE STRUCTURE PLAN

6.1 Design Philosophy

The principle philosophy of the Structure Plan is to maximise community formation by creating an integrated land use and transport village in a manner that generates social, economic and environmental opportunities.

Specifically, the Wellard Village Structure Plan design is based on the following fundamental principles, as illustrated in **Figure 15**, Wellard Village Structure Plan:

- Wellard Village will be a town designed around Traditional Neighbourhood Principles and a return to the traditional neighbourhood.
- A central access spine focussing on the Neighbourhood Centre and transit precinct, with north-south movement systems focused into the Neighbourhood Centre.
- A village core within the heart of the centre to encourage a strong sense of community.
- Mixed land use activity in the Neighbourhood Centre to encourage social interaction, supported by a permeable road and pedestrian access system between neighbourhoods.
- A pedestrian friendly street environment with good accessibility to the public transport system to assist in reducing car dependency and encouraging social interaction and alternative forms of transportation i.e. cycling.
- A pedestrian movement system which provides linkages between key land use activities including the Neighbourhood Centre, station precinct, educational facilities, and open space.
- A robust Neighbourhood Centre precinct to allow for change in land use activity over time.

- A path network which provides linkages with regional recreation opportunities and adjacent facilities external to the site including, Leda Nature Reserve, Bollard Bulrush Swamp and Kwinana Town Centre.
- Street networks and public open space designed to maximise passive surveillance.

6.2 Community Benefit

Wellard Village provides significant investment in the locality and community benefit for both existing and future residents, as outlined below:

- Enable development of a quality 'Main Street' and town centre precinct focussed around the station.
- Provide a broader choice of residential locations and lifestyle opportunities.
- Opportunities to expand the employment opportunities within the area by development of the Neighbourhood Centre.
- Retention of existing vegetation where possible within streets and public open spaces.
- Extension of Leda reserve through public open space and bush forever site allocation.

6.3 Community Facilities and Amenity

6.3.1 <u>Community Development Initiatives</u>

Design creates social, economic and environmental opportunities.

It is widely acknowledged that the world we live in has changed at the local, regional, national and global level. These shifts are reflected in employment patterns, social attitudes, product development, market needs, built form, regulatory regimes and the state of the environment.

At the community level these changes have major repercussions, the most profound of which is that now more than ever before efforts need to be made to create communities. Mass production and consumption has led to a situation whereby the world has become more and more the same. Standard built form and planning practices over the last 20 years has led to a situation whereby the distinctiveness of many localities is lost in a sea of sub-urbanism.

What these trends and influences indicate is that traditional community structures are less likely to evolve naturally. What is often required, particularly in new localities, is a series of enablers to stimulate people to interact, build relationships, establish networks and create a local sense of community identity.

As part of the Wellard Village project, a community development plan is to be developed that will provide the framework in which these enablers are collated and documented. The intent and process of developing the CDP will serve to draw together key stakeholders and explore areas of mutual self-interest between the various partners.

These objectives will complement the broader land use and design initiatives undertaken as part of preparing the Wellard Village Structure Plan. They will also assist in its on going refinement over time.

6.3.2 Community Facilities

Community facilities provide focal points for social interaction and assist in building a strong and cohesive local community. Within the structure plan a number of areas have been set aside for these facilities.

Whilst the final design and layout of this proposed infrastructure will need to be determined by discussions with the wider community and the Town of Kwinana, the current framework provides a number of opportunities for existing and future populations, refer **Figure 16**. This includes:

- A 9.0 ha private school site;
- A 3.5 ha and 4.0 ha primary school site, one north and one south of the railway line;
- A 7.5 ha mid school site;
- A TAFE/Tertiary education site;

- 11 parcels of public open space with active, passive and conservation uses;
- Dual use paths throughout the subdivision; and
- An integrated rail station connecting south to Mandurah and north to the Perth Central Business District.
- Neighbourhood Centre, comprising a range of retail, commercial and entertainment uses.

Initially it is proposed that a sales office will be established that will also double as a community house. A more permanent integrated facility could be developed to service local organisations within the town centre.

It is also envisaged that school in shops or houses will be established to service stage one and two populations. Over time these will be replaced by the establishment of a permanent primary school site and, at a later date, a middle school.


The opportunity also exists to create a small scale tertiary education site. Preliminary discussions have been held with Murdoch University who are interested in establishing a social research facility in the region. Challenge TAFE may also relocate local training programmes on site.

If these opportunities became a reality, Wellard Village will present the prospect of developing a unique education orientated precinct. This will allow a number of training initiatives to be created that centre on ensuring that the local youth and unemployed have improved employment prospects.

A diverse set of leisure based facilities will also be provided within the development. Co-located active sports ovals are proposed for the private and public school sites along Wellard Road, and ovals will also be provided as part of the middle school, south of the railway station.

A community purposes site of 5000m² will be located within the Neighbourhood Centre and will be vested free of cost in the Crown in accordance with section 152(1)(f) of the Planning and Development Act 2005 or to the Town of Kwinana in freehold land.

4 02/19 Rev 2



The size of the community purposes site may be reduced in land area subject to the following requirements being met:

- The Council of the Town of Kwinana agrees to the reduction;
- ii. The reduction is not more than 3,800 m² (i.e. minimum site area 1200 m²);
- iii. The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement for a community centre to be developed on the site;
- iv. The community centre under iii is that chosen by the Council of the Town of Kwinana:
- v. The land owner enters into a suitable agreement with the Town of Kwinana guaranteeing requirements i to iv are met.

To encourage non-vehicle transport modes (i.e. walking, cycling) dual use pathways will also be developed throughout the subdivision. This will assist reduce the level of vehicle emissions and stimulate a healthy local population by encouraging walking/cycling activities.

A comprehensive path network will serve to connect usable high quality passive recreational space dispersed throughout the subdivision, and add to the permeability of the area. The rehabilitation and enhancement of on site wetlands and surrounding buffer bushland will also add to the level of amenity and recreational opportunities in the development.

As part of the ongoing consultation process, the developers will focus on ensuring that these spaces and facilities are activated and linked to the broader project and regional objectives. In all instances, community facility planning and development will be based on established need and emerging recreation trends to ensure that there are no service duplications, and community needs are satisfied.

6.3.2.1 Neighbourhood Node

The Neighbourhood Node's primary objective is to establish a focal destination for the localised community (within 400m). It should offer a small commercial (convenience store between 100-200m² GLA) and community based use, and thus offer both convenience and service type facilities from this. It should exist on a single street block of approximately 1500m² in area.

The built form of Neighbourhood Node should include the following attributes:

- Street based, with a reduced setback to the primary street boundary;
- ii. Incorporate on street car parking where practical, as well as off street parking;
- iii. Verge areas between kerb lines and building fronts treated as a hard paved side walk, including street furniture, and appropriate street trees;
- iv. Footpath areas afforded weather protection by awnings;
- v. Buildings at nodes architecturally contributing to the street, and providing an active edge.

A Detailed Area Plan must be submitted and approved by Council for development of the Neighbourhood Node.

6.3.3 Education

Current Education Department guidelines require the provision of one primary school for every 1500-1800 lots created. Based on the estimated population yields for Wellard Village, and recent discussions with the Education Department regarding their anticipated catchment requirements for the Wellard and Parmelia Districts, two primary school sites have been identified within the Structure plan area.

The northern primary school site is to comprise 4 hectares with access close to Parmelia Avenue to services the catchment to the north. The southern primary school site is to comprise 3.5 hectares and be colocated with the Mid School.

The proposed school site will have frontage and direct access to four roads. There is the opportunity at the detailed design phase to review the boundaries of the site and public open space with the possibility of locating school buildings amongst existing trees and wrapping around the oval in an 'L' shape. It is considered that this is best determined at the detailed design phase in consultation with Council, Education Department and their architect.

6 02/19 Rev 2

The Education Department has also indicated a requirement for a Mid School to be provided south of the railway line. This has been accommodated consistent with the requirements of the MRS and Kwinana Town Planning Scheme No. 2, although in a modified configuration.

Discussions have also been held with the Education Department regarding opportunities for School in Shops in the first stages of development. These initiatives will be pursued concurrently with development.

6.3.3.1 Private Facilities

A 9.0 ha site has been identified for a possible private K-12 site. Preliminary enquiries of interest have been received and expressions of interest will be sought.

6.4 Structure Plan Yields

The estimated lot yields and population projections for the Structure Plan area are provided below in **Table 6.1**. Succinctly, the total Structure Plan area comprises approximately 320.5888 hectares, subtracting the non-residential land uses and applying appropriate POS credits for wetlands, results in the net subdivisible area of 257.2468 hectares.

Table 6.1: Public Open Space Calculations

		1		
Lot 2	254	255.7210		
Part	277	22.2438		
Part	271	34.8123		
Part	272	7.2087		
Part	Lot 242	0.6030		
Tota	l Structure Plan Area	320.5888		
DED	DEDUCTIONS FOR CALCULATING NET SITE AREA			
D1	Primary School (x2) and High School Sites	15.2100		
D2	Transit Village Commercial	2.8873		
D3	Park and Ride	1.1000		
D4	Less Railway Reserve Area 1	4.6100		
D5	Less Railway Reserve Area 2	6.1600		
D6	Bus Interchange	0.3153		
D7	Bush Forever Site	17.3000		
D8	Wetland 1 (8.98 ha - 50% only)	4.4900		
D9	Wetland 2 (1.156 ha - 50% only)	0.5780		
D11	Private K-12 Site	8.6000		
Tota	Deductions:	61.2506		
Nett	Subdivisible Area (GSA)	259.3374		
10% POS Required		25.93 ha		
Tota	l POS Provided (including drainage 100% credit):	33.5394 ha 12.93% + 2.93% or + 7.61 ha		

Notes:

- i) Whilst the Structure Plan shows POS as detailed above and in Section Error! Reference source not found., the use and purpose of each POS area is subject to further detailed design and discussion with the Town of Kwinana and the Department for Planning and Infrastructure, with an intention to refine the POS provision through the detailed design phase.
- ii) The POS calculations may change subject to the establishment of some of the non-residential uses and the ultimate development of commercial uses.
- iii) The community purpose site is subject to negotiation with the Town of Kwinana.

Table 6.2: Anticipated Lot Yields/Population Projections

Lot Yields	
Proposed number of lots	2,631 lots
Estimated Population Projections	
Say, 2,630 lots x 3 persons per dwelling	7,890 persons

6.5 Residential Densities

Residential densities have been proposed based on the principles outlined within Element 3 of Liveable Neighbourhoods, together with specific site assessment. In this regard, consideration has been given to the character of the existing communities surrounding the subject land, the requirements for density to support transit oriented development and market considerations.

A variety of housing types and lot sizes will ensure a broad spectrum of the public can be accommodated within the development and to ensure an acceptable community profile to encourage the most vibrant of communities possible.

The following elements have been incorporated into the Structure Plan:

- Higher residential densities supporting the rail service, commercial and retail facilities within the Neighbourhood Centre.
- Higher residential densities located adjacent public open space.
- Identification of live/work opportunities within the Neighbourhood Centre.
- Ensure the seamless integration of public housing with conventional housing stock.
- Larger residential lots on the eastern edge of the property as a transition to the existing development of Homestead Ridge in Wellard.

Importantly, the Structure Plan is based on a robust design to enable the development of smaller lots in response to market demands.

6.6 Town Centre

6.6.1 Introduction

The design of the proposed Wellard Neighbourhood Centre (refer **Figure 17**) is based on a number of economic, social and environmental principles.


The Neighbourhood Centre is proposed to be street-based, not a shopping mall for the following reasons:

- It provides a democratic focus for community life and social exchange.
- It provides the opportunity for a broader base of jobs in the future.
- It improves security along the access to the rail station.
- It provides an improved interface with higher density residential development around the centre.
- It delivers a sense of place currently absent from much of the commercial zones in the area.
- It improves public domain performance.
- It provides greater flexibility for future economic development in the area.

6.6.2 <u>Design and Planning Philosophy</u>

The design of the village is based around a series of principles, that afford good overall community performance.

The design is based around a perimeter-block approach with active edges to streets and no large massed buildings facing streets. Similarly, car parking is sleeved within each block, reducing its impact on the public domain. This approach reflects a strong desire to generate good public domain performance.



Retail is a structural element in Neighbourhood Centres and forms a key focus for economic and community life. Its success or failure affects amenity, as vacant or under-performing retail in streets is not only an economic effect but also is an amenity issue as vacant shops are inherently ugly and deplete street-life. A reduction in amenity leads to a reduced desire for businesses to locate in the village.

The community will be investing heavily in public space and service infrastructure in the village, and this investment should be recognised in planning and design to ensure that it is not detrimentally affected by development without offsetting benefits.

In Planning Policy Guidance Note 1 (PPG1) in the United Kingdom, urban design is described as follows:

"... urban design should be taken to mean the relationship between different buildings; the relationship between different buildings and the streets, squares, parks and waterways and other spaces which make up the public domain; the nature and quality of the public domain itself; the relationship of one part of the village, town or city with other parts; and the pattern of movement and activity which are thereby established: in short, the complex relationships between all the elements of built and unbuilt space."

(DoE, 1997 para. 14).

The definition does not speak to land use, but of relationships established between buildings and spaces. These physical and geographical relationships define the quality of the town centre. Consequently, it will be important to ensure that delivery of the village is in harmony with the philosophies expressed by the design. For this reason it is likely that we will be seeking a design code for the Neighbourhood Centre.

The Prime Minister's Task Force (Australia) reported on cities and urban design as follows:

"Good urban design is concerned with visual meaning, functional efficiency and broad access to change in cities and towns. It does not depend on universal principles or national codes but is grounded in local characteristics and needs, so much that it is often hard to notice, being distinguished by a natural fit between site and context. Urban design manifests itself in many ways, but it always centres on the quality of the public realm." 1

An objective of this study is to consider ways of achieving good socioeconomic outcomes through appropriate planning controls and guidelines. This requires an assessment of how improved environmental, social and economic performance might be achieved and the effects of development on the public realm.

Studies are showing that amenity is an issue that relates to the health and wellbeing of people and communities. Amenity in the public domain is a core principle of the design for the Neighbourhood Centre.

High amenity promotes and encourages walking – USA and Australian studies are showing a high correlation between high amenity areas, and improved physical and mental health and mortality rates.²

Sociologist James House concluded that positive contributions to health made by social integration and social support rival in strength the detrimental contributions of well-established biomedical factors such as cigarette smoking, obesity, elevated blood pressure, and physical inactivity.³ Consequently, in the wellbeing of people and communities it is important to recognise that a nexus exists between well performing urban areas, where interaction and community transactions are at optimum, and health and happiness.⁴

^{1 &}quot;Urban Design in Australia", Report by the Prime Minister's Urban Design Task Force, November 1994
² Gillham & Barnett "Decaying Interest in Burglary Prevention, Residence on a Block with and Active
Block Club, and Communication Linkage: A Routine Activities Approach." Journal of Crime & Justice,
1994. Victorian Government Studies of Health of Victorian Communities and Links to Urban Form: 2001.

³ James House, Karl Landis, Debra Umberson, "Social Relationships and Health" Science 241 1988.

⁴ Stewart Wolf, The Rosetto Story, an Anatomy of Health; University of Oklahoma Press 1979

Good urban design should generate a variety of benefits including a more active and vibrant public realm, greater investment return over the life cycle of a project, more efficient movement patterns, less crime⁵ and increased workforce productivity. A consequence of well performing places is improved health and welfare, less social exclusion, reduced maintenance costs and cash savings for the public purse.⁶

Social activity occurs as a consequence of people moving about in the same space. The more time people spend outdoors, the more frequently they meet and the more they talk. 7

"Streets are as old as civilisation, and more than any other human artefact, have come to symbolise public life, with all its human contact, conflict and tolerance."⁸

Neighbourhood Centres that are representatives of place are major community and national economic assets – they sell the nation to the world. They occur as a consequence of an almost seamless interface between public and private infrastructure. They enhance community values and improve economic performance.

For these reasons, we propose a Neighbourhood Centre at Wellard, based around streets and not an internally focused mall.

6.6.3 The Importance of the Local and Regional Structure

Whilst shopping centres can succeed with poor regional structure, mixed-use town centres as proposed by us require structural energy for success. This energy is present in the local and regional structure of the site and surrounding area. That is why it is important for the village to be proximate to strong traffic flows. This is also important for the success of the rail station.

The proposed Neighbourhood Centre is located perpendicular to the main traffic flows, on the journey to the rail station, which will form an anchor at the end of main street. The main street is designed to generate two large blocks that are flexible enough to allow for the requirements of a supermarket and intra-block parking.

Traditional Neighbourhood Centre design will encourage concentrations of activity and a variety of land uses. Such concentrations create a more efficient urban structure and use pattern resulting in lower vehicle trips, travel distances and reduced congestion throughout the network. Neighbourhood Centres are more efficient in their infrastructure use, relying to a greater degree on public transport and shared facilities and amenities. Mixing uses also leads directly to higher user and occupier satisfaction.9

6.6.4 The Neighbourhood Centre and Transport

Good accessibility and structural energy is a requirement for the success of town centres. Accessibility and traffic generation is an issue for planning¹⁰. Studies undertaken in USA has found that trip generation rates from residential areas in a traditional town or village are half those of suburban centres.¹¹

A California EPA study¹² found that a significant portion of variations of vehicle trip generation rates at regional shopping centres can be explained by the amount and regional coverage of public transit services and the density and proximity of surrounding land uses. The village is designed to facilitate density, supporting higher levels of bus and rail use.

⁵ Steve Thorn, City of Gosnells, WA. "Designing Out Crime" 2001. This study established a causal link between good and bad urban design, and crime, using space syntax analysis and statistics of the geography of 20,000 crimes in the city. See also Gerde Wekerle & Carolyn Whitzman, "Safe Cities: Guidelines for Planning, Design, and Management." USA 1998

⁶ CABE (UK) "The Value of Urban Design" 2000

⁷ Jan Gehl et al Melbourne University, Melbourne 1976 "The Interface Between Public and Private Territories in Residential Areas"

⁸ Trevor Boddy, "Underground and Overhead: Building the Analogous City." 1992

⁹ CABE (UK) 2000, "The Value of Urban Design"

¹⁰ Studies are also showing that the more time spent in the private motor vehicle, the lower the level of civic engagement. "Between 1969 and 1995 the length of the average USA shopping trip increased by 29% and the average number of shopping trips per household almost doubled. Each additional ten minutes in daily commuting time cuts involvement in community affairs by 10%;" Professor Robert D. Putnam, Professor of Public Policy Harvard University.

¹¹ Rick Chellman, "Portsmouth Traffic / Trip Generation Study". (Half the trips means less than half the traffic, as urban trips are generally considerably shorter than suburban trips); Michael Bernick, Robert Cervero, "Transit Villages in the 21st Century".

¹² California EPA Air Resources Board, JHK & Assoc., "Indirect Source Trip Activity and Mitigation at Major "Regional" Shopping Centers" 1994.

6.6.5 Design Codes

Land use planning has largely failed to deliver memorable places. This is partly because it is written to prevent outcomes, not to encourage them. These plans often abrogate the public sector's responsibility for community making, relying instead on the private sector. The land use or zoning plan is overly reliant on use as the primary tool for organising relationships. However, in many cases, especially in the suburbs, a mix of uses is not allowed.

"Codes do not emanate from any physical vision. They have no images, no diagrams, no recommended models, only numbers and words. Their authors it seems, have no clear picture of what they want their communities to be. They are not imagining a place that they admire or buildings that they hope to emulate. Rather, all they seem to imagine is what they don't want: no mixed uses, no slow moving cars, no parking shortages, no overcrowding. Such prohibitions do not a city make." 13

We need to define other means of ensuring improved urban performance, especially insofar as community assets are concerned. The community is the owner of the streets, squares, waterways and parks within a city. The community's view of how these spaces perform and how other uses and buildings might relate to its spaces is an issue for planning.

An objective of the design is the creation of an active mixed-use node of activity. This is created by building design and land use relationships generating active streets and energetic public space.

For improved performance, the organisation of buildings on sites requires a focus on the public domain. Traditional town and Neighbourhood Centres, where no one use dominates and buildings face to and interact with the street, represent such places.

Today, good town centres are not necessarily delivered by a hands-off approach, or relying on the market to provide the best outcome. The market might be the most efficient means of delivering the use, but in many cases it has no broader interest in the community or in inspiring other activities to locate nearby.

In the experience of the consultants in this project, good outcomes for the Neighbourhood Centre can only be guaranteed by design codes.

6.6.6 Market Factors

The proposed Neighbourhood Centre is anchored by a mid-size supermarket of around 3,200 square metres. The balance of the retail floorspace is proposed at 1,800 square metres, bringing the total retail floorspace to 5,000 square metres.

At this size, the retail role of the centre is as a convenience-retail, weekly and daily shopping destination. In this sense it will be competitive with the existing Kwinana Hub centre. However, population growth within the proximate catchment (those that would regard the proposed village as their most convenient centre) is sufficient to justify the proposed amount of retail floorspace.

Typically, convenience retail centres, which are anchored by a supermarket require around 6,000 to 10,000 population.

The new subdivision around the site is expected to generate between 2,800 and 3,000 lots. Other surrounding areas will also contribute trade to the proposed centre.

Table 6.3: Wellard Neighbourhood Centre Retail Catchment

	Est. Lots/Household	Est. Population
JV Subdivision	2,800	7,840
Fringe Areas	1,200	3,360
Total:	4,000	11,200

Source: Town of Kwinana, Peet & Co

The development of a strong Neighbourhood Centre at Wellard is not considered to be detrimental to the long term health of the existing Kwinana Hub centre. This centre will receive additional support from new residents at Wellard and other areas. Ultimately, if it is council's wish, the Kwinana centre can support a discount department store. This usually requires a trigger catchment population of around 40,000 people.

¹³ Andres Duany, Elizabeth Plater-Zyberk, Jeff Speck, "Suburban Nation," North Point Press 2001

6.6.7 <u>Neighbourhood Centre Staging</u>

The retail demand profile is reasonably easy to quantify, and usually triggered by the anchor - the supermarket. In other words, the supermarket timing will influence the delivery of much of the fabric of the Neighbourhood Centre.

However, we propose that the main street be a combination of retail uses at ground level and commercial and residential above. If residential above, then we would recommend at least three storeys to improve the quality of the residential product.

Residential also brings the benefit of being able to be delivered early. This is why design codes are important. If residential is delivered early in the process, then we need to ensure that the ground floor condition is ideal for shops in the future.

Also commercial demand usually follows after the establishment of a successful place. This is because jobs in the new economy are attracted to good places. This means that we should provide flexibility in the design to cater for a broad mix of jobs after completion of the retail component of the Neighbourhood Centre. This of course assumes that the project does not attract a major employer as a 'seed' contribution in the meantime.

Therefore, the staging is likely to be as follows:

- Stage 1 Residential apartment building on north east side of main street (possibly with schools in shops on ground floor).
- Stage 2 Supermarket and completion of main street
- Stage 3 Additional commercial and residential development on adjoining streets.

This staging program is indicative only a this stage and is clearly subject to review.

6.6.8 <u>Neighbourhood Centre Design</u>

The Neighbourhood Centre focuses on the intersection of the main east-west and north-south connectors, creating a central focal point to the development with linkages to the transit precinct, refer **Figure 17**. Key elements of the main street and village/transit centre include:

- A Neighbourhood Centre predetermined by the location of the railway station in a location central to its catchment.
- The establishment of an active relationship of buildings in order to foster the creation of lively, vibrant and active spaces within streets and the village square and piazza.
- Creation of a pedestrianised environment where street level activities of both a retail and entertainment nature predominate.
- Development of civic spaces in the form of a village square adjacent the station and village piazza at the northern end of main street. These spaces will provide a pedestrian focus and orientation point for pedestrian and vehicular traffic.
- Introduction of Challenger TAFE post compulsory school and vocational education and other community facilities including a community hall/civic building.
- Higher density residential development within the Neighbourhood Centre which could also include Landstart's affordable housing and aged persons accommodation.
- Particular emphasis will be placed on the Neighbourhood Centre through differential streetscape and landscape treatment along with built form in order to establish a strong identity. This theme will also be transferred into other precincts.

The Neighbourhood Centre will be an intensely developed mix of town centre activities within a pedestrianised environment where street level retail and entertainment facilities predominate and an emphasis on shops, restaurants, alfresco dining, offices and residential will contribute to the 24 hour character

The Station Square will be a major node of the Neighbourhood Centre, supporting retail and entertainment activities as well as being the interface between transportation modes.

A second civic square located at the junction of the east-west and north-south axis will reinforce its prominent position in the structure of the Neighbourhood Centre.

The concept plan encourages pedestrian dominant movements to and from the Station Precinct and throughout the estate, however careful attention has also been made to ensure a high level of accessibility by private and public transport to and from the station precinct.

Public car parking stations have been identified adjacent the Wellard Station Precinct and have been carefully positioned to have regard for the regional function they provide, respecting the urban form of the Neighbourhood Centre and surrounding residential development.

The scale of development within the Neighbourhood Centre should be sensitive to its highly pedestrianised nature. Accordingly structures will be promoted which offer a high level of amenity for pedestrians, ensuring an active relationship with the street.

6.7 Staging of Development

The staging of the development will commence in the north eastern sector of the site, with the Wellard Deviation providing the first entrance into the Village, refer **Figure 18** This will require the reconfiguration of the Parmelia Avenue, Wellard Road, Wellard Deviation intersection, which will comprise a T-intersection between Wellard Deviation and Parmelia Avenue, and the disconnection of Wellard Road with Parmelia via a cul de sac.

The intention of the staging program, consistent with commitments made to DPI and PURD through a draft Memorandum of Understanding, is to facilitate the early establishment of the Neighbourhood Centre and enable the creation of the transit village precinct to be integrated with the Wellard Railway station opening in December 2006.

As the focal point of the Structure Plan, the Neighbourhood Centre will contain the primary retail, commercial and community facilities. Timing of facilities will depend on staging, however it is the Joint Venture's intention to establish a sense of place, through the Neighbourhood Centre at the earliest opportunity.


In addition, the development of the Neighbourhood Centre will facilitate the early establishment of a wide product range, housing options and mixed use development opportunities. Key ingredients to the framework of a successful community. In order to facilitate the economic sustainability of the Neighbourhood Centre, adaptable buildings will be established to enable change in uses over time. This will ensure that the needs of the growing community are met, as demands for commercial and community services increase.

The first stages of the development will occur in the north eastern sector of the Village through to the Neighbourhood Centre, and then south, along the eastern boundary of the village, adjacent the existing residential development of Homestead Ridge. This interface treatment, will see the introduction of a further product option, in larger lots, to attract an even broader market profile.

The first stages of the development include other important community infrastructure including a primary school, private k-12 educational facility and a major active open space area co-located between the two. The primary school site has been strategically located in accordance with Education Departments requirements, so that it may be considered for early construction depending on the Education Departments requirements. Opportunities for School in shops has also been made available to both the public and private sector, to assist with the creation of a sense of place in the Neighbourhood Centre.

This staging program has been provided as a guide for Council's information. Whilst the general principles of the staging program has been outlined, the Joint Venture reserve the opportunity to review this staging program to suit market requirements and changes in market conditions.

4 02/19 Rev 2



Staging Plan 18

7.0 PUBLIC OPEN SPACE

This section has been prepared with input from EPCAD Landscape Architects to support the Structure Plan.

7.1 Landscape Overview

The existing Wellard landscape presents a well vegetated, rolling landform that will be modified by urbanisation. The new landscape will conserve those areas identified as being of significant environmental value and will create a new urban landscape that will be a mix of parks, pocket parks, streets and open space linkages.

The overall landscape approach will be one of environmental integration. The detailed proposals will not only address visual amenity but will strive to minimise ongoing maintenance and to minimise the application of fertilisers. Public open space design will address the need for recreation but will also take into account fully the longer term maintenance and management costs. Where practical the POS will incorporate aspects of the drainage system to promote passive irrigation and storm water management.

The landscape design approach pursues the following objectives:

- Develop a landscape which is physically and visually stimulating.
- Create external spaces that are an integral part of the urban Create quality urban open space that is an amenity for the new and wider community.
- Provide diverse useable open spaces for informal and formal recreation.
- Provide vegetation for shade and to reduce wind velocities.
- Create a landscape that is modest in its use of water and fertilisers.
- Create safe public spaces that have surveillance from adjacent land uses.
- Provide a network of walks, pathways and dual use routes.

7.2 Parks and Pocket Parks

7.2.1 Introduction

The parks and open spaces fall into three main categories, conservation parkland, recreation parkland and pocket parks. The conservation parklands consist the bush areas in the south east of the development area and the wetlands in



the north west. The primary recreation parkland is situated in the north between two school sites to enable dual use of ovals and other potential recreation facilities.

The conservation wetlands will be an integral part of the emerging community and are considered an educational resource and local amenity as well as being an environmental asset. We intend to provide full environmental interpretation facilities, which will include managed access, signage, information boards and local facilities for group briefing. Any proposals for this sensitive area will be developed in association with appropriate authorities and stakeholder groups. Our approach will be to ensure the environmental integrity is secure while providing sufficient interpretive material and accessibility to encourage the community to value and respect the area. Community involvement will be encouraged and managed to include the use of local groups and local labour in the implementation of environmental and landscape works associated with the wetlands.

The final component uses to be accommodated in the open space will be determined through the community engagement programme. The needs of the existing community and the emerging new community will be researched and elicited through diverse feedback methods including workgroups and interviews. At this stage it is assumed that the parks will comprise:

- A senior oval;
- Incidental open areas for gatherings and informal games;

6 02/19 Rev 2

- Toddler and junior play installations (shaded);
- BBQ and picnic facilities;
- Teen facilities such as basket ball 1 on 1 courts; and
- Community public art installations.

The public spaces will be designed to be visually stimulating as well as useable. Views will be managed to create vistas and spaces will be designed to lead the user visually from one area to another to provide a sequence of experiences. In the case of the local pocket parks these will be designed to be a visual reference and orientation point within the neighbourhoods, aiding in creating a distinctive location.

7.2.2 Overall Principles

The primary goal of the open space, is to establish parks and spaces that create valued community assets, refer **Figure 19**.

A hierarchy of use areas is to be developed ranging from recreational open space areas to local pocket parks, which are intended to:

- Provide connections to and an interface with, existing residential development and facilities beyond.
- Provide clear orientation views to landmarks.
- Provide focal open spaces in each sub-neighbourhood and a variety of local parks to meet residents needs.
- Retain and make accessible conservation value vegetation.
- Create open space, which will achieve high environmental, visual, recreational and functional values to the community.
- Provide open space and recreational facilities for the residential community that meets realistic needs.
- Provide an appropriate and specific residential character within each sub-neighbourhood, set within a comprehensive landscape framework.

7.2.3 Security and Surveillance

The security of users and the need for active and passive surveillance has been a key feature of the urban design. The principles established by Crime Prevention Through Environmental Design (CPTED) will be applied to the detailed landscape design as the best practice.

Security of users of the public spaces is provided by passive surveillance from the surrounding buildings. Placement of shrubs and ground level structures will take into account views and the need to design out potential 'hidden spaces'. The articulation of spaces and the design of level changes will ensure that optimum security is provided.


7.2.4 Public Art

The landscape strategy enables places, settings and trails where heritage and public art can be displayed and interpreted. The landscape itself can be seen as an element of art and in some circumstances may be created as an integral part of a community involvement exercise.

Public art will be incorporated as both major and incidental elements providing extra interest and interpretation of retained conservation landscapes. Locations and opportunities for inclusion will be identified at the detailed design stage.

7.2.5 <u>Microclimate</u>

The strategy creates a landscape which provides shade shelter and which reduces winds thereby improving the microclimate and making the parkland a more enjoyable place. Manipulation of the ground levels, the use of screens and fences, tree groups and shade structures will be used to modify local micro climatic conditions.



7.3 Open Space Elements

Conservation Parklands will:

- Provide green breaks to the continuity of residential development in the area.
- Retain and enhance indigenous habitat.
- Manage public access and provide interpretive information.

Recreation parkland will:

- Allow for both formal active and passive uses;
- Be designed as a flexible venue for community events and sports uses;
- Have planting which contributes to the overall character of a precinct;
- Provide open space connectivity between the development and the adjoining open space through the provision of accessible pathways and cycleways;
- Adopt sound ESD planning principles;
- Have ornamental deciduous and evergreen plants to emphasise special areas with an overall framework of native and drought tolerant species.

Local pocket parks and incidental spaces:

- allow for both active and passive uses;
- aid in the amelioration of micro-climate within precincts through local vegetative structure;
- have active uses that are low key and low space uses;
- have planting which contributes to the overall character of a precinct;
- be situated in each sub-precinct local park space and will have integrated, small children's play equipment, seating areas, play areas and other park amenities;
- adopt sound ESD planning principles;
- have ornamental deciduous and evergreen plants to emphasise special areas with an overall framework of native and drought tolerant species.



7.4 Materials

All parks and open spaces will be detailed designed using a mix of materials that will be selected for their longevity, ease of maintenance, aesthetics and in compliance with environmental principles being adopted for the development. The predominate use of hard materials in external spaces will be in paving and walls.

Paving materials will be diverse to emphasise different sub precincts, spatial use and path hierarchy. In-situ coloured and textured concrete will be broadly used, however areas of unit paving ranging from setts to slabs will also be incorporated. Walls will be a mix of reconstituted and natural limestone with features of rendered and painted masonry.

7.4.1 Structures and Detailing

The detailed design of structures, such as shade shelters, decks, bridges, fences and the detail of such things as railings, balustrades, will be of a contemporary nature and be constructed of long lived materials. A common material will be galvanised steel, which shall be combined with timber and concrete to provide a range of robust modern installations that reflect the quality and design of built form.



7.4.2 Furnishing

Park and open space furnishing will wherever practical be designed into other elements as an integral part of fixtures to reduce the potential for theft and damage as well as reducing visual clutter. A complementary range of manufactured furniture will be chosen to coordinate with the built form and overall landscape approach. Lighting in open space will be included as an integral part of walls and steps to minimise stand alone fixtures. Mast lighting will be incorporated along major routes.

7.4.3 Species

The overall landscape will be formed with a mix of both exotic and indigenous species selected to suit the site conditions. This mix will create a rich parkland setting which will present year round colour, shade where required and winter solar access.

Species will be selected on the basis of:

- Low water requirements
- Flowering characteristics
- Foliage colour
- Longevity
- Low maintenance requirements
- Suitability to site soil conditions.

7.5 Streets

Street tree plantings are to utilise deciduous trees for solar access advantage and structuring evergreen trees in appropriate locations.

Road verges are to be primarily grassed to allow pedestrian movement with ground cover shrubs used in key locations.

7.5.1 <u>Paving</u>

Paving materials will also be utilised to create the neighbourhood character. Material differential, patterning and colour variation will highlight junctions, priorities and type of street. Pedestrian crossing locations will be heralded with platform paving as a traffic calming device, also creating a strong visual link where parkland and important pedestrian routes cross roadways.

7.5.2 Species

Street trees will be positioned to create shade, reduce wind velocities and be part of a solar access management strategy. Tree species will be selected and positioned to provide the best shade in summer and light access in winter. In selected locations the use of deciduous species will be appropriate and these will be selected to ensure they do not seed into or compromise indigenous environments.

7.5.3 <u>Street Furniture and Signage</u>

Selection of street furniture and fittings is important to ensure consistency, quality and long life. The final schedule and design must satisfy Town of Kwinana who will be responsible for maintenance in the long term.

Street furniture will consist of light columns, benches, tree guards, bollards, bins and signage. These elements will be coordinated in a suite of modern elements that are robust, low maintenance, quality fixtures that are designed to be complimentary with the landscape and structures of the development.

7.6 Maintenance and Management

The landscape will be designed to create an environment that meets the overall development objectives and is modest in its maintenance requirements. Landscape management throughout the progress of the project to completion will change as the environment matures.

Initially all landscape works will be subject to maintenance under the implementation contract, establishment period and defects liability period provisions. Subsequently, an annual maintenance contract will be let with an assessment of requirements being made prior to the time of renewal and also as normal inspections are carried out during the maintenance contract period.

The developer will maintain the public open space for a minimum period of three years. Public spaces will then be handed over to the local authority by agreement, with parties acknowledging the standard of maintenance being attained and to be achieved.

It is intended to supply new residents and land purchasers with guidance regarding the detailed design of landscapes to meet enhanced environmental standards. This will include information on waterwise gardening, waterwise plumbing, solar orientation and fertiliser use.

7.7 POS Distribution & Function

The following POS table outlines the approximate area and function of each POS area identified in **Figure 19**. They have been provided as a quide and will be subject to detailed design.

Table 7.1: Public Open Space

POS Area	Area (ha)	Function	
1	0.2500	Passive Recreation	
2	0.5123	Passive Recreation/Drainage	
3	0.2637	Passive Recreation	
4	0.1456	Passive Recreation	
5	0.4077	Passive Recreation	

POS Area	Area (ha)	Function		
6	0.4795	Green Corridor/Pedestrian Connection		
7	0.0479	Passive Recreation		
8	0.4066	Green Corridor Connection		
9	0.0980	Passive Recreation		
10	0.0484	Passive Recreation		
11	0.2043	Green Corridor/Pedestrian Connection		
12	0.1379	Passive Recreation		
13	0.8065	Passive Recreation and Drainage		
14	0.3989	Passive Recreation/Green Corridor		
15	0.0912	Green Corridor/Passive Recreation		
16	0.2051	Passive Recreation		
17	0.4709	Green Corridor/Passive Recreation		
18	1.06	Green Corridor/Passive Recreation		
19	0.2893	Green Corridor/Passive Recreation		
20	0.7486	Passive Recreation		
21	0.6261	Passive Recreation		
22	0.2049	Green Corridor/Passive Recreation		
23	0.1903	Green Corridor/Passive Recreation		
24	0.3434	Passive Recreation		
25	0.7895	Passive Recreation and Drainage		
26	0.6012	Passive Recreation		
27	3.465	Wetland (50% credit) & Buffer (100% credit)		
28	0.0626	Passive Recreation		
29	0.1669	Passive Recreation		
30	0.2340	Community Purpose Site		
31	0.3600	Passive Recreation		
32	0.2998	Passive Recreation		
33	5.75	Green Corridor/Passive/Active Recreation		
34	13.282	Wetland (50% credit) & Buffer (100% credit)		
35	0.0913	Passive Recreation		
TOTAL:	33.5394	12.93% POS		

02/19 Rev 2 51

7.8 Key POS Spaces

7.8.1 POS Areas 31 & 32

Located at the gateway to the Neighbourhood Centre, POS Areas 14 and 15 will announce your arrival to the Neighbourhood Centre. Urban in style avenues of trees will line 'Main Street' and focus the view to the Station Precinct and retail core.

7.8.2 <u>Pos Areas 33</u>

POS Area 16 has been strategically located between the proposed private school and primary school and to retain a corridor area of existing vegetation. In addition, the POS has been designed to accommodate a community sized oval, which Council has indicated is needed in the area. It is intended that the oval is co-located with the adjoining schools and will be the shared responsibility of them.

POS Area 17, located on the Wellard Deviation provides a linear linkage for pedestrians from Wellard Road, through to the Neighbourhood Centre. This POS also acts as a gateway to the centre from the east, refer **Figure 21**.

7.8.3 Northern Wetland Buffer and POS Area 34

POS Areas 19 and 21 comprise the northern wetland, its buffer and additional POS used to complement the space. The wetland will play an important role in the community not just as a conservation area, but also for education purposes through viewing platforms and interpretive displays, refer **Figures 22** and **23**.



Figure 19 - Pos Areas 31 & 32




Figure 20 - POS Areas 31 & 32




Figure 21 - POS Area 33



Figure 22 - POS Area 34




Figure 23 - POS Area 34

02/19 Rev 2 53

8.0 SERVICING

This Chapter has been prepared by TABEC Pty Ltd consulting engineers to support the Wellard Village Structure Plan.

Residential development is located to the north, east and west of the site. All essential services are therefore available within close proximity to the site.

From an engineering perspective, although the site requires substantial earthworks it can readily accommodate urban development, a fact that is reflected in the current urban zoning over the majority of the subject land.

8.1 Siteworks & Earthworks

The site is very undulating with natural surface levels ranging from RL 3.0m AHD along sections of the western margin, through the existing wetlands, to RL50.0m in the southeast corner of the site. The existing steep gradients across the site are not suited to the type of residential lot that the target market will readily accept, which is steeply sloping lots that require the owner to construct expensive retaining walls.

A preliminary bulk earthworks concept has been prepared which demonstrates that a cut and fill balance can be easily achieved, though significant bulk earthworks and walling are required in order to produce level building lots. To achieve a subdivision where walls on side boundaries are not excessive in height, earthworks cut and fill depths in excess of 10m will be required in the worst instances. A preliminary bulk earthworks plan and a plan indicating the area and depth of cutting and filling (Figures 24 and 25 overleaf) demonstrate the proposed earthworks approach. Figures 26 and 27 show cross sections at various locations within the site. Whilst this approach is more expensive at development stage, the finished cost to the landowner is less due to the reduction in individual site works costs at building stage.

Groundwater levels across the site vary from approximately 3.0m AHD along the western boundary and the wetland areas to around 7.0 to 8.0 on the eastern edge. Due to the steep gradients leading away from the wetlands along the western border there is only a very small portion of the site for which the finished surface levels will be within close proximity of the groundwater levels. Furthermore, as the wetland is 'A' category and thus requires a 50m buffer zone there will be almost no development occurring in areas with finished levels within 4m of the groundwater levels.


Preliminary geotechnical investigations indicate that the subsurface conditions across the site are generally comprised of sand with limestone formations resulting in the steep gradients throughout the site. A comprehensive geotechnical investigation is currently being undertaken.

The site is covered with medium to dense vegetation with some large trees. Whilst the objective is to maintain as much natural vegetation as possible, in many areas this is not possible. This is due to the requirement for substantial earthworks throughout the site as a result of the steep gradients, as detailed previously, as well as the constraints of the roads, railway and town centre. Where possible, POS has been located in areas where there is minimal cut or fill depths in order to provide the greatest opportunity for retention of existing trees and where feasible an allowance will be made to link larger adjoining POS areas with corridors of vegetation.

To support residential development with shallow footing systems, site works and earthworks preparation for the site will comprise the following:


- Earthworks cutting and filling throughout the site to achieve level building lots whilst minimising required retaining wall heights.
- Excavation, ripping and possibly screening of limestone within close proximity to the finished surface levels.
- It is not anticipated that imported fill will be required as there is excess available material on site to ensure sufficient freeboard above flood levels and estimated Average Annual Maximum Groundwater Levels.






Preliminary Cut to Fill Contours

Figure 25





All earthworks will be carried out in accordance with the provisions of Australian Standard AS3978-1996 "Earthworks for Residential and Commercial Development".

8.2 Roadworks

Discussion on the traffic flows and resulting requirements for road layouts, widths and junctions with existing roads are included in Section 9.0 prepared by ERM and are therefore not discussed below.

All new roadworks constructed as part of the proposed development will be designed and built to the requirements of Town of Kwinana. The majority of roads constructed will have black asphalt wearing course and mountable kerbing adjacent to residential lots. Allowance has been made for areas of brick paving at intersection thresholds and for some red asphalt areas. Treatments at intersections will be designed to assist in indicating priority. These areas and treatments will be confirmed following future detailed design and consultation with Town of Kwinana.

Footpaths and Dual Use Paths will be constructed in accordance with the requirements of Town of Kwinana.

Adjacent to POS areas opportunities exist for Water Sensitive Urban Design where roads are graded towards the POS, flush kerbing is utilized and stormwater runoff is sheeted onto the POS areas. This approach is ideally suited to the subject area given the sandy / porous nature of insitu material and has been successful on other projects for which TABEC are the engineering consultant.

The road network allows for 2 bridges crossing over the proposed rail that are located either side of the future rail station. A pedestrian underpass beneath the rail is proposed near the western margin of the site, near the existing trunk water main.


8.3 Stormwater Drainage

Figure 28, Drainage Catchment Plan, illustrates the proposed locations of all the drainage infiltration basins and their respective catchment boundaries. Table 8.1 below gives detailed information for each of these catchment areas and their respective infiltration basin or basins (combined).

Table 8.1: Drainage Requirements

Catchment	Equivalent Impervious	Sump Volume		Approx.
Area/ Basin #	Area (AIMP)	1 in 10 Yr ARI	1 in 100 Yr ARI	Unfenced Basin Area
1	51,000 m ²	3,060 m ³	-	2,900 m ²
2	107,719 m ²	6,463 m ³	-	5,600 m ²
3	36,763 m ²	2,206 m ³	-	2,205 m ²
4	15,540 m ²	932 m³	-	1,100 m ²
5	13,440 m²	806 m ³	-	1,000 m ²
6	64,708 m ²	3,882 m ³	-	3,600 m ²
7	126,173 m ²	-	16,781 m ³	13,200 m ²
8	146,760 m ²	-	19,519 m ³	15,200 m ²
TOTAL	562,103 m ²	17,349 m ³	36,300 m ³	44,805 m ²

Where possible the catchment plan and information tabulated above has been determined as per the requirements and preferences of the Town of Kwinana and as such has been based upon the following: no more than 50% of any particular POS can be utilised as a drainage infiltration basin; all basins are to be unfenced / open infiltration sites and wherever possible will not impact on the use of the area as POS; all basins will have maximum batters of 1 in 6 and shall not exceed 1.5 metres in depth and; gross pollutant traps will be installed immediately upstream of all discharge points into unfenced / open basins.



It should be noted that as the Town of Kwinana development guidelines do not stipulate any specific requirements with respect to the retention volumes for drainage basins the City of Wanneroo requirements have been used. This is due to a general recognition of the City of Wanneroo Guidelines as both a benchmark for the Perth metropolitan area and also that they are generally conservative with respect to sandy, free draining sites such as the one in question.

Stormwater drainage management strategies for the site will include both the design of the drainage system to the specified technical requirements and objectives of the Town of Kwinana, as well as the implementation of the most current methods and techniques of Water Sensitive Urban Design (WSUD) applicable to the site, which is also encouraged by the Town of Kwinana. The most significant objective of WSUD with regards to the site is the shift towards attempting to minimise the impact of development on the hydrological characteristics of the site via maximising infiltration of water throughout the catchment rather than the conveyance of water off site. The significance of this is due to the large depth to the water table over the majority of the site, the undulating nature of and the fact that the site is generally comprised of sandy porous soils, hence local infiltration of stormwater runoff can be maximised via retention and detention areas within the stormwater drainage system.

As indicated above, opportunities to infiltrate directly into the ground near the source will be utilised wherever possible. Though it is very important to note that due to the extreme gradients over much of the site it will not be possible or practical to construct infiltration basins high up in catchment areas where the land would have to fall several metres over the cross-section of the basin. As a result the majority of basins have been located at relative low points within the individual catchment areas, though it should also be noted that none of the individual catchment areas are particularly large.

Detailed calculations indicate that the area required for unfenced / open infiltration drainage basins to be incorporated within POS areas within the entire development will comprise approximately 4.2 Ha.

A detailed drainage and nutrient management plan is currently being undertaken by both ATA Environmental Consultants and Jim Davies and Associates. This will examine, amongst other things, the potential effects of the development on the future overall groundwater levels.

8.4 Sewer Reticulation

An existing sewer pumping station is located to the west of the site near the intersection of Dalrymple Drive and Djilba view and a temporary pressure main extends north abutting the existing development to beyond Wellard road. As there is no existing sewer within Wellard Road or the remainder of the site, sewer outfall from the development to the north of the future railway will be discharged via a sewer main to be constructed through the site to the existing pump station site in Dalrymple Drive. Existing agreements with Perth Urban Railway Development (PURD), in particular the MOU, require the initial stages of the development to proceed within the eastern and central regions of the site to the north of the future railway. Due to the substantial distance between these proposed initial stages of development and the existing Dalrymple Drive pumping station, and the resulting economic constraints of constructing the sewer main required to link these, it may be necessary to create temporary tankering points for the sewer during these early stages of development.

Development of the site to the south of the future railway will require the construction of a permanent Type 40 pumping station at a later date. The pumping station will have built in emergency storage in accordance with the requirements of Water Corporation and Department of Environmental Protection. This pump station will then discharge via a pressure main to the existing pump station in Dalrymple Drive. Water Corporation planning indicates a future 450 mm diameter gravity sewer in Wellard Road and a 750 mm diameter gravity sewer between Wellard Road and the existing pump station that skirts around the east of the low area in the north-west corner of the site. The development plan includes a route for these sewers to be installed by Water Corporation at a future time.

Reticulation sewers within the proposed development will for the most part be 150 mm diameter PVC and all new lots will be provided with a connection point to the gravity sewer.

8.5 Water Supply

A 760 mm diameter steel water main is located along the western margin of the site and a 460 mm to 500 mm diameter water main is located within Wellard Road.

The Water Corporation has indicated that the existing mains have sufficient capacity for the creation of around 1000 lots in the area. Once capacity in the existing system is reached, offsite upgrades will be required. Funding for offsite upgrades will be the responsibility of Water Corporation provided they are kept informed on development program.

A duplication of the 760 mm diameter water main will be required in the future. Its alignment will be immediately next to the existing pipe. The Water Corporation will fund the installation of this main.

8.6 Power Supply

An existing 132 kV power line runs in a north-south direction and is located along the western edge of the site. There are also existing 22 kV lines within the existing developments surrounding the site to the west, north and southeast. These existing services have the capacity to be extended into the development to serve the proposed number of lots.

Along the western border of the site a 22 kV overhead power line runs from the south and terminates at Dalrymple Drive, at which point a high voltage station exists that can service the subdivision. As the development progresses to the south this overhead line will have to be placed underground. A 132 kV high voltage overhead power line also exists along the western border and extends south from Gilmore Avenue and will require a section to either be relocated along existing roads or within the proposed development. Along the northern edge of the development another 22 kV overhead line exists along Wellard Road and may need to be placed underground, in which case at least one but possibly two switching station sites will be required in order to commence the development from this point.

To the south-east, at the end of Leda Boulevard, a 185 HV cable exists that will be extended west along the southern border of the site to eventually connect to the power lines to the west and/or north of the development.

The power reticulation network will consist of underground cabling and on-ground padmount transformers and switching stations. Where possible, the transformers will be located within POS to reduce the intrusion into residential lots. Street lighting will be provided by Western Power standard streetlights.

8.7 Gas

Alinta Gas has existing medium pressure gas supply pipes in Wellard Road and surrounding subdivision roads. The existing infrastructure has the capacity to service the proposed development.

It is proposed to have either Alinta Gas or the civil works contractor install the gas service in a common service trench at the time of subdivision construction.

8.8 Communications

Telstra have infrastructure installed in Wellard Road and surrounding subdivisions. As for gas supplies as indicated above, it is proposed to have Telstra install their cable within conduits laid by the civil works contractor in a common service trench at the time of subdivision construction.

9.0 ROADS, TRANSPORT AND TRAFFIC MANAGEMENT

ERM were engaged as part of the consultant team to undertake a traffic assessment in relation to this project. The following chapter details the findings of this report. An independent report can be made available upon request.

9.1 Regional Road System

This chapter describes the regional road system from the perspective of the Perth Metropolitan Road Hierarchy and the Metropolitan Region Scheme (MRS) road classifications. **Figure 29** shows the MRS zonings and road/rail reservations for the Town of Kwinana.

The reader is directed to Section 9.3 for information on local road planning as provided in the *Town of Kwinana Transport Structure Plan* (BSD Consultants, 2002). Section 9.3 also includes some recommended changes to the functional classification for Wellard Road, Gilmore Avenue and Bertram Road.

9.1.1 Kwinana Freeway

Approximately 27000 vehicles per day, MRWA 1999.

This is a Primary Distributor (Perth Metropolitan Road Hierarchy) and a Primary Regional Road (MRS classification). It provides high speed, high capacity travel for longer distance trips and is part of the Primary Freight Network.

Freeway interchanges are currently provided at Thomas Road and Bertram Road. The Bertram Road interchange provides the most direct access to Wellard Village.

An interchange is also provided at Mundijong Road, in the City of Rockingham. The future westward extension of Mundijong road will provide an additional convenient access route to the City of Rockingham (i.e. Kwinana Freeway, Mundijong west, Mandurah Road, Dixon Road).

The Kwinana Freeway is currently constructed to Safety Bay Road in the City of Rockingham.

9.1.2 Thomas Road

Approximately 25,000 vehicles per day, MRWA 1999 counts.

Thomas Road is a Primary Distributor (Perth Metropolitan Road Hierarchy) and a Primary Regional Road (MRS classification). It links Rockingham Road to the Kwinana Freeway, Nicholson Road and finally to the South Western Highway at a location south of the City of Armadale.

From the Kwinana Freeway, Thomas Road and Gilmore Avenue provide convenient access to the Kwinana Town Centre (adjacent to Gilmore Avenue) and in future will provide good access to Wellard Village – but will not be as direct as the Kwinana/Bertram Road route.

In future, Thomas Road will have connections to the Fremantle-Rockingham Controlled Access Highway (FRCAH) in the east and to the Tonkin Highway Extension in the west.

9.1.3 Rockingham Road/ Patterson Road


Approximately 36,000 veh/day west of Mandurah Road, MRWA 1999.

This is a Primary Distributor Road (Perth Metropolitan Road Hierarchy) and a Primary Regional Road (MRS). It forms an important north-south coastal route connecting Fremantle to Rockingham and provides access to the Kwinana Industrial Area. From Rockingham Road, access to Wellard Village is via Wellard Road (west).

9.1.4 Mandurah Road

Approximately 10,000-18,000 veh/day, MRWA 1999.

Mandurah Road is a District Distributor A (Perth Metropolitan Road Hierarchy) and is an Other Regional Road (MRS) south of Dixon Road. This road links to Rockingham Road and provides a north-south route past the City of Rockingham and Town of Kwinana en-route to the City of Mandurah. Access to Wellard Village from Mandurah Road is via Gilmore Avenue (south).



9.1.5 Dixon Road

3300 veh/day at Mandurah Road, MRWA 1999 - but no traffic data since Gilmore Avenue connection, likely to be between 5,000-10,000 veh/day.

Dixon Road is a District Distributor B east of Day Road (Perth Metropolitan Road Hierarchy) and is an Other Regional Road (MRS). It links the East Rockingham area to Ennis Avenue and Patterson Road but at the east end it connects to Gilmore Avenue to give a direct connection to Wellard Village and the Kwinana Town Centre.

9.1.6 Mundijong Road

Mundijong Road is a District Distributor A (Perth Metropolitan Road Hierarchy) and is an Other Regional Road (MRS). It is currently constructed from Baldivis Road in the west (near the Kwinana Freeway interchange) to the South Western Highway in the east. As stated above, Mundijong Road will eventually be extended west to link to Mandurah Road (and thus to Dixon Road). Eventually, it will also connect to the FRCAH, when that is constructed.

The future Mundijong Road connection from the Kwinana Freeway westward to Mandurah Road is expected to take some southbound Rockingham through traffic off the Bertram/Wellard/Gilmore route through the Town of Kwinana. It is also expected to take some northbound Kwinana Freeway traffic to the Kwinana Industrial Area, thus relieving the Thomas Road route and/or the Bertram-Wellard route of heavy vehicle traffic.

It is understood that the project is not on the Main Roads 10 year plan and would require some funding contribution and pressure from the City of Rockingham to improve its priority on the budget.

9.1.7 <u>Gilmore Avenue</u>

Approximately 10,000 veh/day at Dalrymple Street, Town of Kwinana November 1999.

Gilmore Avenue is a District Distributor A (Perth Metropolitan Road Hierarchy) and is an Other Regional Road (MRS) south of Wellard Road. North of Wellard Road there is no MRS reservation for Gilmore Avenue.

Gilmore Avenue is the main north-south distributor road in the Town of Kwinana and provides direct access to the town centre. As mentioned previously, it links Thomas Road in the north to Mandurah Road and Dixon Road in the south. It serves as part of the Fremantle-Rockingham Transitway and will soon have exclusive bus lanes.

9.1.8 Wellard Road

Approximately 8500 veh/day east of Gilmore Avenue, MRWA 2001.

Wellard Road is a District Distributor B (Perth Metropolitan Functional Hierarchy) and an Other Regional Road (MRS). It connects Mandurah Road in the west to Bertram Road (and thus the Kwinana Freeway) in the east. There is also a southward connection to Baldivis Road.

Wellard Road provides the northern boundary to the Wellard Village site and provides the most direct access to the Kwinana Freeway. In association with Gilmore Avenue it provides excellent access to Wellard Village from all directions.

In previous structure plans (including the Town of Kwinana Transport Structure Plan, 2002), a downgrading of the existing Wellard Road and construction of a 'Wellard Road Deviation' has been proposed. The proposed Wellard Road Deviation has been incorporated into the Wellard Village Structure Plan and is integral to the successful development of the future Wellard railway station and railway precinct. Refer also to Section 9.2.1.3 for traffic forecast information for Wellard Road and the Wellard Road Deviation.

In accordance with Council's report, 'Kwinana Transport Structure Plan', this Structure Plan acknowledges the downgrading of Wellard Road. The removal of the ORR status currently forms part of MRS Amendment 1099/33.

The proposed downgrading was originally supported by the Transport Committee and hence the proposal was included as part of Amendment No. 1099/33. The amendment was initiated by the Western Australian Planning Commission and the downgrading is supported by both the Commission and the Town of Kwinana.

9.1.9 Fremantle Rockingham Controlled Access Highway (FRCAH)

The FRCAH is a Primary Distributor (Perth Metropolitan Functional Road Hierarchy) and a Primary Regional Road (MRS).

Originally, the FRCAH was intended to include the Fremantle Eastern Bypass (FEB) at its north end. The state government has made a commitment to remove the FEB from the MRS and is currently reviewing the freight network in the metropolitan area.

When the Freight Network Review is complete it is understood that the planning for the portion of the FRCAH south of the FEB will be reviewed. Currently there is no indication that there will be any changes to the FRCAH through the Kwinana Area.

9.1.10 Conclusion

The regional road system provides multiple routes to/ through the Town of Kwinana and provides excellent access to Wellard Village. In future the network will be supplemented with:

- The westward extension of Mundijong Road from the Kwinana Freeway to Mandurah Road and Dixon Road. It is expected that this will relieve Thomas/Gilmore and Bertram/Wellard/ Gilmore of some Rockingham bound through traffic. It may also take some Baldivis freight traffic off Wellard Road.
- FRCAH will have intersections with Thomas Road, Wellard Road and Gilmore Avenue. It will provide improved north-south travel in the region and will further improve access to Rockingham taking through traffic pressure off Gilmore Avenue and Wellard Road.

This chapter has provided a review of the regional road network. Section 9.2 provides information on road network planning specific to the Town of Kwinana and in particular the roads affecting Wellard Village.

9.2 Town of Kwinana Transport Structure Plan

In January 2002, BSD Consultants finalised the *Town of Kwinana Transport Structure Plan* report. The report documents the findings of a traffic modelling and road network planning study for the Town of Kwinana. The main objective of that study was to:

".. assist the Town of Kwinana in planning for a local and district road network that would provide the community with convenient access to the regional road network without attracting unacceptable levels of through traffic in the urban area."

The key findings of that study (as they relate to Wellard Village Structure Plan) are summarised below.

9.2.1 <u>Summary of Findings</u>

9.2.1.1 Road Hierarchy Recommendations

The report recommended a strategy for reclassifying selected roads in the Town of Kwinana based on the Main Roads Western Australia (Main Roads) Metropolitan Functional Hierarchy document. The results for roads near Wellard Village or of particular interest to this study are provided below:

- Gilmore Avenue: Downgrade to District Distributor 'B' from District Distributor 'A'.
- Wellard Road: Introduce speed restrictions along Wellard Road east of Gilmore Avenue in the short term along with the Wellard Road Deviation in the medium term thereby justifying a downgrade to Local Distributor by 2011. Turning Wellard Road between Meares Avenue and Parmelia Avenue into a cul-desac is not recommended at this time. Refer to Section 9.2.1.3 for further discussion of this issue. No change for Wellard Road west of Gilmore Avenue.
- Bertram Road: No change in the short to medium term.
 Downgrade Bertram Road to District Distributor 'B' from District Distributor 'A' in the long term based on the success of speed restrictions imposed on Wellard Avenue east of Gilmore.

A copy of the current road hierarchy plan and a copy of the plan showing recommended changes is provided in **Figures 30** and **31** respectively.

9.2.1.2 <u>Timing of Road Upgrades</u>

The *Town of Kwinana Transport Structure Plan* also presented recommendations on the most likely timeframe for upgrading the various roads in the municipality. The key findings for roads in/ near Wellard Village are summarised below:

- Gilmore Avenue: Upgrade Gilmore Avenue south of Wellard Road to a four lane road by 2011.
- Wellard Road (west of Gilmore Avenue): Upgrade to a four lane road by 2011.
- Bertram Road: Upgrade to a four lane road by 2011.

9.2.1.3 <u>Traffic Forecasts for Wellard Road and Wellard Road Deviation</u>

Traffic modelling for the *Town of Kwinana Transport Structure Plan* evaluated three network scenarios:

- Network A: Wellard Road on current alignment.
- Network B: Wellard Road with restricted speed environment with a 'Wellard Road Deviation' in place through the new Wellard Village.
- Network C: Wellard Road with a cul-de-sac between Meares Avenue and Parmelia Avenue and with a 'Wellard Road Deviation' in place through the new Wellard Village.

Network C represents the road network proposed in the Wellard Village Structure Plan but was only tested for the 2006 horizon year. It is not stated why this network was excluded from investigation at year 2011 and year 2021. **Appendix C** contains copies of the 2021 network plots from the BSD traffic model for each of the network options.


One possibility is that beyond year 2006 an improved regional road network would lessen unwanted regional through traffic pressure and thus reduce the need for the Wellard Road cul-de-sac. At the same time local traffic growth would be increasing (via Wellard Village and Casuarina developments, etc.) and result in a greater need for a continuous east-west road to serve local movements.

Network B is the next most similar to that proposed in the Wellard Village Structure Plan. In order to understand the forecast traffic pressure on Wellard Road, and the 'Wellard Deviation', the BSD modelling results are reproduced in **Table 9.1** for Network B. The results are presented for a north-south 'screenline' drawn across both Wellard Road (east of Gilmore Avenue) and the 'Wellard Road Deviation'.

Table 9.1: Screenline Traffic Forecasts – Vehicles/day on Wellard Road and Wellard Road Deviation

Network Description and Road Link	Year 2006	Year 2011	Year 2021
Network B: Wellard Deviation added and speed control on Wellard			
Wellard Road (east of Gilmore)	1,582	4,858	14,530
Wellard Deviation (south of Wellard Road east end)	<u>2,996</u>	<u>3,944</u>	<u>3,842</u>
TOTAL:	4,578	8,802	18,372
Network C: Wellard Deviation added and Wellard cul-de-sac			
Wellard (east of Gilmore)			
Wellard Deviation (south of Wellard Road east end)			
Wellard Road (east of Gilmore)	2,141	NA	NA
Wellard Deviation (south of Wellard Road east end)	<u>2,304</u>		
TOTAL:	4,445		

(Kwinana Transport Structure Plan, 2002)






Table 9.1 shows that the Network B 'screenline' traffic is expected to grow from approximately 4600 veh/day to 18,400 veh/day in the period from 2006 to 2021.

Some portion of this traffic will be Meares Avenue traffic that uses Wellard Road. If Wellard Road were made a cul-de-sac (as with Network C) then some of the 2011 and 2021 Meares Avenue traffic would use Parmelia Avenue instead.

Assuming that 50% of the Meares Avenue traffic growth would use Parmelia Avenue yields the following adjusted traffic figures for the screenline:

- Year 2011: 8802 veh/day
 50% x 2104 = 7,750 veh/day at screenline.
- Year 2021: 18372 veh/day
 50% x 3817 veh/day = 16,463 veh/day at screenline.

Based on forecast traffic volumes (and the adjustment to Network B figures for Meares Avenue traffic shifted to Parmelia Avenue), the following conclusions are proposed for year 2021:

- A minimum screenline capacity (i.e. Wellard Road and Wellard Road Deviation) of 17,000 vehicles per day is required at Year 2021.
- If Wellard Road is a cul-de-sac as proposed in the Wellard Village Structure Plan, the majority of the year 2021 screenline capacity is required for the Wellard Road Deviation. In this case, a capacity of 15,000-20,000 veh/day is suggested. This requirement is met by a 2-lane divided District Distributor B road with right turn lanes at intersections.
- Wellard Road east of Gilmore Avenue (cul-de-sac at Parmelia Avenue) will require a minimum capacity of 3,000 veh/day at year 2021. This capacity requirement is met by a 2-lane undivided Local Distributor road.

These conclusions for year 2021 suggest the same road hierarchy to that recommended in the *Town of Kwinana Transport Structure Plan* (refer to **Figures 30 and 31**). Refer to Chapters 4 and 5 for additional discussion of the traffic and design standards for the Wellard Deviation.

9.2.2 Conclusions

This chapter has reviewed the findings of the *Town of Kwinana Transport Structure Plan* (BSD, 2002). The key results of that study (as they relate to the Wellard Village Structure Plan are:

- the recommended downgrading of Gilmore Avenue functional status to District Distributor B by 2011 but capacity upgrade to 4lane road;
- the recommended inclusion of the Wellard Deviation as a District Distributor B road and the downgrading of Wellard Road to Local Distributor by 2011; and
- the recommended downgrading of Bertram Road functional status to District Distributor B dependent on the success of the Wellard Road downgrading but capacity upgrade to 4-lane road by 2011.

Although Network C (including the cul-de-sac of Wellard Road at Parmelia Avenue and the Wellard Road Deviation) was not tested at year 2011 and 2021 in the BSD study, the analysis presented here suggests that this option is viable under the following circumstances:

- Wellard Deviation is constructed to provide a capacity of 15,000-20,000 vehicles/ day. This requirement is met by a 2-lane divided District Distributor B with the appropriate turn lane provision and intersection control.
- Wellard Road (west) with cul-de-sac at Parmelia Avenue has a minimum capacity of 3,000 vehicles per day. This requirement is met by a 2-lane Local Distributor Road.
- Wellard Deviation is designed with adequate pedestrian and cyclist crossing opportunities to mitigate the potential for community severance associated with District Distributor B level traffic.

Finally, the above findings are supported by independent analysis of the site traffic generated by Wellard Village as determined by detailed local traffic modelling undertaken by ERM for this project (refer to Section 9.3 below).

9.3 Local Traffic Estimates

This chapter discusses the land use as provided by Taylor Burrell and the daily traffic generation for Wellard Village as estimated by ERM. It also summarises the traffic forecasts presented in the *Kwinana Transport Structure Plan* (BSD Consultants, 2002) for roads adjacent to Wellard Village (i.e. Wellard Road and Gilmore Avenue).

9.3.1 Wellard Village Landuse and Daily Traffic Forecast

The daily traffic estimates for land uses within Wellard Village used the following data:

- 2,900 dwellings: (2436 conventional dwellings, 464 medium density dwellings);
- 5,000m² retail floorspace; and
- 2,500m² business/commercial floorspace.

6.27 vehicle trip ends/day was used for the low-density dwellings and a trip rate of 5.16 trip ends/day was used for the medium density dwellings. These assumptions are consistent with average trip productions for the Perth Metropolitan Area as provided by the Future Perth Strategic Transport Evaluation Modelling Section (Appendix D). Given that Wellard Village will have excellent bus and rail transport services these trip production rates should provide a conservative (high side) estimate of local trip production.

The daily retail land use attraction rate was assumed at 60 vehicle-trips/ 100m2 floor area and the daily business/commercial attraction rate was assumed at 25 vehicle trips/100m2 floor area.

Table 9.2 shows the assumed trip distribution to/from the external road system. The assumptions in **Table 9.2** are based on the assumed relative attractiveness of these routes for vehicle trips to/from local, district and regional attraction points.

Table 9.2: Assumed Wellard Village Daily Vehicle Trip
Distribution to External Roads


N1 – Gilmore Avenue, North	20%
N2 - Meares Avenue	5%
N3 - Parmelia Avenue	7.5%
E1 - Wellard/Bertram Road, East	32.5%
SE1 – Leda Boulevard	10%
SW1 – Gilmore Avenue, South	15%
TOTAL	100%

Figure 32 shows daily traffic generated from Wellard Village as assigned to the proposed street network. The local traffic is also summarised in **Table 9.3** for selected streets. Traffic volume plots from the model are provided in **Appendix D**.

Table 9.3: Local Traffic From Wellard Village - Vehicles/Day

Road Name/ Description	Traffic Range – Vehicles/day
Road A - District Distributor 'B'	6000-7500
Provides link to Wellard/Bertram Roads	
Road B- Neighbourhood Connector	
Forms the eastern half of a loop road serving to distribute traffic through Wellard Village	
(southern residential area)	2900-5800
(station park n' ride area)	8500
Road C- Neighbourhood Connector	
Forms the western half of a loop road serving to distribute traffic through Wellard Village	2850-5650
Road D - Neighbourhood Connector	2300-2750
Provides link to Gilmore Avenue (south)	

02/19 Rev 2 71



Road Name/ Description	Traffic Range – Vehicles/day
Road E - District Distributor 'B'	5600
Forms the Main Street leading to Wellard Station and is part of the 'Wellard Road Deviation'.	
Road F - Neighbourhood Connector Section of Wellard Road between Gilmore Avenue and Parmelia Avenue. Cul-de-sac at Parmelia end.	1200
Leda Boulevard - Neighbourhood Connector	1900

The locally generated traffic estimates for Wellard Village streets are within the *Liveable Neighbourhoods* thresholds listed below:

District Distributor B
 <15,000-20,000 veh/day

Neighbourhood Connector
 Wider Access Street
 Narrower Access Street
 7000 veh/day
 3000 veh/day
 1000 veh/day

9.3.2 <u>Preliminary Estimation of Through Traffic on the Wellard</u> Deviation

Although the local traffic estimation (Figure 32) doesn't capture 'through traffic', it is possible to estimate the amount of through traffic on Wellard Road and Wellard Road Deviation by comparing the modelling outputs reported in the *Town of Kwinana Transport Structure Plan* with those in Figure 32.

Table 9.4 lists traffic forecast outputs for the long term development case (i.e. year 2021) by which time it is assumed that Wellard Village is fully built out.

Table 9.4: Comparison of Local vs. Total Traffic for Estimation of Through
Traffic on Wellard Village Roads at Year 2021

	ERM Local Traffic Estimate	Kwinana Transport Structure Plan: Network B	Difference = Estimated Through Traffic*
Wellard Deviation (east) & Wellard Rd	7300 (6100 +1200)	16462 (3842+14530- 1910**)	9162
Wellard Deviation (west) & Wellard Rd	6800 (5600 + 1200)	19588 (6968 +14530- 1910**)	12788
Link to Gilmore (south)	2350 veh/day	5921	3571

^{*} Assumes that local traffic generation from the BSD and ERM traffic models are similar.

The estimated through traffic on Wellard Deviation is thus in the range of 9,000 to 13,000 vehicles per day. The estimated through traffic on the road linking Wellard Village to Gilmore Avenue (south) is approximately 3500 vehicles per day.

The estimates in **Table 9.4** are the best that can be produced with the information currently available. A specific traffic modelling exercise has been commissioned by the Joint Venture to provide more definitive estimates of both through traffic and total traffic on Wellard Road Deviation at year 2021 (under the assumption that Wellard Road is cul-de-sac at Parmelia Avenue).

With the information currently available, the road network in the Wellard Village Structure Plan provides enough capacity to cater for local and through traffic at ultimate development. As mentioned in Chapter 3, this result is not the only criteria that must be satisfied. The design of Wellard Deviation must also achieve a high level of amenity and safety for pedestrian and cycle movement (parallel to and across the road) to overcome any potential community severance impacts.

^{**} With assumed cul-de-sac of Wellard Road, Meares Avenue traffic from east is redirected to Parmelia Avenue

These findings will be updated with a supplementary report at the completion of the additional traffic modelling investigation. Design options for achieving the necessary pedestrian/ cyclist amenity and safety on the Wellard Deviation will also be investigated further. Refer to Section 5.3 for further discussion of the design of Wellard Deviation.

9.4 Street Types and Arterial Access

This chapter discusses the local street network proposed for Wellard Village including the proposed access to adjacent regional roads. The street types described are from *Liveable Neighbourhoods Community Design Code Edition 2* (June 2000, DPI).

9.4.1 Residential Street Types

Figure 33 shows the street type plan for Wellard Village and the proposed intersections with the arterial road network. Cross-sections for the *Liveable Neighbourhoods* street types are shown in **Figures 34** and **35**.

The proposed street types are suited to the specific traffic, parking and pedestrian/cyclist needs of each location. Typical characteristics for the various street types are:

Narrow Access Streets – Figure 34

(6m pavement/15m reserve)

Narrow Access Streets provide a more limited travel/ parking width and are effective in constraining vehicle speeds. The majority of residential streets in Wellard Village will be Narrower Access Streets because parking demand will be moderate adjacent to low density residential uses and traffic volumes will be low

Wide Access Streets – Figure 34

(Type B: 7.4m pavement/16m reserve)

Wider Access Streets are typically used where traffic and/or parking demand is expected to be higher and a 7.4 metre wide street pavement is needed.

Neighbourhood Connector – Figure 35

(3.0m travel lanes and 3.8 m shared parking/cycle lanes in 20-25m reserve. A 2.0m-3.0m median is optional depending on pedestrian crossing needs, driveway access controls, landscaping theme etc).

Neighbourhood Connector streets perform local traffic distribution roles and serve as bus routes through the local street system. The Neighbourhood Connectors also provide important connections to the regional road system (i.e. at Gilmore Avenue and Wellard Road).


9.4.1.1 <u>District Distributor B (Integrator Arterial B)</u>


The Wellard Road Deviation is shown in **Figure 35** as a District Distributor B (Integrator Arterial B). According to *Liveable Neighbourhoods* these are minor arterial roads with a capacity of 15,000-20,000 vehicles per day. These roads typically have the following characteristics:

- 2-lane divided road (6m+ median with right turn lanes at important junctions);
- 50-60 km/hr speed limit and relatively frequent intersections (i.e. 100m spacing);
- Reserve width of 28-32m;
- Parking allowed on-street in embayments through urban centres. Residential areas do not typically have on-street parking;
- Some direct property access depending on the land use and alternatives for indirect access (i.e. frontage access streets);
 and
- On-road cycle lanes, shared paths, footpaths and street trees.

These roads have both an 'access' and a 'movement' function. They rely on good urban design for fronting land use and typically serve a wide range of users including:

- District through traffic;
- Local traffic distribution;
- Access seeking traffic to driveways and on-street parking; and
- Pedestrians, Cyclists, Bus Patrons.





ERM

Access Streets 34

(The cross sections below illustrate how the basic design elements are dimensioned at traffic volumes below and above 3000 vehicles per day. Neighbourhood Connectors normally require specific design cooperation between traffic engineers and urban designers to suit each circumstance.) 3.3 20m reserve **Neighbourhood Connector** (no median, with parking embayments) Note: 1. To reduce the perceived travel width, coloured pavement may be used to define the shared parking/bike lane. 2. For traffic volumes <3000vpd, the 3.8m shared parking/bike lanes are replaced by 2.3m parking lanes and the reserve width is reduced to 17m.

Neighbourhood Connector (central median, with parking embayments)

Note: For traffic volumes <3000vpd, the 3.8m shared parking/bike lanes are replaced by 2.3m parking lanes and the reserve width is reduced to 22m.

As discussed in Sections 9.3 and 9.4, the design of the Wellard Deviation must achieve the required capacity but also must minimise community severance impacts. In this regard pedestrian/ cycling safety and amenity are most important. Fortunately, the design options available for a District Distributor B type road offer the means to achieve an 'environment of care' with an associated lower traffic speed (i.e. 50 km/hr and short sections of 40km/hr if needed).

Discussions will be undertaken in coming months with the town planners/urban designers (Taylor Burrell) as well as the Town of Kwinana engineers and planners to arrive at the appropriate road cross-section, pedestrian/ cyclist facilities and intersection treatments for Wellard Deviation

9.4.1.2 <u>Wellard Village Rail Station Precinct - Main Street Design</u> Standards

The town centre adjacent to the Wellard Railway Station will have the following distinct 'urban' characteristics:

- Buildings will be constructed to the reserve boundaries to frame the streets.
- Verge areas will comprise wide paved footpaths for pedestrian activity, street furniture, street trees and outside café/ alfresco areas.
- On-street parking, kerbside bus stops, and taxis waiting space will be provided.
- Reserves will be of traditional 'main street' width (i.e. 20-22m wide).
- 2-lane undivided street with pavement of 6.0-6.5m adjacent to 2.3-2.5m wide parking embayments.

Photo 9.1 shows a picture of Mends Street in South Perth. The photo illustrates the features described above.

General Note on Street Types and Cross-Sections:

Variations on the paved width and reserve dimensions are sometimes required to accommodate special demands (eg. trunk water or sewer main, street-front parking in the case of properties with rear laneways, or 2.5m shared path within the reserve). The reserve widths throughout Wellard Village have been determined to accommodate these needs. The design of individual streets within these reserves will be undertaken by TABEC Engineering Consultants and will be subject to review and approval by the Town of Kwinana.



Photo 9.1 - Mends Street, South Perth – An Example Of 2-Lane
Undivided 'Main Street' In A 20m Reserve

9.4.2 Access to the Regional Road System

9.4.2.1 Key Intersections

Full access T-junction at Gilmore Avenue (south)

Road D (Figure 35) is the minor leg of this T-junction and will be stop controlled. The requirement for a dedicated right turn pocket on Gilmore Avenue should partially be guided by the design approach taken at other local road junctions (i.e. Dalrymple Street, Fielman Drive, etc). Advice will be offered on this requirement when the supplementary traffic report is completed (refer to Section 9.3.2)

Gilmore/Wellard Roundabout

The roundabout eastern leg (Photo 9.2) will be closed and switched over to the newly constructed Wellard Deviation. It is expected that the Wellard Deviation leg will have two entry and two exit legs at the roundabout. These will transition to a 2-lane divided boulevard (District Distributor B) cross-section over an appropriate distance.



Photo 9.2 - Wellard Road/Gilmore Avenue Roundabout. View East along Wellard Road

Existing Wellard Road (east) will no longer connect to the roundabout. Instead it will connect into the Wellard Deviation at a point close to the roundabout.

Wellard Deviation (east)/ Parmelia Avenue

Parmelia Avenue will form the minor leg of a new T-junction with Wellard Deviation (east). Wellard Road will be a cul-de-sac near Parmelia Avenue. Photo 9.3 shows existing Wellard Road near Parmelia Avenue.



Photo 9.3 - Wellard Road looking west from Parmelia Avenue intersection

This treatment fully downgrades Wellard Road (shifting traffic to Wellard Deviation) and provides Parmelia Avenue (Photo 9.5) with a high level of access to the Wellard Deviation and thus to Wellard railway station.

02/19 Rev 2 79



Photo 9.4 - Parmelia Avenue: View looking north from Wellard Road

9.4.3 Staging of Wellard Deviation

Only preliminary consideration has been given to the staging options for Wellard Deviation. However it seems apparent that a high level of accessibility by car will be important to early housing sales and the early establishment of the Wellard rail station and the incubator retail, commercial, and community facilities in the centre.

Discussions with the Town of Kwinana officials are recommended to identify the best manner and timing for effecting the Wellard Road Deviation.

9.5 Public Transport

This chapter focuses on the proposed public transport service in the Wellard Village Area at completion of the South West Metropolitan Railway (SWMR). Transperth's proposed bus services linking to Wellard Station (Leda Station in the SWMR Masterplan document) are discussed and some comments are provided about the proposed rail service to Wellard Station.

9.5.1 <u>Future Rail Service and Wellard Rail Station</u>

According to the SWMR Supplementary Masterplan (PURD, August 2002) the railway will be complete from Perth to Mandurah by the end of 2006. It will provide frequent service (six trains per hour in the peak) from Mandurah and even higher frequency (twelve trains per hour in the peak) from Thomson's Lake. The travel time to Perth by rail is estimated to be 48 minutes from Mandurah, 33 minutes from Rockingham, and 16 minutes from Thomson's Lake.

The Masterplan states that funding has been allocated for various stations including Wellard station. However, the Masterplan also states that:

The construction of Leda (Wellard) railway station requires to be examined with regard to patronage demand in the catchment. Timing of its construction will be negotiated with the developer.

It is understood at the time of this report that a Memorandum of Understanding is being finalised between the Joint Venture and Perth Urban Rail Development (PURD) to ensure that the Wellard rail station is developed in a timely fashion. At this stage it is expected that the station will be operational at approximately the same time that the railway is functioning (i.e. the end of year 2006).

Because the railway is intended to be the spine of an integrated public transport system, every effort will be made to maximise the bus feeder services. The bus services planned for the Kwinana area will provide a good feeder network linking to the rail stations (i.e. Kwinana Station and Wellard station). These services are discussed in Section 6.3 below.

The design and construction of the various stations along the railway is being undertaken by PURD. A copy of the concept plan for Wellard Station as provided in the Masterplan is provided in **Appendix E**. The concept plan shows the bus/ rail interchange on the north side of the rail line and the kiss n' ride and park n' ride on the south side of the rail line.

Vehicle access across the rail line is accommodated in the Wellard Village Structure Plan via two road over rail bridges on either side of the station. Pedestrian access will also be available through a platform building. It is expected that the railway will be in cutting at Wellard Station thus patrons will descend from street level to the rail platforms.

It is important that the station and the associated the feeder bus access roads, kiss n' ride and long-term parking facilities be designed to integrate well with the remainder of the station precinct. Taylor Burrell Consultants will be working with PURD appointed architects to achieve a functional and attractive arrangement.

9.5.2 Future Bus feeder Services for Wellard station

9.5.2.1 Routes

Transperth have provided preliminary information for the two bus services planned to feed Wellard Station (Figure 36). These routes will connect to the Kwinana Town Centre bus interchange on Gilmore Avenue and then travel on to also serve the Kwinana Station near Oroton Road and Johnson Road.

Route 541

This route is proposed to use Marlow Road, Calista Avenue and Wellard Road (west) to the Gilmore Avenue roundabout and then travel south along Gilmore Avenue. At Dalrymple Drive the route turns east to link into Wellard Village and to access Wellard Station.

The route crosses the railway using one of the two bridges and proceeds toward the southern part of Wellard Village - near the site of two proposed schools. A timed stop/bus terminus will be required at this southern point to allow buses to turnaround and 'layover' until their next journey is scheduled (usually a few minutes). The turnaround manoeuvre typically occurs at a suitably located roundabout or alternatively the bus travels around a nearby street block to access the appropriate bus stop prior to the return leg of the route.

Route 542

From Kwinana Town Centre Bus Station Route 542 will follow Gilmore Avenue south to the Wellard Road roundabout. It will then travel east along Wellard Road past Meares Avenue and turn into Wellard Village en route to Wellard Station. Route 542 also crosses the railway and proceeds south along a parallel local street to access the aforementioned bus terminus.

9.5.3 Service Frequencies and Coordination with Rail Operations


Transperth indicate that these routes will initially operate on 30 minute and 60 minute frequencies in the peak and off-peak periods, respectively. If the two routes are staggered or offset by 15 minutes, they will provide double this frequency for travel from Wellard Station to both the Kwinana Bus Station and the Kwinana Train Station (albeit via different routes).

Ultimately, when the surrounding area is fully developed and demand warrants, the service will be increased to 15 minute and 30 minute frequencies in the peak and off-peak, respectively.

Transperth indicate that the likely priority for scheduling the buses will be as follows:

- First priority: Co-ordinate with train arrival and departures at Kwinana Rail Station:
- Second priority: Co-ordinate with Fremantle-Rockingham bus services at the Kwinana Town Centre Bus Station: and
- Third priority: Co-ordinate with trains arriving/ departing at Wellard Village Station.

Given the above scheduling priority, it is likely that Routes 541 and 542 will not have a timed stop with layover facilities at Wellard Station. Rather the buses will conduct short duration pick up/ drop off at the Wellard Station. Layover capability should nevertheless be designed for the bus/rail interchange area because the need could develop if the scheduling priorities change.



9.6 Cyclist and Pedestrian Facilities

9.6.1.1 <u>Perth Bicycle Network Plan – Local Bike Route SW22</u>

Figure 37 shows Local Bike Route SW22 (Kwinana Beach to Wellard) along Bertram Road and Wellard Road. This is an on-road route that uses the paved shoulder area of these roads to provide a safe cycling environment.

When the Wellard Road deviation is undertaken as part of the Wellard Village development, it will be necessary to make some adjustments to allow SW22 to continue operating.

At the time of the deviation, existing Wellard Road (west of Parmelia Avenue) will become a cul-de-sac and Parmelia Avenue will form a T-junction with the Wellard Road Deviation. This means that a short section of cycle path will be needed from the Wellard Deviation/Parmelia Avenue intersection to the Wellard (west) cul-de-sac.

The Wellard Road Deviation will be designed to include on-road cycle lanes and will thus connect SW22 directly to the Wellard Neighbourhood Centre and rail station.

9.6.1.2 Principal Shared Path Along The Railway

The Department for Planning & Infrastructure (DPI) have recently requested tenders to undertaken the master planning for a PSP along the new Perth-Mandurah rail reserve. It is understood that PURD have not budgeted for the PSP and that it must be funded separately from the railway.

PSP's provide direct, long distance connections within the Perth Bicycle Network and are highly valued by recreational and commuter cyclists in particular. A PSP through the Wellard Village area would be a great asset.

It is expected that the PSP will be located on the north side of the railway through Wellard Village and past the station. In discussions with DPI, Taylor Burrell have suggested that the path should be accommodated in the road reserve adjacent to the railway. This will allow the rail reserve to be kept as narrow as possible through Wellard Village.

Through the station area it will be important to design the PSP to slow cyclists for safe interaction with pedestrians moving to/from the station platforms. This has been done at other stations in Perth and it should be possible at Wellard Station.


9.6.1.3 Gilmore Avenue Cycling

Gilmore Avenue currently has off-road shared paths but provides a relatively unfriendly on-road cycling environment north of Dalrymple Street (Photo 9.5)



Photo 9.5 - Gilmore Avenue: View north from Fielman Drive

The Town of Kwinana is currently preparing the design of the Gilmore Avenue bus lanes that form part of the Fremantle-Rockingham Transitway. The Kwinana Bike Plan (ERM, 1999) indicated that on-road cyclists could travel in the kerb side lane in mixed traffic until the Gilmore Bus Lane project was undertaken. It also stated that the needs of cyclists should be reviewed at the time the bus lanes are introduced. A copy of the 1999 Kwinana Bike Plan is provided in **Appendix F**.



Given the importance of Gilmore Avenue to cycling within and through the Town of Kwinana it is suggested that urgent discussions be held between the DPI and the Town of Kwinana to resolve how onroad cyclists will be catered for on Gilmore Avenue when the bus lanes are implemented. Two basic options appear viable:

- Cyclists ride adjacent to the kerb in a slightly widened bus lane (i.e. 4.5-5.0m wide instead of 4.0m wide). Buses would be able to safely pass cyclists in this width.
- Cycle lanes are marked out adjacent to the kerb, next to the bus lanes. Separately designated spaces would likely result in a wider total width and thus would be more expensive.

9.6.1.4 Shared Paths and Cycle Lanes in Wellard Village

Figure 37 shows a network of shared paths proposed for Wellard Village. These paths will be provided in the verge of the more important streets in the local network. The paths will be used by pedestrians and less experienced cyclists and have a width of 2.5m.

Streets carrying more than 3000 vehicles per day will have on-road cycle lanes (1.5m wide) or alternatively will have shared parking/cycle lanes (3.8m wide). The streets shown with shared paths in **Figure 37** are expected to carry 3,000 veh/day or more and thus will also have these cycle lanes. Refer to Chapters 3 and 4 for traffic estimate information.

In the heart of the Wellard Station Precinct, 'main street' design standards will apply (refer to Chapter 5) and on-road cycle lanes will not be provided. In these low speed environments, cyclists will share the street with other users.

9.6.1.5 <u>Footpaths in Wellard Village</u>

Streets in Wellard Village adjacent to higher density residential development or linking important activity sites will be provided with 1.5m footpaths on both sides (or a shared path on one side and a footpath on the other side).

In accordance with *Liveable Neighbourhoods* policy, residential streets with very low traffic volumes and low traffic speeds are provided with a footpath on one side only.

As indicated in Section 5.4, the heart of the Rail Station Precinct will be a mixed-use environment with 'urban main street' design standards, including buildings constructed to the reserve boundary and wide footpath/verges. Footpath/verges would typically be in the order of 3.5-4.0m wide in these areas

9.7 Summary and Conclusions

This report has provided transport planning information for the Wellard Village Structure Plan. Summary points/ conclusions are as follows:

9.7.1.1 Regional Road System

The regional road system provides multiple routes to/ through the Town of Kwinana and provides excellent access to Wellard Village. In future the network will be supplemented with:

- The westward extension of Mundijong Road from the Kwinana Freeway to Mandurah Road and Dixon Road. It is expected that this will relieve Thomas/Gilmore and Bertram/Wellard/ Gilmore of some Rockingham bound through traffic. It may also take some Baldivis freight traffic off Wellard Road.
- The FRCAH will have intersections with Thomas Road, Wellard Road and Gilmore Avenue. It will provide improved north-south travel in the region and will further improve access to Rockingham taking through traffic pressure off Gilmore Avenue and Wellard Road.

9.7.1.2 Traffic Forecasts

The total traffic (year 2021) estimated for the Wellard Deviation is approximately 15,000-17,000 veh/day. Preliminary estimates of through traffic on Wellard Road Deviation suggest that it will comprise approximately 10,000 veh/day of the total at year 2021. The majority of the 'through traffic' is expected to be Town of Kwinana traffic and not regional traffic.

The total traffic estimated for Road D (i.e. Neighbourhood Connector linking Wellard Village to Gilmore Avenue -south) is approximately 6000 vehicles per day. Through traffic is estimated to comprise approximately 3500 veh/day of the total.

Although the Wellard Road Deviation (with cul-de-sac of Wellard Road at Parmelia Avenue) was not tested at year 2011 and 2021 in the traffic modelling undertaken for the *Town of Kwinana Transport Structure Plan* (BSD, 2002), the analysis presented here suggests that this option is viable under the following circumstances:

- Wellard Deviation is constructed to provide a capacity of 15,000-20,000 vehicles/ day. This requirement is met by a 2-lane divided District Distributor B with the appropriate turn lane provision and intersection control.
- Wellard Road (west) with cul-de-sac at Parmelia Avenue has a minimum capacity of 3,000 vehicles per day. This requirement is met by a 2-lane Local Distributor Road.
- Wellard Deviation is designed with adequate pedestrian and cyclist crossing opportunities to mitigate the potential for community severance associated with District Distributor B level traffic.

The above findings are supported by independent analysis of the site traffic generated by Wellard Village as determined by detailed local traffic modelling undertaken by ERM for this project (refer to Chapter 4).

A specific traffic modelling exercise has been commissioned by the Joint Venture to provide more definitive estimates of both through traffic and total traffic on Wellard Village roads at year 2021 (under the assumption that Wellard Road is cul-de-sac at Parmelia Avenue).

The findings presented here will be updated with a supplementary report at the completion of the additional traffic modelling. Design options for achieving the necessary pedestrian/ cyclist amenity and safety on Wellard Road Deviation will also be identified.

9.7.1.3 Wellard Village Streets

The Access Streets and Neighbourhood Connector Streets of *Liveable Neighbourhoods* have been used in planning the street reservations in the Wellard Village Structure Plan. These designs are tailored to the particular traffic, parking, pedestrian and cycling needs for each area of Wellard Village.

Special 'main street' or 'urban' design standards will be applied to the mixed-use Neighbourhood Centre at the rail station. These standards will ensure adequate parking and pedestrian amenity while maintaining slow vehicle speeds.

9.7.1.4 Future Bus Services

The local street layout and street cross-sections have been designed with bus routes in mind and in consultation with Transperth. Routes 541 and 542 are feeder bus services linking Wellard rail station to the Kwinana Town Centre Bus Station on Gilmore Avenue. These routes extend to the southern limit of Wellard Village near the Leda Boulevard extension where they will have a timed stop/ turnaround facility. The turnaround facility will be provided via a roundabout near the terminus (i.e. on Road B or C in **Figure 34**). Alternatively, buses may do a short loop around a nearby street block. Transperth will be consulted as street design is undertaken near the planned terminus.

9.7.1.5 <u>Network of on-road cycle lanes, shared paths and footpaths</u>

The Wellard Village street system will provide on-road cycle lanes or shared parking/cycle lanes on the busier Neighbourhood Connectors and along the Wellard Deviation. It also includes off-road shared paths and footpaths to promote walking and cycling for short trips.

Wellard Village facilities will integrate with important regional facilities such as PBN route SW22 along Wellard Road, a new Principle Shared Path along the railway and the new on-road cycle lanes being planned for Gilmore Road.

10.0 COMMITMENTS AND RESPONSIBILITIES SCHEDULE

To ensure the successful implementation of the project, it is necessary that the commitment to undertake the works and ongoing responsibilities be clearly defined at the outset of the project.

The commitments and responsibilities that will be carried out by the stakeholders are defined below:

Item	Action	Responsibilities		
Land Assembly		,		
Memorandum of Understanding between Joint Venture, State and Local Government.	Joint Venture, State and Local Government to establish responsibilities for the development.	Joint Venture, Town of Kwinana, Department for Planning and Infrastructure		
Modify Town Planning Scheme to facilitate Structure Plan proposals	Prepare and implement all necessary modifications to the Town Planning Scheme to facilitate the Structure Plan proposals and initiate appropriate scheme amendments with the support of the Town of Kwinana.	Joint Venture, Town of Kwinana		
Management Plans				
Drainage Management Plan	Prepare and implement drainage management plan.	Joint Venture, Town of Kwinana		
Wetland Management Plan	Prepare and implement Wetland Management Plan	Joint Venture, Town of Kwinana, DEWCAP		
Environmental Management Plans	Prepare as required, necessary management plans to ensure the proper protection of significant areas of vegetation and to address other environmental issues as they arise.	Joint Venture, Town of Kwinana, DEWCAP		
Provision of Services	Provision of Services			
Internal Service Infrastructure	Joint Venture to design and implement to the satisfaction o the Town of Kwinana.	Joint Venture, Town of Kwinana.		
External Services Infrastructure	The subdivider to upgrade external services as agreed with the Town of Kwinana and other service authorities to facilitate the Structure Plan proposals	Joint Venture		
Public Open Space				
Maintenance	Landscaping to be established by the subdivider and maintained for a period of one year following clearance of diagrams by Council or as agreed by the Joint Venture.	Joint Venture		

ltem	Action	Responsibilities
	Council to accept handover of landscaping and public open space after this maintenance period, and continue maintenance of POS, including drainage to a standard previously determined by the Joint Venture.	Town of Kwinana
Construction, Staging and Timing of Ra	ilway Line and Station	
	Establish Memorandum of Understanding between DPI, PURD and Joint Venture regarding construction, staging and timing of completion.	Joint Venture, Department for Planning and Infrastructure, PURD
Access	PURD to coordinate staging and access implications of railway construction to staging of development.	Joint Venture, PURD
	Coordinate construction and access, and provision of services with PURD regarding construction of busway, kiss'n'ride, passenger setdown and park'n'ride.	Joint Venture, PURD
Other		
	Establish timing of staging in relation to construction of railway line and station.	Joint Venture, Department for Planning and Infrastructure, PURD
	Investigate opportunities for school in houses or shops as an interim school with EDWA and private establishments	Joint Venture
	Consultation with existing adjoining residents during development.	Joint Venture
	Investigate opportunities for co-location and joint use of active recreation facilities between Council and the EDWA and other private institutions.	Town of Kwinana, EDWA, Others
	Investigate opportunities to create a community house.	Joint Venture, Town of Kwinana

11.0 IMPLEMENTATION

11.1 Process

Prior to development occurring within the Wellard Village Structure Plan, the following action is required:

- Adoption of Structure Plan;
- Subdivision Approval;
- Preparation of Management Plan; and
- Agreements, as required with Key Agencies, i.e. DPI (MOU).

11.2 Adoption of Structure Plan

The Structure Plan provides the basis for guiding subdivision, development and broad design requirements of all areas within the subject land. In accordance with the requirements of Council's Town Planning Scheme, the Structure Plan requires the approval of Council and the Western Australian Planning Commission.

11.3 Modifications to the MRS and TPS

In addition, the Structure Plan will form the basis of an application to the Department for Planning & Infrastructure and the Town of Kwinana in support of a request to modify the Metropolitan Region Scheme and Town of Kwinana TPS No. 2 as outlined below:

MRS Amendment to reflect the modified location for the

High School site; and

Town of Kwinana TPS No. 2 $\,$ to support a request to include the

subject land within Schedule 4 with appropriate development provisions and references to the Structure Plan.

11.3.1 Metropolitan Region Scheme

Modifications will be required to the Metropolitan Region Scheme to reflect the final location of the proposed High School site, south of the Perth-Mandurah Railway line. Upon final approval of this Structure Plan, Council is requested to seek the WA Planning Commission's support to the modification to the Metropolitan Region Scheme.

11.3.2 Town Planning Scheme No. 2

The Structure Plan which forms the basis of this application will require a statutory framework to guide the allocation of land uses within the context of a residential zoning. On this basis, this Structure Plan will also provide the basis of a request to Council to initiate a Scheme Amendment to Town Planning Scheme No. 2, to:

- 1. Modify Clause 4.3 of the Scheme Area 19 Leda to:
 - Rename it consistent with the suburb name.
 - b. New clauses to reflect the commitment by State and Local Government and the developer to create a transit oriented development focused around the new Wellard Railway Station and Town Centre.
 - c. New clauses to reflect the 'Main Street' focus of development.
- 2. Amend the Policy Map to reflect modifications outlined above.
- 3. Including Wellard Village within the Fourth Schedule of Council's Scheme and relevant provisions related to its development, including density codings and landuse classifications.
- 4. Modifications to the Scheme Maps as required.

11.4 Environmental Management Principals

11.4.1 <u>Wetland Management</u>

The following management objectives are made in made with respect to the two wetland areas within the Structure Plan area:

- A Dual Use Path will be constructed within the wetland POS area to provide opportunities to appreciate the wetland and associated upland vegetation. The DUP will also provide a hard edge to vegetation where higher density development is located adjacent to the POS. The DUP will be located as to provide part of the firebreak required where housing is adjacent to remnant vegetation.
- The wetland vegetation within northern POS area is generally in very good condition with little requirement for revegetation. Care should be taken to avoid disturbance associated with any works needed to create paths or boundaries to the wetland. If revegetation works are required local native species should be used wherever possible. Selection of species should be in accordance with the existing vegetation types that occur within the wetland area within the POS
- A hard edge to the wetland areas will be required where grassed areas are adjacent to remnant wetland vegetation.
 This may include limestone blocks, or fencing as appropriate.
- No stormwater from the proposed subdivision will drain directly into the wetland areas. Drainage design for the subdivision collects and transports all surface runoff via piped drainage into stormwater detention basins or swales within the northern wetland buffer.
- The southern wetland area should remain vegetated to provide refuge for fauna, particularly birds within the Structure Plan area.

11.4.2 <u>Vegetation Management</u>

Remnant vegetation will be retained in the wetland POS area and within the southern wetland area. In addition, vegetation will be retained in some parkland areas and Eucalypts will be retained within road verges and around formal recreational areas where possible. The following guidelines are made with respect to retention of remnant vegetation within the Structure Plan area:

- Vegetation should be retained where practicable within future subdivision design. Eucalyptus woodland is present in the POS areas and mature trees should be retained within grassed park areas where possible. Formally landscaped areas of POS will contain grassed areas for recreation such as ovals. In such areas it may not be practicable to retain native vegetation. In formal POS areas mature trees should be retained surrounding grassed areas to provide recreational amenity in addition to providing bird habitat.
- All areas of vegetation to be retained should be marked or fenced as appropriate prior to any site works commencing. This will prevent any unnecessary clearing or disturbance to areas intended to be retained within the Subdivision Plan area.
- The roads surrounding the POS area and Bush Forever Site 349 will provide a firebreak between remnant vegetation and housing areas. In most cases the development of the land surrounding the POS area is separated by a road reserve up to 12m wide. The DUP within the POS area will provide a firebreak between remnant vegetation within the POS and adjacent housing. Access for fire fighting purposes will be via the DUP and roads adjacent to remnant vegetation.
- Species native to the Subdivision Plan area should be used where practicable in landscape planting.

11.4.3 Fauna Management

Given the presence of the Southern Brown Bandicoot *Isoodon obesulus fusciventer* within the wetland POS area the following recommendations are made.

- Discussions with CALM officers have indicated that no relocation of the Bandicoots is necessary (David Mitchell, pers. comm.). The Bandicoot population should be retained within the POS area.
- It is recommended that vegetation is managed for minimal disturbance as the quality and density is important for the preservation of Bandicoot habitat. This includes management of fire. Fire may result in a decrease in the area of dense understorey vegetation. Given the small size of the remaining habitat and lack of linkage to nearby habitats, fire has the potential to severely impact on the survival of the population.
- Residents of houses adjoining the POS area should be made aware of the significant impact that domestic pets can have on native fauna inhabiting the area.
- In addition, all habitat material such as fallen logs and dead trees will not be removed from the POS area as these items may provide nesting or roosting sites for different species of vertebrate fauna.

11.4.4 Noise and Vibration

Background noise measurements undertaken by Lloyd Acoustics in the Parmelia/Leda area indicate that the existing environment is relatively quiet and noise mitigation would be considered beneficial in areas where noise exceeds the criteria. A noise barrier 1.5m high positioned on the boundary of the railway reserve would provide sufficient attenuation to achieve *Criteria 2*. It should be noted however that background noise levels do not take into account future development of the area. It is likely that as infrastructure is developed for future housing that background noise levels will increase and noise mitigation may not be as beneficial.

Vibration management requiring ameliorative measures will require implementation as part of the railway project as they can not be readily implemented following construction of the line. Given that existing housing is already present close to the receiver exceeding the criterion, it is likely that mitigation measures will be implemented by PURD if deemed necessary.

The PER for the South West Metropolitan Railway from Perth to Mandurah contains a number of commitments relating to noise and vibration impacts resulting from the proposed railway line traversing the Structure Plan area. These relate to the preparation of impact management plans and include the mitigation of potential impacts, monitoring and reporting relating to noise and vibration from the proposed railway line.

02/19 Rev 2 93

APPENDIX A Species List

APPENDIX A Wellard Village Flora Species List January 2003

FAMILY	SPECIES
GYMNOSPERMS CYCADACEAE	Macrozamia fraseri
MONOCOTYLEDONS	
AGAVACEAE	*Agave americana
ANTHERICACEAE	Arnocrinum preissii Arthropodium capillipes Corynotheca micrantha Dasypogon bromeliferus Laxmannia ramosa Lomandra sp.
COLCHICACEAE	Burchardia umbellata
CYPERACEAE	Baumea sp. Isolepis nodosa Lepidosperma angustatum Lepidosperma costale Lepidosperma longitudinale Mesomelaena pseudostygia Schoenus grandiflorus
HAEMODORACEAE	Conostylis aculeata Haemodorum laxum
IRIDACEAE	*Gladiolus caryophyllaceus *Romulea rosea
PHORMIACEAE	Dianella divaricata
POACEAE	Austrostipa semibarbata *Avena fatua *Briza maxima *Eragrostis curvula *Ehrharta calycina

FAMILY	SPECIES
	*Ehrharta longiflora
	*Lagurus ovatus *Lolium perenne
	*Pennisetum clandestinum
	Sporobolus virginicus
RESTIONACEAE	Desmocladus flexuosa
XANTHORRHOEACEAE	Xanthorrhoea preissii
DICOTYLEDONS	
AIZOACEAE	*Carpobrotus edulis
AMARANTHACEAE	Ptilotus polystachyus
	Ptilotus drummondii
APIACEAE	Eryngium pinnatifidum
ASCLEPIADACEAE	*Gomphocarpus fruticosus
ASTERACEAE	*Cirsium vulgare
	*Conyza albida
	Helichrysum cordatum *Hypochaeris glabra
	*Hypochaeris radicata
	Olearia axillaris
	*Taraxacum officinale
	*Ursinia anthemoides
BRASSICACEAE	*Heliophila pusilla
	<i>Lepidium</i> sp.
CASUARINACEAE	Allocasuarina fraseriana
	Allocasuarina humilis
CARYOPHYLLACEAE	*Petrorhagia velutina

02/19 Page A-1

FAMILY	SPECIES
DILLENIACEAE	Hibbertia hypericoides Hibbertia racemosa
EPACRIDACEAE	Leucopogon propinquus
EUPHORBIACEAE	*Euphorbia terracina Phyllanthus calycinus
GERANIACEAE	*Pelargonium capitatum
GOODENIACEAE	Dampiera alata Scaveola canescens
LAURACEAE	Cassytha racemosa
LOGANIACEAE	Logania vaginalis
MENYANTHACEAE	Villarsia albiflora
MIMOSACEAE	Acacia huegelii Acacia pulchella Acacia rostellifera Acacia saligna Acacia stenoptera
MYOPORACEAE	Myoporum caprarioides
MYRTACEAE	Baeckea camphorosmae *Chamelaucium uncinatum Corymbia calophylla Eucalyptus gomphocephala Eucalyptus marginata Eucalyptus rudis Kunzea ericifolia Melaleuca rhaphiophylla
OROBANCHACEAE	*Orobanche minor
PAPILIONACEAE	Bossiaea eriocarpa Daviesia triflora Gompholobium tomentosum

FAMILY	SPECIES
	Hardenbergia comptoniana Jacksonia furcellata
	Jacksonia sternbergiana Kennedia prostrata *Lupinus cosentinii *Trifolium campestre
PRIMULACEAE	Samolus junceus
PROTEACEAE	Banksia attenuata
	Banksia grandis Banksia illicifolia Banksia menziesii Dryandra lindleyana Dryandra sessilis Hakea lissocarpha Hakea prostrata Grevillea vestita Petrophile linearis Persoonia comata Persoonia saccata Stirlingia latifolia Synaphea spinulosa Xylomelum occidentalis
SCROPHULARIACEAE	*Dischisma capitatum *Verbascum virgatum
SOLANACEAE	Anthoceris littorea Solanum symonii

^{*} Introduced Species





Easting: 387826 Northing: 6430565

Register of Aboriginal Sites

Page 1

RPGSR V1.57

Reference No: IQ-RPGSR-3568

Report run on January 29, 2003 11:14 AM

Selection Criteria Legend Site Search within specified polygon Status Site Types Access Coordinates Type: MGA Coordinates - MGA Zone: 50 **IInterim Register** C Closed C Ceremonial M Mythological Coordinates: Easting: 388298 Northing: 6430419 BUR Skeletal material/Burial P Permanent Register O Open RP Repository / cache Easting: 389318 Northing: 6430023 Easting: 389383 Northing: 6428944 V Vulnerable S Man-Made Structure F Fish Trap S Stored Data Easting: 389589 Northing: 6428932 T Modified Tree **P**Painting Restriction Reliability Easting: 389759 Northing: 6428431 **E** Engraving Q Quarry R Reliable F Female Access Only Easting: 388932 Northing: 6428140 **ART** Artefact MD Midden / Scatter Easting: 388156 Northing: 6428584 M Male Access Only **U** Unreliable **HIST** Historical G Grinding patches / grooves Easting: 387707 Northing: 6429111 N No Gender Restrictions Easting: 387162 Northing: 6429017 Easting: 387094 Northing: 6429409 Easting: 387779 Northing: 6429379 Easting: 387731 Northing: 6430094

Map coordinates (Latitude / Easting & Longitude / Northing) are based on the GDA94 datum. Coordinates are indicative locations and may not necessarily represent the true centre of sites, especially if access to specific site information is tagged as "Closed" or "Vulnerable". The metric grid on Site Search Maps are for a specific MGA zone, and does not cater for MGA metric coordinates for a different MGA zone.

		Latitude/	Longitude/				
Site Id Status Access	Restriction	Easting	Northing	Reliability Site Type	Site Name	Informants	Site No

No Sites Found within selection area.

WESTERN AUSTRALIA

Aboriginal Sites Register

Site Search Overview Ma


Sites may exist that are not yet entered into the Register system, or are on the Register and no longer exist. The Aboriginal Heritage Act 1972 protects all Aboriginal site in Western Australia whether they are known to the Dept of Indigenous Affairs / Aboriginal Cultural Material Committee or not. On-going consultation with relevant Aboriginal communities is required to identify any additional sites that may exist.


Copyright for Aponginal Sites information shall at all times remain the property of the State of Western Australia, under custodianship of the Dept of Indigenous Affairs / Aboniginal Cultural Material Committee, 1999 all rights reserved.


Copyright for base map information shall at all times remain the property of the Commonwealth of Australia, Geoscience Australia - National Mapping Division, 2002 all rights reserved.

Copyright for Native Title Land Claim and Local Government Authority boundaries shall at all times remain the property of the State of Western Australia, Dept of Land Administration, 2002 all rights reserved.

Copyright for Mining Tenement boundaries shall at all times remain the property of the State of Western Australia, Dept of Minerals and Petroleum Resources. 2002 all rights reserved.










02/19 Page B-1










APPENDIX D ERM Local Traffic Model







02/19 Page D-3



Future Perth Data - Peter Lawrence September 25, 2002

12 Zones bounded by Ocean Reef Road, Wanneroo Road, Reid Highway and Marmion Avenue

						TOTAL	CA	R DRIVER	MODE SHA	RE
ZONE	HHOLDS	HBW	HBE	HBS	нво	PROD	HBW	HBE	HBS	НВО
66	2298	4204	1847	3714	5662	15427	0.809	0.161	0.578	0.695
67	2782	6216	3429	5069	8663	23377	0.845	0.216	0.621	0.716
69	3152	6244	2733	5164	8108	22249	0.831	0 146	0.597	0.714
70	2396	5036	2568	4156	6859	18619	0.845	0.227	0.631	0.722
71	2136	4672	2193	3609	6014	16488	0.837	0.161	0.604	0.714
73	3163	6849	2868	5176	8390	23283	0.839	0.155	0.587	0.706
74	2097	4552	1777	3336	5408	15133	U.843	0.174	0.600	0.710
75	1569	3327	1333	2548	4042	11250	0.847	0.165	0.600	0.710
76	2052	4784	2172	3548	5935	16439	0.854	0.233	0.636	0.722
77	1411	2934	1101	2263	3488	9786	0.841	0.208	0.619	0.710
79	1876	4402	2027	3256	5487	15172	0.854	0.231	0.627	0.720
80 TOTAL	1981 26913	4094 57314	1531 25579	3170 45069	4884 72940	13679 200902	0.858	0.231	0.646	0.722

7.46 Average person trip production per dwelling excluding NHB trips

8.95 add 20% for non-home based trips (e.g. shop to office)

70% assumed weighted average driver mode split.

5.23 Average vehicle trip productions per dwelling excluding non-home based trip productions

6.27 Average vehicle trip productions per dwelling including non-home based trip productions

warwick&whitfords prods

Extract from SKM Technical Note regarding trip rates in Mandurah:

"The following Table from the Future Perth Study shows the average weighted person trips per household for the Perth Memopolitan Area in the 1986 travel survey

Future Perth Study - Household trip generation rate, based on 1986 travel survey

Household	trips per ho	usehold				total	total trips	
Category	work	education	shopping	other	total	household s		
1	0	0.04	1.27	0.86	2.17	63143	137020	
2	0	1.37	1.88	3.13	6.38	15039	95949	
3	0	0.15	2.53	1.57	4.25	58556	248863	
3	0	1.77	2.72	3.25	7.74	14788	114459	
5		0.04	0.49	0.93	2.95	52705	155480	
6	1.55	0.13	1.51	1.72	4.91	30844	151444	
6 7	3	0.08	1	1.71	5.79	62069		
8	3.34	0.64	1.98	2.84	8.8	47959		
9	1	1.98	0.82	2.72	6.52	13157	85784	
10		1.31	1.77	2.83	7.55	41523		
11		1.85		3.42	9.37	52698		
12	and the second s	100000		4.78	13.22	28205	372870	
					Total	480686	2950568	

weighted average person 6.14 trips/household

Steve Piotrowski of Future Perth Project's Strategic Transport Evaluation Team provided the following charification (as related to Brace Aulabaugh of ERM):

These person trip productions exclude vion-Home Based (NHB) Trip Productions. Adding 20% this amount to account for trips not involving the home as the origin or the destination leads to average person trip productions per dwelling of

7.4 person trips/dwelling (including NHB trip productions)

Note by Bruce Aulabaugh of ERM: The NHB trips are added into the 'home source trip rate' so that traffic modelling programs (which generate all trip productions from the number of dwellings) create enough trip productions to cover trips between other uses (e.g. shops to offices, etc.).

Using a weighted average driver mode split of 70% yields a metro wide weighted average 'daily vehicle trip production' rate of 5.2 per dwelling. The 1996 Metropolitan Transport Strategy indicates that 1991 driver mode split was 63% and climbing towards 70% if trends continue to year 2021.

Please note that there can be reasonable variability around this weighted average, for instance year 2006 forecasts for the Leeming zone show 5.72 vehicle trips per dwelling per day.


Future perth productions - daily vehicle trip productions per dwelling Suburb Zones - south of the river, near kwinana freeway including Leeming

one	HBWW	HBWB	Hbedu	Hbshop	нво	Productions	
34	5 276	172	216	661	446	1771	276
34	6 3987	2468	3289	9126	5637	24507	3987
34	7 146	92	106	320	211	875	146
34	8 686	423	464	1462	959	3994	686
30	7 5875	3636	3404	6866	10287	30068	
	future pert	h production	n trip type split				
Zone	Trip Purp	ose %'s					
34	15.58%	9.71%	12.20%	37.32%	25.18%	100.00%	
34	6 16,27%	10.07%	13.42%	37.24%	23.00%	100.00%	
34	17 16.69%	10.51%	12.11%	36.57%	24.11%	100.00%	
34	18 17.18%	10.59%	11.62%	36.60%	24.01%	100,00%	
30	7 19.54%	12.09%	11.32%	22.83%	34 21%	100.00%	
stimate	ed avg	26%	13%	37%	24%	100 00%	avg's without abb added
	100%	22%	11%	31%	20%	15.00%	avg's with nhb added
one 30	7		tata mana		5		5-1V
avg	115%	75.000.000	11%	34%	23%	15.00%	avg's without nhb added
	100%		9%	29%	20%	15%	avg's with nhb added
	future pert	h dwellings	Productions total	Prod/ Dwelling	total with NHB	trip/dwelling with N	нв
one			100 P. C.			CONTRACTOR LANGUAGE CONTRACTOR	
34			1771	6.30	2036.65	7.247864769	
34	10 miles		24507	7.21	28183.05	8.289132353	
34	14.1 A. 2.22		875	7.00	1006.25	8.05	
34	18 613		3994	6.52	4593.1	7 492822186	
use	4419		31147	7.21	35819.05		
	ŀ			8.105691333	with NHB added		
zone 307	4264		30068	7.05	34578.2	8.109333959	l.
				8.11	with NHB added		


Avg other zones Driver only mode split

work	edu	oth	shp	nhb	
78%	21%	70%	74%	86%	
0.171496	0.022984	0.2185775	0.150756	0.12915	0.69 weighted avg driver mode split
dividual trip ty	pe contributions to	weighted avg driver	mode split	_	
	870				
	(1)	35 S			5.62 veh/day/dwelling
Jana 207	10		SOMETH		5.62 veh/day/dwelling with NHB added
Mill # 1951AM 6	0.019448	0.50 S. (S.	0.1444745	0.12915	with NHB added
Zone 307 0.211072	0.019448	0.200855	0.1444745	0.12915	

FutPerthTripRates




APPENDIX E
Wellard Station Concept Plan





APPENDIX F 1999 KWINANA BIKE PLAN




02/19 Page F-1

Table 3.1: Screenline Traffic Forecasts - Vehicles/day on Wellard

Road and Wellard Road Deviation: (Kwinana Transport Structure Plan, 2002)

Network Description and Road Link	2006	2011	2021
Network A: No change to Wellard Wellard (east of deviation)	7022	12376	15410
Network B: Wellard Deviation added and calming of Wellard Wellard (east of deviation)			
Wellard Deviation (south of Wellard Road east end)	1582 2996 4578	4858 <u>3944</u> 8802	14530 <u>3842</u> 18372 TOTAL
Network C: Wellard Deviation added and Wellard cul-de-sac Wellard (east of deviation) Wellard Deviation (south of Wellard Road east end)	2141 2304 4445	NA	NA

Table 3.1: Screenline Traffic Forecasts - Vehicles/day on Wellard Road and Wellard Road Deviation:								
(Kwinana Transport Structure Plan, 2002)								
Network Description and Road Link	Year 2006	Year 2011	Year 2021					
Network A: No change to Wellard								
Wellard (east of deviation)	7022	12376	15410					
<u>Leda Boulevard</u>	1882	<u>4945</u>	• 6823					
TOTAL AT SCREENLINE	8904	17321	22233					
Network B: Wellard Deviation added and calming of Wellard								
Wellard (east of deviation)								
Wellard Deviation (south of Wellard Road east end)	1582	4858	14530					
Leda Boulevard	2996	3944	3842					
	<u>996</u>	<u>2654</u>	<u>4054</u>					
	11456 total	22426 TOTAL						
Network C: Wellard Deviation added and Wellard cul-de-sac								
Wellard (east of deviation)	2141	NA	NA					
Wellard Deviation (south of Wellard Road east end)	<u>2304</u>							
	4445 total							




DOCUMENT STATUS

	02/019	Revision	Reviewer	Date Issued
		0	JAH	10.03.14
		1	JAH	05.06.14
Prepared By:	Taylor Burrell Barnett Town Planning and Design 187 Roberts Road	2	JAH	25.06.14
	SUBIACO WA 6008	3	JAH	22.01.15
	Phone: 9382 2911 Fax: 9382 4586 admin@tbbplanning.com.au			

TABLE OF MODIFICATIONS

Modification No.	Description of Modification	Date Endorsed by Council	Date Endorsed by WAPC
Modification 1	Southern Precinct (south of railway line) - rationalisation of POS and street blocks to provide more affordable lot product and increase in density adjacent areas of high amenity.	8 April 2009	10 February 2010
Modification 2	Southern Precinct (south of railway line) – various minor modifications to correct anomalies.	24 November 2010	30 December 2010 (WAPC confirmed modification minor)
Modification 3	Redesign and re-coding of street blocks adjacent Bush Forever site to provide a more appropriate interface.	9 February 2011	11 March 2011 (WAPC confirmed modification minor)
Modification 4	Southern Precinct (adjacent southern boundary) – include laneway within street block to accommodate a sewer pipeline and upcode the subject street block.	13 June 2012	30 July 2012 (WAPC confirmed modification minor)
Modification 5	Stages 24 & 31 – realignment of road and redesign of adjacent street blocks to accommodate natural site gradient.	24 April 2013	30 April 2013 (WAPC confirmed modification minor)
Modification 6	South of Village Centre (Stage 32) – redesign of street block layout to accommodate substantial natural site gradient.	10 July 2013	17 July 2013 (WAPC confirmed modification minor)
Modification 7	Stages 33-40 (Balance of Title) – modification to provide greater flexibility in subdivision design to accommodate existing vegetation and natural gradient of land.	26 March 2014	15 May 2014 (Minor modification – Subdivision Approval issued)
Modification 8	South of Village Centre – modification to provide greater flexibility in subdivision design to accommodate servicing and natural gradient of land.	10 September 2014	9 October 2014 (Minor modification - Subdivision Approval issued)
Modification 9	South Western precinct – modification to primarily introduce a density code range of 'Residential R25-R40' to enable more flexibility at the detailed design stages.	Pending	Pending

MODIFICATION 1 ENDORSED LOCAL STRUCTURE PLAN



legend

METROPOLITAN REGION SCHEME RESERVES

Railways

Public Purposes

Denoted As Follows:

HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage Public Purposes Denoted As Follows:

CF Community Facility

PS Primary School WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots) Residential R20 Residential R30 Residential R40 Special Use

Denoted As Follows:

S School

OTHER

Neighbourhood Centre R60

(Neigbourhood Node) Neighbourhood Centre R80

> (Incorporating retail, office, residential and community facilities)

Easement

Possible Retirement Village Site

3 Wetland boundary

Wetland Buffer

Possible Tree Retention Area Indicative Neighbourhood Centre 400m

walkable catchment

Indicative Train Station 800m walkable

catchment

Structure Plan Boundary

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana.

This site may be reduced in land area subject to the following

requirements being met:
i. The Council of the Town of Kwinana agrees to the

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement of a community facility to be

developed on the site;
The community facility under iii is that chosen by the
Council of the Town of Kwinana;

The land owner enters into a suitable agreement with the Town of Kwinana guaranteeing requirements i to iv

(IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of vegetation.


DEDICATED FAUNA UNDERPASS

Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of



Subdivision Approval has been issued where lot layout shown.

MODIFICATION 1 LODGED LSP MODIFICATION REQUEST



19 December 2008

Attention: Paul Neilson

Town of Kwinana PO Box 21 KWINANA WA 6966

Dear Paul

REVISED WELLARD VILLAGE STRUCTURE PLAN – SOUTHERN PRECINCT

On behalf of our client Wellard Joint Venture partners, Peet Limited and Department of Housing and Works, we are pleased to submit for your consideration the revised Wellard Village Structure Plan – Southern Precinct. An overview and rational for the proposed modifications is provided below and a copy of the revised Wellard Village Structure Plan is attached.

Taylor Burrell Barnett Torm Planning & Co.

187 Roberts Road Sublaco FO Box 8185 Sublaco East Western Australia 6006

Telepinine (18) 2007 29 i Feminine (18) 5287 april

As agreed to by Town of Kwinana and Department for Planning and Infrastructure (DPI), the Wellard Village Structure Plan report has not been updated to reflect the proposed modifications, rather, following Council's and the Western Australian Planning Commission's assessment of the revised Structure Plan, the report will be amended in accordance with a consolidated schedule of modifications. However, to assist Council and the Department of Planning and Infrastructure in its consideration of the revised Structure Plan, please also find enclosed the following supporting information:

- Local Structure Plan Assessment Schedule (as requested by DPI);
- Wellard Village Structure Plan report (September 2006);
- Site Analysis Plan;
- Opportunities & Constraints Plan;
- Public Open Space Provision schedule;
- Public Open Space Schedule;
- Public Open Space Plan;
- Density Comparison Plan;
- Neighbourhood Centre Concept Plan;
- Accessibility Plan; and
- Indicative Staging Plan.

The Local Structure Plan Assessment Schedule summarises if a consideration/issue is relevant to the Wellard Village Structure Plan – Southern Precinct, references where in the Structure Plan report (September 2006 version approved by Council and updated in accordance with Council's resolution of September 2006) the consideration/issue is addressed (section or figure) and also includes additional information, where relevant. This additional information includes supplementary information which was prepared during DPI's assessment of the Southern Precinct Structure Plan and new supporting information. The supplementary reports/documents referred to in the schedule can be made available if required.

BACKGROUND

By way of background, Council formally adopted the Wellard Village Structure Plan (both the northern and southern precinct) in May 2003, subject to modifications. The Structure Plan was modified, resubmitted to Council and forwarded to the Western Australian Planning Commission (WAPC) for assessment. In March 2004, the Commission approved the northern precinct of the Structure Plan subject to minor modifications and also identified the need to address some matters in relation to the southern precinct.

The overall Wellard Village Structure Plan was subsequently modified in accordance with the Commission's advice and lodged with Town of Kwinana and WAPC. Council adopted the revised Structure Plan in its entirety, in September 2006, subject to modifications. The Structure Plan was modified, resubmitted to Council and formally referred to WAPC for approval. Finalisation of the Commission's assessment of the Southern Precinct Structure Plan has been delayed due to some minor revisions to the Plan. These modifications are discussed in detail below.

PROPOSED MODIFICATIONS

Importantly, the key structural elements of the Southern Precinct design remain the same - Lambeth Circle, the extension of Leda Boulevard and the north-west/south-east connection in the western precinct have all been retained as key linkages. A high school site and primary school site are still provided within the central precinct, defined by Lambeth Circle. Large lots have been retained along the eastern edge, providing an appropriate transition between Wellard Village and Homestead Ridge Estate, a neighbourhood node is still identified south-east of the Primary School site and the Bush Forever site is located in the south east corner of the Structure Plan area.

The proposed modifications to the Southern Precinct Structure Plan are minor in nature and are summarised below (refer **Wellard Village Structure Plan**).

- Inclusion of larger areas of public open space to accommodate drainage from the 1:100 year storm event;
- consolidation and rationalisation of public open space areas, to provide more usable open space whilst still retaining trees;
- repositioning of the 'Important Vegetation Area' to more accurately define where vegetation will be retained, as agreed to by the Town of Kwinana;
- rationalisation of street blocks and road reserve widths, to provide more efficient and affordable lot product, in response to market demand;
- increase in density, generally from R20/R30 to R30/R40, adjacent to the Primary School site
 and areas of high amenity, including POS and where existing trees are to be retained in road
 reserve (refer **Density Comparison Plan**); and
- a notation on the Structure Plan regarding a possible retirement village, west of the neighbourhood centre.

Further detail regarding the proposed modifications is provided below.



Public Open Space

Three large areas of public open space (POS areas 20, 30 and 31) have been incorporated into the Structure Plan area to accommodate drainage from the 1:100 year storm event (refer **Public Open Space Plan**). POS area 20 directly abuts the northern boundary of the High School site and POS areas 30 and 31 have been provided south of the southern Primary School site. Drainage swales will be integrated into the open space and generally utilised as part of the passive recreation areas. These areas of open space will not only serve an important drainage function, but will also enable the retention of additional trees.

The area of open space directly abutting the high school site will accommodate a shared use oval, an arrangement supported by Council and the Department of Education and Training (DET). Discussions are currently progressing with DET in relation to the school oval, a large portion of which will be located on the high school site, accommodating drainage from the 1:100 year storm event. Initial advice from DET indicates that it is supportive of the concept, subject to resolution of detail design matters and formal Department approval. Discussions with DET are on-going and it is intended that DET approval will be obtained prior to Council formally considering the revised Structure Plan for approval.

The fragmented areas of public open space previously identified on the Structure Plan to retain trees have been consolidated and the road reserves have been redesigned to also accommodate existing trees, ensuring maximum tree retention, particularly within the 'Important Vegetation Area' notated on the Structure Plan. The consolidation of POS ensures more usable open space is provided and allows more efficient maintenance by Council. The 'Important Vegetation Area' has also been repositioned to more accurately define where existing trees will be retained, as agreed to by Town of Kwinana. Importantly, the overall area has not been reduced, rather, re-located east where tree retention can occur given the need for bulk earthworks along the western edge of the Structure Plan area.

Overall, surplus public open space has still been provided within the overall Structure Plan area, as detailed in the attached **Public Open Space Provision** schedule, **Public Open Space Schedule** and identified on the **Public Open Space Plan**.

Street Block Structure & Density

The street blocks and road reserve widths have been rationalised; the street block widths have generally been reduced from 65m to 60m and the road reserves have essentially been reduced from 16m to 15m. The rationalisation of street blocks and road reserve widths, in addition to the consolidation of POS areas, has allowed a more efficient and legible street pattern to be designed. The new street block pattern will facilitate the delivery of smaller lot product, in response to market demand for more affordable housing and also allow a greater diversity of lot product to be provided. Also in response to demand for more affordable, an increase in density is proposed from R20/R30 to R30/R40 adjacent to the Primary School site and areas of high amenity including open space and road reserves accommodating existing trees (refer **Density Comparison Plan**). Street blocks with rear laneways have generally been introduced in areas of increased density to provide a high amenity streetscape. As shown on the Density Comparison Plan, despite the reduction in net developable area, an increase in residential densities has still been achieved.



Retirement Village Notation

A notation has been included on the Structure Plan regarding the possibility for a retirement village to be developed west of the Neighbourhood Centre. Reference to aged persons accommodation has always been included in the Structure Plan report, which Council previously endorsed, however a notation has now been included on the Structure Plan. The site is ideally positioned immediately adjacent to the railway station and Neighbourhood Centre, providing public transport and convenience retail within close walking distance. An aged persons development will allow a density greater than R40 to be achieved which will in turn provide greater support to the services within the Neighbourhood Centre and public transport patronage. It is intended that the design of the built form will be managed through a DAP to ensure the aged persons accommodation is well integrated with the adjoining development.

CONCLUSION

We trust the information provided is sufficient and adequately details the proposed modifications. Accordingly, we would appreciate the expedient assessment of the revised Wellard Village Structure Plan – Southern Precinct. As previously discussed with Town of Kwinana, given the minor nature of the modifications we confirm that advertising is not required, and we look forward to the Structure Plan being formally considered by Council at the February 2008 Council meeting.

Should you have any queries in relation to the proposed modifications or the supplementary information, please do not hesitate to contact the undersigned.

Yours faithfully TAYLOR BURRELL BARNETT

JULIE-ANNE HATCH SENIOR PLANNER

CC: Paul Sewell/Frank Ness

Trevor Finlayson

Department for Planning and Infrastructure

Peet Limited



Revised Wellard Village Local Structure Plan - Southern Precinct Department for Planning & Infrastructure Local Structure Plan Assessment Schedule

Consideration/Issue	Is the issue relevant to the Wellard Village Structure Plan - Southern Precinct		Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Additional Information
	Yes	No	Consideration/issue	Consideration/issue	
SITE PLANNING					
Specific Topographic Feature	Y		Section 2.1.1 Topography (p.6) Section 8.1 Siteworks & Earthworks (p.54-59)	Figure 24 – Preliminary Bulk Earthworks (p.55) Figure 25 – Preliminary Cut to Fill Contours (p.56) Figure 26 – Preliminary Cross-Sections – 1 (p.57) Figure 27 – Preliminary Cross-Sections – 2 (p.58)	Refer Site Analysis Plan (attached). Refer Opportunities & Constraints Plan (attached).
View Corridors	Y				Refer Site Analysis Plan (attached). Refer Opportunities & Constraints Plan (attached).
Biodiversity Assets	Υ		Section 2.2 Biological Environment (p.6- 14) Section 5.2 Remnant Vegetation (p.29) Section 11.4.2 Vegetation Management (p.92)	Figure 3 – Vegetation Associations (p.7) Figure 4 – Vegetation Conditions & Wetland Location (p.11)	Spring Flora Survey A spring flora survey was undertaken by ATA Environmental in September 2003. ATA Environmental's investigations highlighted that the species list includes a total of 155 plant species of which 36 (23%) are introduced species. The high percentage of introduced species is indicative of the highly disturbed understorey that was present over much of the site in 2003. None of the species are Declared Rare or Priority Flora species according to the Department of Environment and Conservation's list of 2003 or the December 2006 list.
					Tree Retention A detailed tree survey shall be undertaken prior to lodgement of subdivision applications to ensure that trees to be retained and/or removed are clearly identified. Furthermore, the Important Vegetation Area shown on the Wellard Village Structure Plan requires the retention of vegetation within POS and road reserves, where practical.

02/19 Page 1 of 19

Consideration/Issue	Is the issue relevant to the Wellard Village ion/Issue Structure Plan - Southern Precinct		Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Additional Information	
	Yes	No	Consideration/issue	Consideration/issue		
Wetlands (EPP/CCW)		N	Section 2.2.1 Wetlands (p.6-8) Section 5.1 Wetlands (p.29) Section 11.4.1 Wetland Management (p.92)	Figure 4 – Vegetation Conditions & Wetland Location (p.11)	Refer Wellard Village Structure Plan - Northern Precinct (attached).	
Native Vegetation (eg. Bush Forever)	Y		Schedule of Modifications – Southern Wellard Structure Plan (vii) Section 2.2.2 Vegetation (p.8-13) Section 4.5.4 Bush Forever (p.27) Section 5.4 Bush Forever & 5.6 Interface with Leda Reserve (p.30) Section 11.4.2 Vegetation Management (p.90)	Figure 3 – Vegetation Associations (p.7) Figure 4 – Vegetation Conditions & Wetland Location (p.11) Figure 14-Bush Forever Site Agreed Outcome (p.28)	Leda Reserve/Bush Forever Site Interface A minimum 20 metre wide building protection zone is required between future residential dwellings and the Leda Reserve. This building protection zone can comprise of road reserve, non flammable features such as driveways, lawn or landscaped gardens (including deciduous trees). Vegetation Management Land identified as Bush Forever will be clearly marked and fenced prior to any site works commencing, to ensure the site is not disturbed.	
TEC/DRF (Wildlife Conservation Act)		N	Section 2.2.2 Vegetation (p.8-13) Section 2.2.2 Flora (p.13)			
Fauna (habitat corridors)	Y		Schedule of Modifications – Southern Wellard Structure Plan (viii) Section 2.2.4 Fauna (p.13) Section 5.3 Fauna (p.29) Section 11.4.3 Fauna Management (p.91)	Figure 14 – Bush Forever Site Agreed Outcome (p.28)	Fauna Habitat Assessment ATA Environmental undertook a Level 1 Fauna Habitat Assessment within the southern precinct of the Village at Wellard development in March 2007. The Level 1 Vertebrate Fauna Assessment was undertaken to review existing information for the project area, undertake a risk assessment of the proposed development on the fauna of the area, indicate if any additional survey work is required and make recommendations on how any impacts of the fauna might be minimised. The Level 1 Fauna Assessment was undertaken within the project area in accordance with the Environmental Protection Authority (EPA) Terrestrial Biological Surveys as an Element of Biodiversity Protection Position Statement No. 3 (EPA, 2002) and ATA Environmental's interpretation of Guidance for Assessment of Environmental Factors: Terrestrial Fauna Surveys for Environmental Impact Assessment in Western Australia, No. 56 (EPA, 2004). The Level 1 Fauna Assessment made the following conclusions regarding the assessment of the southern portion of the Village at	

02/19 Page 2 of 19

Wellard Local Structure Plan area: • Three main fauna habitats were identified in the sur These included low open woodland, open forest and woodland; • From a fauna perspective, the project area is in a de condition and the ecosystems have been appreciable degraded. Consequently, the ecosystems of the proj likely to have low ecological functional value; • The project area is likely to contain up to 111 bird sp amphibian species, 47 reptile species and 37 mamm native and 8 introduced). However, the project area support a less rich assemblage due to the size, cond weeky understorey of the site. The species likely to the southern section of the proposed Wellard Village be present in nearby bushland of similar and better • Ten species of significant fauna may possibly occur veroject area; • Fifteen trees containing potentially suitable hollows Black Cockatoos were identified within the study are trees are located within the designated Bush Foreve The other trees may possibly be protected in POS or reserves. As Carnaby's Black Cockatoos are not know the Perth Metropolitan Region, it is extremely unlike hollows are currently being used by the cockatoos. The Level 1 Fauna Assessment made the following recon in respect to the development of the southern portion of Wellard Structure Plan area: • Prior to and during clearing, as with the best practic minimisation protocol previously adopted for clearing minimisation protocol previously adopted for clearing minimisation protocol previously adopted for clearing minimisation protocol previously adopted for clearing.	Consideration/Issue	Is the issue relevant to the Wellard Village Structure Plan - Southern Precinct	Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Additional Information
Three main fauna habitats were identified in the sur These included low open woodland, open forest and woodland; From a fauna perspective, the project area is in a de condition and the ecosystems have been appreciable degraded. Consequently, the ecosystems of the proj likely to have low ecological functional value; The project area is likely to contain up to 111 birds any amphibian species, 47 reptile species and 37 mamm native and 8 introduced). However, the project area support a less rich assemblage due to the size, condi weedy understorey of the site. The species likely to the southern section of the proposed Wellard Village be present in nearby bushland of similar and better Ten species of significant fauna may possibly occur or project area; Fifteen trees containing potentially suitable hollows Black Cockatoos were identified within the designated Bush Foreve The other trees may possibly be protected in POS or reserves. As Carnaby's Black Cockatoos are not know the Perth Metropolitan Region, it is extremely unlike hollows are currently being used by the cockatoos. The Level 1 Fauna Assessment made the following recon in respect to the development of the southern portion or Wellard Structure Plan area: Prior to and during clearing, as with the best practic minimisation protocol previously adopted for clearin minimisation pr		Yes No	Consideration, issue	Consideration, issue	
experienced zoologist on site to check the trees with		Yes No			 Three main fauna habitats were identified in the survey area. These included low open woodland, open forest and low open woodland; From a fauna perspective, the project area is in a degraded condition and the ecosystems have been appreciably altered and degraded. Consequently, the ecosystems of the project area are likely to have low ecological functional value; The project area is likely to contain up to 111 bird species, 8 amphibian species, 47 reptile species and 37 mammal species (29 native and 8 introduced). However, the project area is likely to support a less rich assemblage due to the size, condition and weedy understorey of the site. The species likely to be found in the southern section of the proposed Wellard Village would also be present in nearby bushland of similar and better quality; Ten species of significant fauna may possibly occur within the project area; Fifteen trees containing potentially suitable hollows for Carnaby's Black Cockatoos were identified within the study area. Six of these trees are located within the designated Bush Forever Site No. 349. The other trees may possibly be protected in POS or widened road reserves. As Carnaby's Black Cockatoos are not known to breed in the Perth Metropolitan Region, it is extremely unlikely that the hollows are currently being used by the cockatoos. The Level 1 Fauna Assessment made the following recommendations in respect to the development of the southern portion of the Village at

02/19 Page 3 of 19

Consideration/Issue	Is the issue relevant to the Wellard Village Structure Plan - Southern Precinct		Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Additional Information
	Yes	No	Consideration/issue	Consideration/133ac	
					protocol, it is recommended to have an experienced zoologist on site during clearing works to capture and relocate to adjacent bushland any other native fauna species displaced by development;
					 Where possible, trees containing potentially suitable hollows are retained within the development to provide the opportunity for nesting habitat for obligate hollow-nesters such as owls, pardalotes, parrots and cockatoos;
					 Where possible, retain Banksia species within POS areas to provide foraging habitat for Black Cockatoos and other bird species that utilise the Banksia species within the project area for food resources.
					It is important to note that the best practice harm minimisation protocol for clearing has been adopted for the first stages of development south of the railway line and will continue to be adopted for the entire development. An experienced zoologist was on site during clearing works and prior to clearing commencing, ATA Environmental in collaboration with a local school undertook a capture and release program for the area to be cleared.
					Bandicoot Monitoring
					Monitoring of the Bandicoot population will be undertaken by ATA Environmental in the appropriate season for the period 2007 to 2009 consistent with a recommendation by Ecologia who undertook the first survey in 1997.
Foreshore/Rivers		N			
Groundwater protection (areas)		N			
Acid Sulfate Soils		N	Schedule of Modifications – Southern		Refer Wellard Village Structure Plan - Northern Precinct (attached).
			Wellard Structure Plan (x)		The Acid Sulfate Soils Management Plan has been prepared to the satisfaction of the Department of Water and implemented for the affected area.

02/19 Page 4 of 19

Consideration/Issue	Is the issue relevant to the Wellard Village Structure Plan - Southern Precinct		Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Additional Information
	Yes	No	Consideration/issue	Consideration, issue	
Features of cultural/heritage significance (eg. heritage areas, sites or buildings)		N	Section 2.3.2 Aboriginal Heritage (p.15)		
IMPACTING LAND USES/AC	TIVITIES AND	BUFFER REQ	UIREMENTS		
Aircraft		N			
Quarries		N			
UXO		N			
Kennels		N			
Midge/mosquitoes		N			
Market gardens		N			
Poultry farms		N			
Industrial activities		N			
Power lines/easement/s	Υ		Section 8.6 Power Supply (p.62)		Refer Wellard Village Structure Plan - Northern Precinct (attached).
Gas pipelines/ easement/s		N	Section 8.7 Gas (p.62)		
Transit corridors/nodes (eg. rail, road etc)	Y		Section 2.3.1 Noise and Vibration (p.14- 15) Section 5.5 Noise and Vibration (p.30) Section 11.4.4 Noise and Vibration (p.91)		Acoustics Report Based on the findings of the Lloyd Acoustics Report, prospective purchasers of lots directly adjacent to the Railway will be made aware of the proximity of the Railway by a range of measures. All buyers of affected lots will be notified in the Contract of Sale. Additional measures may include the following: • a Memorial on the Certificate of Title; or • notification on the Detailed Area Plan (that may include minimum setback restrictions etc.).
Contaminated sites (also subject of Environmental Protection Notices on Certificate of Title)		N			

02/19 Page 5 of 19

Consideration/Issue	to the We	ue relevant llard Village re Plan - n Precinct	Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Additional Information
	Yes	No		, , , , , , , , , , , , , , , , , , , ,	
Fire hazards	Υ				Planning for Bush Fire Protection
					A Fire Management Plan (FMP) was prepared by FirePlan WA in August 2007 (attached). The purpose of the FMP is to detail the Fire Management methods and requirements that will be implemented within the proposed subdivision as part of the Wellard Village Structure Plan. The aim of the Bushfire Management Plan is to reduce the threat to residents and fire fighters in the event of a fire within or near the subdivision and to conserve the Bush Forever Areas and Recreational Reserves.
					The Fire Management Plan has been developed to incorporate fire management methods that address the following:
					 Protection around each stage of development; Strategic firebreaks systems; Protection of wetlands; Building Protection Zone.
					Detailed below is a summary of the FMP requirements:
					Developer's Responsibility
					As a condition of subdivision approval for future stages within the Village at Wellard Structure Plan area the developer is required to implement the applicable fire protection measures detailed in Section 6 and 7 of the Fire Management Plan as they apply to the particular subdivision.
					As the ownership of the wetlands and Bush Forever site has been transferred to the relevant authorities, the new owner will be responsible for fire management in accordance with this Fire Management Plan.
					Town of Kwinana Responsibility
					The responsibility for compliance with the law rests with individual property owners and occupiers and the following conditions are not intended to unnecessarily transfer some to the responsibilities to the Town of Kwinana.
					The Town of Kwinana shall be responsible for:

02/19 Page 6 of 19

Consideration/Issue	Is the issue relevant to the Wellard Village Structure Plan - Southern Precinct		Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses	Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses	Relevant Additional Information	
	Yes	No	- Consideration/Issue	Consideration/Issue		
					 developing and maintaining district fire fighting facilities; maintaining in good order the condition the various equipment and apparatus utilised for fire fighting purposes; and ensuring that this Fire Management Plan is implemented. 	
					Further to the above, currently all lots within Homestead Ridge that abut the Bush Forever site have existing dwellings. In the event that any of these dwellings are demolished or a new building is proposed to be built, it is recommended that the Town of Kwinana advise the applicant that the building plans for the particular allotment comply with building standards as detailed in Section 6.6 of this Fire Management Plan.	
					Department for Planning and Infrastructure Responsibilities	
					Given the Bush Forever site has been sold to the Department of Planning and Infrastructure (DPI) it is the Department's responsibility to implement and maintain the strategic firebreak as outlined in section 6.4.	
Flooding/inundation		N				
Telecommunications Infrastructure		N	Section 8.8 Communications (p.62)			
Wetlands		N	Section 2.2.1 Wetlands (p.6-8)	Figure 4 – Vegetation Conditions & Wetland Location (p.11)	Refer Wellard Village Structure Plan - Northern Precinct (attached).	
			Section 5.1 Wetlands (p.29)			
			Section 11.4.1 Wetland Management (p.92)			
PLANNING CONTEXT						
Region Scheme						
Zoning/reservations	Y		Section 4.1 Metropolitan Region Scheme (p.21)	Figure 11 – Existing Metropolitan Region Scheme Zoning (p.22)		
Purpose/requirements of zonings/reservations	Y		Section 4.1 Metropolitan Region Scheme (p.21)			
Review of region scheme planning and submission		N			Page 7 of 19	

02/19 Page 7 of 19

Consideration/Issue	Is the issue relevant to the Wellard Village Structure Plan - Southern Precinct		Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Additional Information
	Yes	No	Consideration/issue	Consideration/issue	
report dealing with zoning change affecting structure plan area					
Region scheme	Υ		Section 11.3 Modifications to the MRS	Figure 12-Existing Zoning (p.23)	Southern High School Site
amendments in progress			and TPS (p.89)		An Metropolitan Region Scheme and concurrent Town Planning Scheme amendment to lift the current High School 'Public Purposes' reservation and reimpose the 'Public Purposes' reservation on the High School site as identified on the attached Wellard Village Structure Plan is underway and is expected to be advertised for public comment late 2008/early 2009.
Application of environmental conditions		N			
Planning and Special Control Area/s	Y				Bush Forever Policy Area The Metropolitan Region Scheme Amendment No 1082/33- Bush Forever and Related Lands is currently before the Minister for Planning for final adoption. The Amendment will create a 'Bush Forever Policy Area' over Bush Forever Site 349, a portion of which is located in the south-east corner of the Structure Plan area.
Clause 32 Area/s		N			
Improvement Plan		N			
Regional Planning Strategies/Structure Plans		N			
Status		N			
Consistency/variations and reasons		N			

02/19 Page 8 of 19

Consideration/Issue	Is the issue relevant to the Wellard Village Consideration/Issue Southern Precinct		Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Additional Information
	Yes	No	Consideration, issue	Consideration, issue	
Town Planning Scheme					
Zonings/reservations	Y		Section 4.2 Town of Kwinana Planning Scheme No. 2 (p.21)	Figure 12 – Existing Zoning (p.23)	Town Planning Scheme No. 2-Amendment No. 85 In May 2004, Amendment No. 85 to Town of Kwinana Town Planning Scheme No. 2, included the Wellard Village Structure Plan Area within the Scheme's Fourth Schedule - Development Areas and introduced various Special Provisions to the development area.
Purpose/requirements of zonings/ reservations	Υ		Section 4.2 Town of Kwinana Planning Scheme No. 2 (p.21)		
Proposed amendment/s or scheme in progress	Y		Section 4.2 Town of Kwinana Planning Scheme No. 2 (p.21) Section 10.0 Commitments and Responsibilities Schedule (p.87) Section 11.3 Modifications to the MRS and TPS (p.89)		A Metropolitan Region Scheme and concurrent Town Planning Scheme amendment to lift the current High School 'Public Purposes' reservation and reimpose the 'Public Purposes' reservation on the High School site as identified on the attached Wellard Village Structure Plan is underway and is expected to be advertised for public comment late 2008/early 2009.
Requirements of Special Control Area/s		N			
Application of environmental conditions		N		_	
Requirements/particular provisions for structure plans and infrastructure contribution items/issues	Y		Section 4.2 Town of Kwinana Planning Scheme No. 2 (p.21) Section 10.0 Commitments and Responsibilities Schedule (p.87)		
Other Local Structure Plans	and Plannin	g Decisions			
Status	Υ				Refer Wellard Village Structure Plan - Northern Precinct (attached).
Consistency/variation and reasons		N			
Relevance of planning decisions for adjoining/ nearby land		N			

02/19 Page 9 of 19

Consideration/Issue	to the We Structu	ue relevant llard Village ire Plan - n Precinct	Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Additional Information		
	Yes	No	consideration, issue	Consideration, issue			
SUSTAINABILITY ASSESSME	NT						
General							
Lot yield	Υ				Revised Wellard Villag Indicative	e Structure Plan - Sc Dwelling Yield Sche	
					R-Codes as per LSP	Lot Area Defined by Peet Ltd	<u>Dwelling Yield</u>
					R80 R60 R40 R30 R20 R10 Total	150 m ² 180 m ² 300 m ² 350 m ² 540 m ² 1600 m ²	187 13 537 233 1182
	Υ				Refer Indicative Dwelling Yiel	d Schedule (above).	
Density (dwellings per site area) targets	Y				Refer Wellard Village Structu Refer Dwelling Yield Schedule Refer Density Comparison Pla Refer Indicative Staging Plan Density Around the Rail Stat The southern portion of the I metre walkable catchment in of R40 with a large proportio reviewed as the estate is dev built form outcome is achieve Importantly, the proposed de Neighbourhood Centre addre Neighbourhoods which requi dwellings per site hectare for railway station and for develor requires at least 20-30 dwelli the railway station, the South dwellings per hectares and w achieves 19 dwellings per he falls just below the desired d lots (larger than 1500m²) alo	e (above). an (attached). (attached). (ion Neighbourhood Centicorporates a minim n coded Residential eloped to ensure the ed around the rail stensities for the southess the principles of ires residential dension development within opment within 400m ings per hectare. Within 400m to 800m ctare. The outer cate ensities given the need and the control of the country o	um residential density R80. This area will be at an appropriate ation. nern portion of the Liveable ities of at least 30-40 in 400 metres of the n to 800m of a station ithin 400 metres of ure Plan achieves 39 of the station chment of the station eed to provide large

02/19 Page 10 of 19

Consideration/Issue	Is the issue relevant to the Wellard Village Structure Plan - Southern Precinct		Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Additional Information
	Yes	No			
					an appropriate interface with the existing Homestead Ridge Estate. The Village at Wellard is Perth's first greenfields transit orientated development (TOD) on the Mandurah line and is located in a south western suburb approximately 35 kilometres from Perth. It is important that the most suitable development outcome for the Structure Plan area is achieved in the context of its location, market acceptance and TOD principles. The design must take into account, and aim to ensure an appropriate balance is achieved in relation to addressing a wide range of matters, including applicable planning policies, state and local government requirements as well as economic, topographic and environmental issues. Peet Limited and its JV partner DHW have continually focussed on improving the density benchmarks originally established within the first stages of the development. As the development has progressed, and with the confidence of the market, the densities within the Neighbourhood Centre have increased to the point that Peet Limited are now confidently pursuing R80 development within the Village Core. As detailed in DC 1.6, the WAPC must take a generalised view to development around transit stations, particularly given transit facilities in metropolitan Perth vary considerably and that it is not always practical to achieve higher densities during the first stages of subdivision. DC 1.6 highlights the importance of a robust subdivision pattern that allows for more future intensive subdivision over time as the subdivision matures. Peet Limited is fully supportive of TOD objectives, and we believe the densities identified on the Wellard Village Structure Plan sufficiently support the train station and achieve the principles of DC 1.6 and LN3. Staging of Development to Support Density The Indicative Staging Plan (attached) has been prepared to support the development of the Neighbourhood Centre south of the railway line at the highest densities possible. By developing the southern portion of the Neighbourhood Centre last, t

02/19 Page 11 of 19

Consideration/Issue	Is the issue relevant to the Wellard Village Consideration/Issue Structure Plan - Southern Precinct		Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Additional Information
	Yes	No	Consideration/issue	Consideration/issue	
Lot mix (variety)	Y		Section 6.5 Residential Densities (p.38)		Refer Dwelling Yield Schedule (above).
Building Height (coastal building heights)		N			
Site Surrounds					
Orientation/layout for best climate responsive design (north/south roads;	Y				Refer Site Analysis Plan (attached). Refer Opportunities & Constraints Plan (attached). Solar Orientation
east/west axis lots; lots rectangular to square in shape - refer WAPC guidelines)					Solar orientation has been optimized through street block design where the site allows. However, the road and street block pattern does depart from a cardinal alignment in response to the various site features of the Structure Plan area. The site features or competing design factors which have impinged on solar orientation design are as follows:
					 the irregular configuration of the Structure Plan boundary; two steep north-south parallel ridges running down the eastern and western boundaries of the site; the limited connection points to the regional road network; the large portion of the site allocated for schools; drainage considerations; and tree retention.
					The Structure Plan's response to the above factors is site responsive, minimises site works and reflects Liveable Neighbourhoods policy.
					The two steep north-south parallel ridges running down the eastern and western boundaries of the site are major design influences on the plan. The streets along these steep slopes have been strategically aligned to minimise the scale of retaining walls required and to create a logical benching arrangement for lots.
					The site's limited connections points through to the regional road network was another major influence on the design of the Structure Plan's movement network, particularly the alignment of the key neighbourhood connector, Lambeth Circle. Lambeth Circle is a loop which allows for efficient access and egress from all areas of the Structure Plan.

02/19 Page 12 of 19

Consideration/Issue	to the We Structu	ue relevant llard Village ire Plan - n Precinct	Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue		Relevant Additional Information
	Yes	No			
					Another key driver of the street block layout and lot orientation is the large area of land allocated for schools within the Structure Plan area. Schools need to be located on flat land and consequentially had to be located centrally within the Structure Plan area. This leaves irregularly shaped residual land which does not lend itself to a regular north-south/east-west alignment.
					The Wellard Village Structure Plan does achieve adequate solar orientation to ensure future residents are able to construct solar passive housing. The lots within the Structure Plan area will generally be orientated within 30° of a north-south cardinal alignment. The lots in the north-east corner of the Structure Plan will be orientated within 20° of a north-south alignment. The lots within the Neighbourhood Centre coded R80 are orientated within 40° of a north-south alignment. However, at this higher density, solar passive building design is more important than lot orientation in terms of achieving solar access to dwellings.
					The reductions in solar access that result from the design responses to these various factors will be addressed through DAPs and Design Guidelines over affected lots to ensure built form outcomes that maximise climate responsiveness.
Retention of existing vegetation	Y		Section 5.2 Remnant Vegetation (p.29) Section 11.4.2 Vegetation Management (p.90)	Figure 3 – Vegetation Associations (p.7) Figure 4 – Vegetation Conditions & Wetland Location (p.11)	Retention of Existing Vegetation A detailed tree survey shall be undertaken prior to lodgement of subdivision applications to ensure that trees to be retained and/or removed are clearly identified.
					Furthermore, the Important Vegetation Area shown on the Wellard Village Structure Plan requires POS and road reserves to incorporate and protect vegetation where practical.
					A Tree Retention Strategy was prepared for Stages 8-11, 16 & 17 in response to the significant bulk earthworks required for the subdivision of the site. The Strategy identified bands existing trees to be retained, in addition to strategic and normal tree planting, to soften the impact of retaining walls and roofing, and to ensure the streetscape is well landscaped and the amenity of the area is retained. A similar approach is intended for other areas within the Southern Precinct where significant bulk earthworks are required.

02/19 Page 13 of 19

Consideration/Issue	to the We Structu	ue relevant llard Village ire Plan - n Precinct	Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Additional Information
	Yes	No	Consideration, issue	Consideration, issue	
					Constraints to Retention of Existing Vegetation The topography of the site restricts the retention of vegetation in certain areas of the Structure Plan. The site is very undulating with two significant ridgelines located along the western and eastern boundaries of the site. As such, significant bulk earthworks and retaining walls are required to create level lots. The bulk earthworks limit retention of vegetation in areas being cut or filled more than 1.0 m.
Minimise impacts on local/ nearby amenity	Υ		Section 5.4 Bush Forever (p.30) Section 5.6 Interface with Leda Reserve (p.30) Section 6.5 Residential Densities (p.38) (interface with Homestead Ridge) Section 11.4.2 Vegetation Management		Leda Reserve/Bush Forever Site Interface A minimum 20 metre wide building protection zone is required between future residential dwellings and the Leda Reserve. This building protection zone can comprise of road reserve, non flammable features such as driveways, lawn or landscaped gardens (including deciduous trees). Interface with Homestead Ridge Estate
			(p.90)		Refer Town of Kwinana Town Planning Scheme No. 2; Schedule IV – Development Area 2 Wellard Village; Special Provisions 11 & 12.
Provision of/proximity to school site/s in the area	Y		Section 3.3.2 Education (p.20) Section 6.3.3 Education (p.36) Section 11.3 Modifications to the MRS and TPS (p.89)	Figure 12-Existing Zoning (p.23)	Tertiary Education Opportunities The current tertiary opportunities readily accessible from the Village at Wellard include Challenger TAFE campuses located in Kwinana, Rockingham and Fremantle, Murdoch University in Murdoch and Notre Dame University located in Fremantle.
					Southern High School Site - Amendment A Metropolitan Region Scheme and concurrent Town Planning Scheme amendment to lift the current High School 'Public Purposes' reservation and reimpose the 'Public Purposes' reservation on the High School site as identified on the attached Wellard Village Structure Plan is underway and is expected to be advertised for public comment late 2008/early 2009.

02/19 Page 14 of 19

Consideration/Issue	to the We Structu	ue relevant llard Village ıre Plan - n Precinct	Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue		Relevant Additional Information
	Yes	No	Consideration, issue	Consideration, issue	
Accessibility	,				
% of lots within 200m of POS	Y				Refer Accessibility Plan (attached).
% of lots within 400m of local shops	Y				Refer Accessibility Plan (attached).
% of lots within 400m of bus stop	Y				Refer Accessibility Plan (attached).
% of lots within 800m of primary school	Y				Refer Accessibility Plan (attached).
% of lots within 800m of transit station	Y				Refer Accessibility Plan (attached).
Movement					
Connectivity of proposed street system	Υ		Section 9.1.10 Conclusion (p.66) Section 9.2.2 Conclusion (p.73) Section 9.3 Local Traffic Estimates (p.71) Section 9.4 Street Types and Arterial Access (p.74)	Figure 32-Ultimate Development- Site Traffic Only (vehicles/day) (p.72) Figure 33-Street Types Plan (p.74)	Refer Wellard Village Structure Plan (attached).
Connectivity of street system with activity nodes	Y		Section 9.4 Street Types and Arterial Access (p.74-80)	Figure 33-Street Types Plan (p.74)	
Provision for safe/convenient pedestrian, cyclist and vehicular access	Y		Section 9.4 Street Types and Arterial Access (p.74-80) Section 9.6 Cyclist and Pedestrian Facilities(p.83-85)	Figure 34 Access Streets (p.76) Figure 35 Neighbourhood Connector (p.77) Figure 37 Cycle Routes, Paths (p.84)	
Clear network based on function, traffic volumes, vehicle speed, type, public safety and amenity	Y		Section 9.3 Local Traffic Estimates (p.71) Section 9.4 Street Types and Arterial Access (p.74)	Figure 32 Ultimate Development- Site Traffic Only (vehicles/day) (p.72) Figure 33 Street Types Plan (p.74) Figure 34 Access Streets (p.76) Figure 35 Neighbourhood Connector (p.77)	

02/19 Page 15 of 19

Consideration/Issue	Is the issue relevant to the Wellard Village Structure Plan - Southern Precinct		Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Additional Information
	Yes	No	Consideration, issue	Consideration, issue	
Availability of / connection to public transport routes/services	Y		Section 9.5 Public Transport (p.80-81)	Figure 36 Future Bus Routes Linking Wellard Station to Kwinana Bus Interchange (p.82)	
Public Domain / Employme	nt				
Attractive/safe public spaces/streets	Y		Section 7.2 Parks and Pocket Parks (p.46-47) Section 7.3 Open Space Elements (p.49) Section 7.4 Materials(p.49-50) Section 7.5 Streets (p.50) Section 7.8 Key POS Spaces (p.52) Section 9.4.1 Residential Street Types (p.74)	Figure 33-Street Types Plan (p.75) Figure 34-Access Streets (p.76) Figure 35-Neighbourhood Connector Typical Cross sections (p.77)	Refer Public Open Space Plan (attached).
Visible activity and opportunities for surveillance of streets	Y		Section 6.1 Design Philosophy (p.33) Section 6.3 Community Facilities and Amenities (p.33) Section 6.6 Town Centre (p.38-44) Section 7.2.3 Security and Surveillance(p.47)		Refer Wellard Village Structure Plan (attached). Refer Neighbourhood Centre Concept Plan (attached).
Active lot frontages	Y		Section 6.1 Design Philosophy (p.33) Section 6.3 Community Facilities and Amenities (p.33) Section 6.6 Town Centre (p.38-44)		Refer Wellard Village Structure Plan (attached). Refer Neighbourhood Centre Concept plan (attached).
Visual amenity and interest	Υ		Section 6.1 Design Philosophy (p.33) Section 6.6.2 Design Philosophy (p.38-41). Section 6.6.5 Design Codes (p.42). Section 6.6.8 Neighbourhood Centre Design (p.43-44) Section 7.1 Landscape Overview (p.46) Section 7.2 Parks and Pocket Parks (p.46-47)		Neighbourhood Centre As required by the Town of Kwinana's Town Planning Scheme No. 2, Detailed Area Plans will need to be prepared for the Neighbourhood Centre and submitted to the Town for endorsement. The Neighbourhood Centre will have a Commercial zoning under the Town of Kwinana's Scheme with a single house permitted which is in accordance with special provisions outlined in Schedule IV of the Town of Kwinana's Town Planning Scheme No. 2 Refer Wellard Village Structure Plan (attached). Refer Neighbourhood Centre Concept plan (attached).

02/19 Page 16 of 19

Consideration/Issue	Is the issue relevant to the Wellard Village Structure Plan - Southern Precinct		to the Wellard Village nsideration/Issue to the Wellard Village Structure Plan -		rd Village Plan - Relevant Section of Wellard Village Structure Plan Report - September Structure Plan Report - September		Relevant Additional Information
	Yes	No	Consideration, issue	Consideration, issue			
			Section 7.3 Open Space Elements (p.49) Section 7.4 Materials(p.49-50)				
Community facilities	Y		Schedule of Modifications – Southern Wellard Structure Plan (ix) Section 6.3 Community Facilities and Amenity (p.33-37)		Refer Wellard Village Structure Plan (attached).		
 Employment opportunities provision extent type (retail, mixed use, government etc) location sources/localities other than structure plan area of employment for the future population 	Y				Employment Generation Strategy An Employment Generation Strategy has been prepared for the Village at Wellard. The strategy provides an analysis of the Kwinana regions economic outlook and explores ways in which The Village at Wellard development can positively impact and harness regional and local employment opportunities. The dominant finding is that the Kwinana region is expected to provide a range of high and low skilled job opportunities. The southern rail line will also improve the locality's accessibility to employment prospects in the wider Perth metropolitan area. The Village at Wellard, with its transit orientation and sound baseline planning is suitability located and structured to link with these opportunities. Due to its transit orientation, it also has the potential to generate at least five times more jobs than an average dormitory suburb of a similar size.		
Public Open Space							
POS provision (10%?)	Y				Refer Public Open Space Provision schedule (attached). Refer Public Open Space Schedule (attached). Refer Public Open Space Plan (attached).		
Deductions from calculations of POS requirements (including water management system credits)	Y				Refer Public Open Space Provision schedule (attached). Refer Public Open Space Schedule (attached). Refer Public Open Space Plan (attached). Refer Neighbourhood Centre Concept Plan (attached).		
Size and distribution (balance) of active and passive POS to satisfy expected demographics of	Y		Section 6.3.2 Community Facilities (p.34) Section 7.2 Parks and Pocket Parks (p.47-48)		Refer Public Open Space Provision schedule (attached). Refer Public Open Space Schedule (attached). Refer Public Open Space Plan (attached).		

02/19 Page 17 of 19


Consideration/Issue	Is the issue relevant to the Wellard Village Consideration/Issue Structure Plan - Southern Precinct		Relevant Section of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Additional Information
	Yes	No		Consideration/issue	
the development			Section 7.3 Open Space Elements (p.49)		
Foreshore reserves		N			
Integration with activity nodes	Y		Section 7.1 Landscape Overview (p.46) Section 7.2.1 Introduction (p.46-47) Section 7.2.2 Overall Principles (p.47)		Refer Wellard Village Structure Plan (attached). Refer Neighbourhood Centre Concept Plan (attached).
Ongoing management arrangements and	Υ		Section 7.6 Maintenance and Management (p.51)		
responsibilities			Section 10.0 Commitments and Responsibilities Schedule (p.87-88)		
Urban Water Management	Elements				
Control of stormwater quality/quantity at source	Y		Section 8.3 Stormwater Drainage (p.59-61)		Drainage and Nutrient Management Plan A Drainage and Nutrient Management Plan (D&NMP) was prepared by ATA Environmental for the Southern Precinct and has been endorsed by Town of Kwinana and Department of Environment and Conservation. The D&NMP will be updated in accordance with the proposed modifications to the Southern Precinct Structure Plan once the Plan has been approved by Council and the Commission. Refer Public Open Space Plan (attached).
Use of natural stormwater systems (wetlands. streams, channels)	Y		Section 8.3 Stormwater Drainage (p.59-61)		Refer above.
Urban Stormwater/Water Sensitive Design Plan/Strategy	Y		Section 8.3 Stormwater Drainage (p.59-61)		Refer above.
Ongoing management arrangements and responsibilities	Y		Section 10.0 Commitments and Responsibilities Schedule (p.87)		
OUTCOME OF CONSULTATION	ON				
LG	Υ				The Town of Kwinana advertised the Wellard Village Structure Plan for

02/19 Page 18 of 19

Consideration/Issue	Structure Plan - Structure Plan Report - September Structure Plan Re Southern Precinct 2006 which Addresses 2006 which		to the Wellard Village Structure Plan -		Relevant Figure of Wellard Village Structure Plan Report - September 2006 which Addresses Consideration/Issue	Relevant Additional Information
	Yes	No				
					public comment in March 2003 and formally adopted the Structure Plan in May 2003. The Revised Wellard Village Structure Plan was again advertised for comment and adopted by Council in September 2006.	
					The Structure Plan was modified in accordance with Council's September 2006 resolution and resubmitted to the Town of Kwinana. The Structure Plan was subsequently formally referred by Council to the Western Australian Planning Commission for assessment.	
					Accordingly, all relevant stakeholders have been extensively consulted in relation to the Structure Plan and any issues have been addressed through Council's assessment.	
					Furthermore, given this extensive consultation and the minor nature of the proposed modifications to the Southern Precinct Structure Plan, the Town of Kwinana will not be advertising the Structure Plan for comment.	
Department of Education and Training	Y				Negotiations are currently occurring with the Department of Education and Training (DET) in relation to the southern High School site, and in particular, the school oval accommodating drainage from the 1:100 year storm event. DET has indicated that it is receptive to the concept and the detail design of the proposal is currently being finalised for DET's consideration and approval.	
					Town of Kwinana is also supportive of the proposal.	

02/19 Page 19 of 19





legend

Structure Plan boundary



Proposed Neighbourhood Centre

constraints



Drainage areas to guide location and size of public open space



Existing/proposed vehicle linkages to north



of railway line providing limited connections to southern neighbourhood connector



Lot owned by Water Corporation for water pipe to be incorporated into POS and/or



Electricity transmission easement to be incorporated into POS and/or road reserve



Bush Forever site/Leda Nature Reserve - provide road along interface to act as a



Topography constraints - street alignment perpendicular to steep contours to minimise earthworks and retaining walls

opportunities



POS/drainage areas provide amenity for the location of medium density housing



Bush Forever/Leda Nature Reserve to be overlooked by houses, and street links and pathways optimised



Potential POS link from existing Homestead Ridge estate



Opportunity to provide high density around Rail Station, Neighbourhood Centre and Node (Dwelling requirement within 400m and 800m of Rail Station in accordance with Liveable Neighbourhoods)



Potential to share oval/open space between POS/drainage and high school site















estate providing opportunity to incorporate large lots as transition and for diversity of product









Noise attenuation measures along railway



Pedestrian connection across railway line to facilitate walkability between north and south precincts

PUBLIC OPEN SPACE PROVISION WELLARD VILLAGE STRUCTURE PLAN 19 December 2008

	Drainage Provision						
POS No.	Gross Area (ha)	1:1 year event	1:5 year event (Restricted Open Space)	Net POS (ha)			
Unrestricted Public Open Space							
2	2.8123			2.8123			
3	5.6767			5.6767			
4	0.3782			0.3782			
5	0.2976			0.2976			
6	0.1583			0.1583			
7	0.1320			0.1320			
8	0.0591			0.0591			
10	1.3400			1.3400			
11	1.4900			1.4900			
12	0.0900			0.0900			
13	0.7127	0.1285	0.0823	0.5019			
14	0.5120	0.1285	0.0822	0.3013			
15	0.1767			0.1767			
16	0.2755			0.2755			
17	0.8583			0.8583			
18	0.5012			0.5012			
19	0.7285	0.1175	0.0520	0.5590			
20	1.8500	0.5600	0.3525	0.9375			
21	0.0585			0.0585			
22	0.9833			0.9833			
23	0.4679			0.4679			
24	0.2324			0.2324			
25	0.0815			0.0815			
26	0.0273			0.0273			
27	0.4391			0.4391			
28	0.0751			0.0751			
29	0.1068			0.1068			
30	1.2783	0.2010	0.0935	0.1068			
31	1.3232	0.3170	0.2130	0.7932			
Sub-Total	23.1225	1.4525	0.2130	20.7932			
Restricted Public Open Space	23.1223	1.7323	0.0733	20.7373			
	5.2652			5.2652			
1		+					
9 13*	1.1560		0.0022	1.1560			
			0.0823	0.0823			
14*			0.0822	0.0822			
19*			0.0520	0.0520			
20*			0.3525	0.3525			
30*			0.0935	0.0935			
31*			0.2130	0.2130			
Sub-Total	6.4212		0.8755	7.2967			
TOTAL Unrestricted & Restricted POS (ha)	29.5437	1.4525	0.8755	28.0912			

Notes

- 1. To be read in conjunction with Public Open Space Plan (date:17 Dec 08; job: 02_19 POS PLAN).
- 2. The unrestricted POS includes 100% credit for drainage north of the rail reserve, in accordance with Town of Kwinana and Western Australian Planning Commission's approval of the Wellard Village Structure Plan Northern Precinct (18 March 2004)
- **3.** The unrestricted net POS equals gross area minus drainage provision (1:1 yr event + 1:5 year event).
- **4.** The restricted POS includes: 1:5 yr drainage areas (south of the rail reserve), Conservation Category Wetland buffer and Resource Enhancement Wetland.
- * Restricted Public Open Space areas 13, 14, 19, 20, 30 and 31 are calculated as 1:5 yr drainage component of the overall POS area.

PUBLIC OPEN SPACE SCHEDULE Wellard Village Structure Plan		
19 December 2008		
Gross Site Area (ha)		320.5888
Deductions		
Schools (D1, D2, D3 & D17)	24.0237	
Neighbourhood Centre (D4-12)	2.6673	
Railway Reserve, PTA Station, Carpark & Kiss n Ride (D13-15;refer Notes 5&6)	13.3634	
Bush Forever Site (D16)	17.1000	
Conservation Category Wetland (D18)	9.0300	
Drainage Basins (1:1 yr storm event)	1.4525	
Surplus Restricted Public Open Space	2.2377	
Total Deductions		69.8746
Net Subdivisible Area		250.7142
Required Public Open Space (10%)		25.0714
Public Open Space Requirements		
Unrestricted public open space - minimum 80%	20.0571	
Restricted public open space - maximum 20%	5.0143	
Total		25.0714
PUBLIC OPEN SPACE PROVISION		
Unrestricted Public Open Space		
Passive Recreation	14.0483	
Active and Passive Recreation	6.6142	
Community Purpose Site	0.1320	
Sub-Total		20.7945
Unrestricted Public Open Space Not Credited	0.1673	
(Small areas of POS - refer Note 8)		
Total Credited Unrestricted POS		20.6272
Restricted Public Open Space		
Conservation Category Wetland Buffer	5.2652	
Resource Enhancement Wetland	1.1560	
Drainage Basins (1:5yr storm event)	0.8755	
Sub-Total		7.2967
Restricted Public Open Space Not Credited	2.2824	
(7.2967 minus 5.0143; refer Note 9)		
Total Credited Restricted POS		5.0143
Total POS Povided		28.0912
TOTAL CREDITED POS		25.6415
Percentage of Credited POS (Unrestricted and Restricted POS Contribution)		10.23%

Notes:

- 1. To be read in conjunction with Public Open Space Provision Schedule (19 December 2008) and Public Open Space Plan (date:17 Dec 08; job: 02_19 POS PLAN).
- This Public Open Space Schedule has been prepared in accordance with Liveable Neighbourhoods policy.
- 3. The unrestricted POS includes 100% credit for drainage north of the rail reserve, in accordance with Town of Kwinana and Western Australian Planning Commission approval of the Wellard Village Structure Plan Northern Precinct (18 March 2004).
- **4.** The Neighbourhood Centre deductions are based on current planning (refer Neighbourhood Centre Concept Plan) and may be subject to modifications at the detail design stage.
- 5. The residential component of Deduction No. 5 (built form and parking) which is part of a mixed use development, within the Neighbourhood Centre, has not been calculated as a deduction.
- **6.** The north-eastern side of Main Street, Deduction No. 6, is intended to accommodate mixed use development; accordingly only 50% of the lot area has been calculated as a deduction.
- 7. Surplus restricted open space (in excess of 20% maximum) has been calculated as a deduction, in accordance with Liveable Neighbourhoods policy.
- 8. Small POS areas 21, 25 and 26 have not been credited.
- 9. Restricted Public Open Space Not Credited has been calculated with Surplus Restricted Public Open Space as a deduction.
- **10**. The Resource Enhancement Buffer (POS area 10) has been credited as unrestricted public open space given the buffer area is vegetated and includes a footpath, therefore is considered usable open space.



legend

Passive Open Space

Active and Passive Open Space

Bush Forever

Public Purposes

DENOTED AS FOLLOWS:

HS High School

Community Facility

PS Primary School

WSD Water Supply Sewerage & Drainage

Railways

Peter Carnley Anglican Community School K-12

Neighbourhood Centre R80

POS Area No.

POS Area No. - not credited

(balance POS areas part of 10% POS contribution)

Deduction Number

Drainage Location

Possible Tree Retention Area

Structure Plan Boundary

12.20 Wetland Boundary

Wetland Buffer


Indicative POS 200m Walkable Catchment (POS less than 3000m²)


Indicative POS 400m Walkable Catchment (POS greater than 3000m²)

2006 Local Structure Plan - Approved by Town of Kwinana









Density Comparison Table

	2006 Overall LSP	2008 Overall LSP	CHANGE FROM 2006 LSP	
R Code	Area (ha)* %	Area (ha)* %	Area (ha) %	
R10	8.8865 6.03	8.8738 6.02	-0.0127 -0.14	
R20	93.8557 63.63	88.1203 59.77	-5.7354 -6.11	
R30	7.4777 5.07	10.7586 7.30	+3.2809 +43.88	
R40	25.5748 17.34	27.7491 18.82	+2.1743 +8.50	
R60	0.1510 0.10	0.2416 0.16	+0.0906 +60.00	
R80	11.5563 7.83	11.6911 7.93	+0.1348 +1.17	
Total	147.5020 100%	147.4345 100%	-0.0675 -0.04	

^{*} Based on net street block area subject to detailed design & refinement through the subdivision stage

legend



High School

Residential R40

Primary School Peter Carnley Anglican Community School K-12

Neighbourhood Node R60 Neighbourhood Centre R80 CF Community Facility

Park, Recreation & Drainage


General Increase in Density Coding from 2006-2008

General Decrease in Density Coding from 2006-2008

^{*} Note: Approval to 2006 Structure Plan included an increase in density from R60 to R80 within the neighbourhood centre

key elements

- Henley Boulevard provides a link
 between Neighbourhood Centre and
 Kwinana Town Centre.
- 2 Lambeth Circle designed to effectively and legibly direct traffic to bridge crossings over rail line.
- Parks to serve as landscaped gateway into Neighbourhood Centre and provide amenity for residents with a range of passive and active recreation options.
- Main Street intersection designed to: announce destination; reduce traffic speeds; increase pedestrian/cyclist safety and amenity; and create an interesting public space.
- 5 Community purpose facility site.
- Neighbourhood Centre to accommodate up to 5000m² retail floorspace and approximately 2000m² of commercial floorspace with residential/commercial mixed use development.
- Different size public spaces between train station and wetland POS area to provide a range of interaction and activity opportunities.
- 8 Encouragement of home-based business lots with workshops/businesses interfacing with carpark.
- Potential office and commercial development sites located in close proximity to Main Street.
- Kiss-and-Ride / short-term parking area in accordance with PTA requirements.
- Park-and-Ride facility to accommodate
 320 permanent and 60 public on-street
 carbays, drainage accommodated on site.




key elements


- Design Guidelines will be prepared for the Neighbourhood Centre to ensure high quality architecture, public realm amenity and robust built form in key areas.
- High density residential development sites provided within Neighbourhood Centre (R80).
- Opportunity for mixed use development along main traffic streets close to retail
- Runnymede Gate provides a link between Wellard Road and Gilmore Avenue, and directs traffic to the Neighbourhood Centre.
- Runnymede Gate is controlled through the Neighbourhood Centre to provide a slow speed environment conducive to commercial activity and pedestrian/cyclist amenity.
- High amenity Main Street situated between the Village Square and main intersection to provide a focus for street based retail and mixed-use development.
- Village Square with edges formed by active commercial buildings.
- Bus-only lane for drop-off / collection and lay-by in accordance with Transperth requirements.
- Wellard Train Station building.
- Possible site for child-care / community purpose facility / commercial.
- Encouragement of home-based businesses in residential development, being close to the train station and orientated to provide passive surveillance over the park-and-ride facility.
- Potential future high density residential development supporting public transit and main street shops




Net Developable Area within 200m/400m catchment of Public Open Space 97.29%




Net Developable Area within 400m




catchment of Local Shops 37.80%



Net Developable Area within 800m catchment of Train Station



Net Developable Area within 800m catchment of Primary School



46.46%

Railways



legend

Park, Recreation & Drainage

METROPOLITAN REGION SCHEME RESERVES


Public Purposes

LOCAL SCHEME RESERVES

DENOTED AS FOLLOWS:

PS Primary School

ZONES AND R-CODES



Residential R20



Residential R30



Residential R40

OTHER



Neighbourhood Centre R60








Structure Plan Boundary







legend STAGES 43-48 Indicative Stages Neighbourhood Centre Indicative Stage 1 Neighbourhood Centre Indicative Stage 2 Neighbourhood Centre Indicative Stage 3 Stage Boundary Structure Plan Boundary

ABN

83

Our Ref: 02/019 JH:ct

24 August 2009

Attention: Frank Ness

Department of Planning Albert Facey House 469-489 Wellington Street PERTH WA 6000

Dear Frank

WELLARD VILLAGE STRUCTURE PLAN (SOUTHERN PRECINCT) – SUPPLEMENTARY INFORMATION

Further to our recent meeting on 29 July 2009 in relation to Department of Planning's (DoP) consideration of the Wellard Village Structure Plan – Southern Precinct, we are pleased to provide the following supplementary information to assist with the finalisation of DoP's assessment.

In addition to the supplementary information, we are also seeking a minor modification to the R-coding of a small portion of the Structure Plan area.

1. SUPPLEMENTARY INFORMATION

1.1 Public Open Space Calculations

1.1.1 Public Open Space Areas Not Credited

DoP Comment

Remove reference to the public open space areas which have not been credited (POS areas 21, 25 and 26) from the Public Open Space Plan, Public Open Space Provision Schedule and the Public Open Space Schedule, as this information is not relevant to the public open space calculations.

Response

The public open space areas which have not been credited have been retained on the Public Open Space Plan and the Public Open Space Provision Schedule; however reference to these areas has been removed from the Public Open Space Schedule (refer Attachment A). It is submitted that providing a record of all public open space areas which will ultimately be ceded to the Town of Kwinana is necessary to document the vision for the Structure Plan. To remove areas not credited is considered misleading. Accordingly, the Public Open Space Plan and Public Open Space Provision Schedule still refer to these areas of POS, however, reference to the areas of unrestricted POS which have not been credited have been deleted from the Public Open Space Schedule.

1.1.2 POS Area 12

DoP Comment

Exclude the drainage basin in POS area 12 from the POS Provision schedule and POS Schedule.

Response

As POS area 12 largely comprises a dedicated drainage basin, this area of POS has been deleted from the POS Schedules and is now shown on the Structure Plan as Public Purpose, denoted WSD (refer Attachment B). The area has been calculated as a deduction in the updated Public Open Space Schedule (refer Attachment A) in addition to the dedicated drainage basin which abuts the western boundary of the Structure Plan area and the rail reserve, and the pump station in POS area 20.



DoP Comment

Detail each neighbourhood centre deduction (D4-12) in the Public Open Space Schedule.

Response

The neighbourhood centre deductions, which are identified on the Public Open Space Plan, have been itemised in the updated Public Open Space Schedule (refer Attachment A).

1.1.4 Neighbourhood Centre Deduction 6

DoP Comment

Provide further justification regarding neighbourhood centre deduction 6.

Response

Neighbourhood centre deduction 6 has now been modified so the area deducted from the Gross Site Area only comprises the commercial car parking component of the lot. The Public Open Space Schedule has been updated accordingly (refer Attachment A).

1.1.5 Notations on the Public Open Space Schedules

DoP Comment

Delete unnecessary notes on the Public Open Space Provision Schedule and Public Open Space Schedule and include additional text on both Schedules to provide greater clarity regarding restricted public open space.

Response

Note 4 on the Public Open Space Provision Schedule and notes 2, 8 and 9 on the Public Open Space Schedule have been deleted. Additional text has been included in the Schedules regarding restricted public open space to provide further clarification (refer Attachment A).

1.1.6 1:1 Year & 1:5 Year Drainage Areas North of Railway Line

DoP Comment

Provide the 1:1 year and 1:5 year drainage areas within public open space for north of the railway line and provide further justification regarding why a 100% unrestricted POS credit has been applied to these drainage areas.

Response

By way of background, Council formally adopted the Wellard Village Structure Plan (both the northern and southern precinct) in May 2003, subject to modifications. The Structure Plan was subsequently forwarded to the Western Australian Planning Commission (WAPC) for assessment and in March 2004 (letter dated 18 March 2004), the Commission approved the northern precinct of the Structure Plan — January 2003 version of the report. The approved version of the Structure Plan report clearly states, in the Public Open Space Calculations table (refer Table 6.1, page 26), that 100% credit for drainage has been applied in the calculations.

Furthermore, Subdivision Approval has been issued for all land north of the railway line and all areas of public open space, and a significant proportion of the lots, north of the railway line have been developed. These areas of public open space have been designed to accommodate the 1:10 year and 1:100 year storm events, in accordance with the Town of Kwinana's requirements at the time.



In order to provide the 1:1 year and 1:5 year drainage areas, the drainage would need to be hypothetically remodelled north of the railway line, at significant cost and time delay for our client, and the data would not be relevant given the public open space has already been designed and developed to accommodate different storm events.

Therefore, we do not believe the drainage needs to be remodelled north of the railway line and a 100% credit for drainage (north of the railway line only) should be applied in accordance with the Commission's approval. Furthermore, this position is consistent with Paul Sewell's advice of 11 August 2009.

1.2 Structure Plan

1.2.1 R80 Street Block Laneway Design

DoP Comment

Provide clarification that the R80 coded street blocks with laneways, immediately south of the railway line, can achieve R80 development or remove the laneways from the Structure Plan

Response

The neighbourhood centre street blocks, south of the railway line, can accommodate R80 development with laneways. The inclusion of laneways in these street blocks provides a robust urban structure for higher density development, which has been applied throughout many residential developments in Perth, including Subiaco, East Perth and Somerly to name a few.

Development on these lots at R80 may be provided in a number of ways, including terrace housing or apartment style developments. The form of this higher density development will be determined at the subdivision stage and may include a combination of varying lot types i.e. multiple dwelling and grouped housing development sites or single residential lots. Development controls over the built form, including Design Guidelines and Detailed Area Plans, will be used to guide development of these sites at a higher density.

Accordingly, the laneways on the R80 neighbourhood centre street blocks, south of the railway line, have been retained on the Structure Plan.

1.2.2 School Sites

DoP Comment

Provide confirmation that Department of Education and Training (DET) is satisfied with the Wellard Village Structure Plan – Southern Precinct.

Response

The DET provided confirmation to Town of Kwinana on 25 March 2009 that the school sites identified on the Wellard Village Structure Plan are acceptable. A copy of the email is attached (refer Attachment C).

1.3 Density Calculations

1.3.1 Residential Density Calculations within 400m & 800m of Railway Station


DoP Comment

Provide residential density calculations within 400m and 800m of the railway station, detail the assumptions in relation to the calculations, and update the Structure Plan to show the railway station 400m walkable catchment.



Response

Residential density calculations have been undertaken for the 400m and 800m walkable catchments in relation to the Wellard rail station and are provided in the table below. The Wellard Village Structure Plan has been modified to included a 400m walkable catchment in relation to the rail station (refer Attachment B).



The assumptions on which the residential density calculations are based on are outlined below.

North of the Railway Line

Where development has occurred (i.e. all land outside of the neighbourhood centre), residential density calculations are based on actual dwelling yields and the lot layout identified on the Structure Plan, which is in accordance with approved Plans of Subdivision.

Within the neighbourhood centre, residential density calculations are based on the approved Plan of Subdivision, and the following assumptions:

- dwelling yields for development sites have been based on architectural plans, in the absence
 of architectural plans, an average dwelling site area of 150m² has been applied, generally
 consistent with the range allowed by the R80 coding;
- dwelling yields for lots on the 'outer arch' addressing Lambeth Circle are generally based on lots accommodating duplex development; and
- dwelling yields for lots on the 'inner arch' addressing Pimlico Gardens, lots addressing Lambeth Circle (west) and Twickenham Parade are generally based on lots accommodating single residential dwellings.

South of the Railway Line

South of the railway density calculations are based on street block areas and the following average site areas per dwelling:

- R80 150m²;
- R60 180m²
- R40 300m²;
- R30 350m²; and
- R20 540m².



e Structure walkable m-800m) is a along the tead Ridge

As the above table demonstrates, the residential densities identified on the Wellard Village Structure Plan comply with Liveable Neighbourhoods' residential density requirements for walkable catchments surrounding a rail station. It is acknowledged that the outer catchment (400m-800m) is in the lower range of desired residential densities given the need to provide larger lots along the eastern edge of the Structure Plan area, to provide an appropriate transition to Homestead Ridge Estate. If the larger lots (R10 coded land) are removed from the calculation, the outer catchment increases to 21 dwellings per site hectare.

Importantly, the density calculation assumptions outlined above demonstrates that the walkable catchment densities are based on practical built form outcomes, ensuring Liveable Neighbourhoods' density requirements will be delivered.

2. FIRE MANAGEMENT PLAN

2.1 Status of Fire Management Plan

DoP Comment

Advise the status of the Fire Management Plan (FMP), i.e. if the FMP has been approved by Town of Kwinana.

Response

A FMP was prepared in August 2007 for the Wellard Village Structure Plan – Southern Precinct (refer **Attachment D**), in consultation with the Town of Kwinana. The Town of Kwinana verbally confirmed acceptance to the FMP and discussions are currently occurring with the Town regarding its preferred approach to formally considering the Plan.

3. REQUESTED MODIFICATION

3.1 Recoding R10 Street Blocks opposite Bush Forever

The Wellard Village Structure Plan currently identifies R10 coded street blocks along the eastern edge of the Structure Plan area. This coding has been applied to provide an appropriate transition from Wellard Village to the adjoining Homestead Ridge Estate, which is zoned 'Special Residential', in accordance with Schedule IV — Development Areas of Council's Scheme. However, the R10 coding continues beyond the portion of the Structure Plan area which directly abuts Homestead Ridge Estate, to the street blocks adjacent to the Bush Forever site.

Given the purpose of the R10 coding is to provide an appropriate interface (by providing large lots) with Homestead Ridge Estate and the land coded R10, which is located opposite the Bush Forever site, is in fact separated from Homestead Ridge Estate by the Bush Forever site; it is requested that these areas of R10 be recoded R20, consistent with the balance of the street blocks (refer **Attachment E**). The increase in density would be a more efficient use of urban land and further increase the overall residential density of Wellard Village.

Accordingly, we seek the Commission's approval to recode the R10 coded land located opposite the Bush Forever site, to R20.

CONCLUSION

We trust the above information will enable the DoP to finalise its assessment of the Wellard Village Structure Plan – Southern Precinct and we look forward to continuing to work with DoP to facilitate the WA Planning Commission's approval of the Wellard Village Southern Structure Plan.

Should you have any queries in relation to the above, please do not hesitate to contact the undersigned or Samantha Thompson.

Yours faithfully TAYLOR BURRELL BARNETT

JULIE ANNE HATCH SENIOR PLANNER

CC: Trevor Finlayson - Peet Limited

Attachment A – Updated POS Provision Schedule, POS Schedule & POS Plan

PUBLIC OPEN SPACE PROVISION (Includes Credited & Uncredited Areas of Public Open Space) WELLARD VILLAGE STRUCTURE PLAN August 2009

	Drainage Provision			
POS No.	Gross Area (ha)	1:1 year event	1:5 year event (Restricted Open Space)	Net POS (ha)
Unrestricted Public Open Space				
2	2.8123			2.8123
3	5.6767			5.6767
4	0.3782			0.3782
5	0.2976			0.2976
6	0.1583			0.1583
7	0.1320			0.1320
8	0.0591			0.0591
10	1.3400			1.3400
11	1.4900			1.4900
13	0.7127	0.1285	0.0823	0.5019
14	0.5120	0.1285	0.0822	0.3013
15	0.1767			0.1767
16	0.2755			0.2755
17	0.8583			0.8583
18	0.5012			0.5012
19	0.7285	0.1175	0.0520	0.5590
20	1.8900	0.5600	0.3525	0.9775
21	0.0585			0.0585
22	0.9833			0.9833
23	0.4679			0.4679
24	0.2324			0.2324
25	0.0815			0.0815
26	0.0273			0.0273
27	0.4391			0.4391
28	0.0751			0.0751
29	0.1068			0.1068
30	1.2783	0.2010	0.0935	0.9838
31	1.3232	0.3170	0.2130	0.7932
Sub-Total	23.0725	1.4525	0.8755	20.7445
Restricted Public Open Space		2.1020	3,3,3	
1 (Conservation Category Wetland Buffer)	5.2652			5.2652
9 (Resource Enhancement Wetland)	1.1560			1.1560
13*	1.1300		0.0823	0.0823
14*			0.0823	0.0823
19*			0.0822	
20*				0.0520
			0.3525	0.3525
30*			0.0935	0.0935
31*			0.2130	0.2130
Sub-Total	6.4212		0.8755	7.2967
TOTAL Unrestricted & Restricted POS (ha)	29.4937	1.4525	0.8755	28.0412

Notes:

- 1. To be read in conjunction with Public Open Space Plan (date:17 Dec 08; job: 02_19 POS PLAN).
- 2. The unrestricted POS includes 100% credit for drainage north of the rail reserve, in accordance with Town of Kwinana and Western Australian Planning Commission's approval (18 March 2004) of the Wellard Village Structure Plan Northern Precinct, report dated January 2003. In particular, the January 2003 Structure Plan report refers to the 100% credit for drainage in the Public Open Space Calculations table (Table 6.1) on page 26.
- 3. The unrestricted net POS equals gross area minus drainage provision (1:1 yr event + 1:5 year event).
- **4.** Small POS areas 21, 25 and 26 (combined total area 0.1673 ha) have not been credited in the Public Open Space Schedule August 2009.
- * Restricted Public Open Space areas 13, 14, 19, 20, 30 and 31 (all south of the rail reserve) are calculated as 1:5 yr drainage component of the overall POS area.

PUBLIC OPEN SPACE SCHEDULE Wellard Village Structure Plan August 2009

Gross Site Area (ha)		320.5888
Deductions		
Schools (D1, D2, D3 & D17)	24.0237	
Neighbourhood Centre (D4-12)	2.6066	
D4 0.1026		
D5 1.0357		
D6 0.2392		
D7 0.1893		
D8 0.2295		
D9 0.0493		
D10 0.2372		
D11 0.2514		
D12 0.2724		
Railway Reserve, PTA Station, Carpark & Kiss n Ride (D13-15;refer Notes 5&6)	13.3634	
Bush Forever Site (D16)	17.1000	
Conservation Category Wetland (D18)	9.0300	
Drainage Basins (1:1 yr storm event)	1.4525	
Dedicated Drainage Areas and Pump Station (D25-D27)	0.3319	
Surplus Restricted Public Open Space	2.2431	
Total Deductions		70.1512
Net Subdivisible Area		250.4377
Required Public Open Space (10%)		25.0438
Public Open Space Requirements		
Unrestricted public open space - minimum 80%	20.0350	
Restricted public open space - maximum 20%	5.0088	
Total		25.0438
PUBLIC OPEN SPACE PROVISION		
Credited Unrestricted Public Open Space		
Passive Recreation	13.7910	
Active and Passive Recreation	6.6542	
Community Purpose Site	0.1320	
Total Credited Unrestricted POS		20.5772
Restricted Public Open Space		
Conservation Category Wetland Buffer	5.2652	
Resource Enhancement Wetland	1.1560	
Drainage Basins (1:5yr storm event) - denoted * on POS Provision Schedule)	0.8755	
Total Restricted POS		7.2967
Restricted POS Not Credited (7.2967 - 5.0088), refer Note 6.	2.2879	
Total Credited Restricted POS		5.0088
Total Credited Restricted and Unrestricted POS		25.5860
Percentage of Credited POS (Unrestricted and Restricted POS Contribution)		10.22%

Notes

- 1. To be read in conjunction with Public Open Space Provision Schedule (August 2009) and Public Open Space Plan (date: 17 Dec 08; job: 02_19 POS PLAN).
- 2. The unrestricted POS includes 100% credit for drainage north of the rail reserve, in accordance with Town of Kwinana and Western Australian Planning Commission's approval (18 March 2004) of the Wellard Village Structure Plan Northern Precinct, report dated January 2003. In particular, the January 2003 Structure Plan report refers to the 100% credit for drainage in the Public Open Space Calculations table (Table 6.1) on page 26.
- 3. The Neighbourhood Centre deductions are based on current planning (refer Neighbourhood Centre Concept Plan) and may be subject to modifications at the detail design stage.
- **4.** The residential component of Deduction No. 5 (built form and parking) which is part of a mixed use development, within the Neighbourhood Centre, has not been calculated as a deduction.
- 5. The north-eastern side of Main Street, Deduction No. 6, is intended to accommodate mixed use development; only the commercial car parking has been calculated as a deduction.
- **6**. Surplus restricted open space (in excess of 20% maximum) has been calculated as a deduction, in accordance with Liveable Neighbourhoods policy.
- 7. The Resource Enhancement Buffer (POS area 10) has been credited as unrestricted public open space given the buffer area is vegetated and includes a footpath, therefore is considered usable open space.





Passive Open Space



Active and Passive Open Space

Bush Forever

Public Purposes

DENOTED AS FOLLOWS: HS High School

Community Facility

Primary School PS

WSD Water Supply Sewerage & Drainage

Railways

Peter Carnley Anglican Community School K-12

Neighbourhood Centre R80

POS Area No.

POS Area No. - not credited

(balance POS areas part of 10% POS contribution)

Deduction Number

Drainage Location

Possible Tree Retention Area

Structure Plan Boundary


123 Wetland Boundary

Wetland Buffer

Indicative POS 200m Walkable Catchment (POS less than 3000m²)

Indicative POS 400m Walkable Catchment (POS greater than 3000m²)

Attachment B – Updated Wellard Village Structure Plan



legend

METROPOLITAN REGION SCHEME RESERVES

Railways

Public Purposes

Denoted As Follows:

HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage Public Purposes

Denoted As Follows: CF Community Facility

PS Primary School

WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots)

Residential R20 Residential R30

Residential R40 Special Use

Denoted As Follows:

S School

OTHER

Neighbourhood Centre R60

(Neigbourhood Node)

Neighbourhood Centre R80

(Incorporating retail, office, residential and community facilities)

Easement

Possible Retirement Village Site

Wetland boundary Wetland Buffer

Possible Tree Retention Area

Indicative Neighbourhood Centre 400m

walkable catchment

Indicative Train Station 400m and 800m walkable

catchment

Structure Plan Boundary

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana.

This site may be reduced in land area subject to the following requirements being met:
i. The Council of the Town of Kwinana agrees to the

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement of a community facility to be

developed on the site;
The community facility under iii is that chosen by the Council of the Town of Kwinana;
The land owner enters into a suitable agreement with the Town of Kwinana guaranteeing requirements i to iv are mot

/___ IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of year taking. practical protection of vegetation.

DEDICATED FAUNA UNDERPASS

Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of



Subdivision Approval has been issued where lot layout shown.



Attachment C – Department of Education and Training Advice

From: WIJAYAKHANTHAN Sharmini [Asset&

Administrative Services] [Sharmini.Wijay@det.wa.edu.au]

Sent: Wednesday, 25 March 2009 1:49 PM

To: Julie-Anne Hatch; Paul.neilson@kwinana.

wa.gov.au

Cc: Chris.Lynch@kwinana.wa.gov.au

Subject: RE: Wellard - Confirmation to Town of

Kwinana

Attachments: Wellard High School Site

Hi Paul and Julie-Anne,

We have had a look at the revised Wellard Village structure plan (attached) submitted by TBB.

We note that the drainage is now accommodated entirely on the abutting POS and the MS has lost part of the road frontage on the northern side. As the middle school site still has nearly three road frontages, this is acceptable to the Department.

We understand that the POS abutting the MS site will be about 1.5meter deep and request that an appropriate treatment (fencing?) be considered for the common boundary between the POS and the MS site.

The Department will accept the revised structure plan and trust that we can come to an agreement on the treatment of the common boundary between the school site and the POS.

Regards,

Sharmini Wijay
Senior Consultant Asset Planning
Department of Education and Training
151 Royal Street
East Perth 6004
Ph 9264 4183
Fax 9264 4882

From: Julie-Anne Hatch

Sent: Wednesday, 18 March 2009 1:09 PM

To: Sharmini.Wijay@det.wa.edu.au

Cc: Samantha Thompson; Rosalind Serventy

Subject: Wellard - Confirmation to Town of Kwinana

Hi Sharmini,

Just wondering how you are progressing with providing confirmation to the Town of Kwinana that DET is happy with the school sites identified on the Wellard Southern Structure Plan?

Regards

Julie-Anne Hatch


Senior Planner



Taylor Burrell Barnett Town Planning & Design

187 Roberts Road Subiaco WA 6008 Telephone 9382 2911 Facsimile 9382 4586 Mobile 0419 942 469

P PLEASE CONSIDER THE ENVIRONMENT BEFORE PRINTING THIS E-MAIL



legend

METROPOLITAN REGION SCHEME RESERVES

Railways

Public Purposes

Denoted As Follows:

Park, Recreation & Drainage

HS High School

LOCAL SCHEME RESERVES

Public Purposes

Denoted As Follows:

CF Community Facility PS Primary School

WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots) Residential R20

Residential R30 Residential R40

Special Use

Denoted As Follows:

S School

OTHER

Neighbourhood Centre R60

(Neigbourhood Node)

Neighbourhood Centre R80 (Incorporating retail, office, residential

and community facilities)

Easement

Possible Retirement Village Site

Wetland boundary Wetland Buffer

Possible Tree Retention Area

Indicative Neighbourhood Centre 400m walkable catchment

Indicative Train Station 800m walkable

catchment

Structure Plan Boundary

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana.

This site may be reduced in land area subject to the following

requirements being met:
i. The Council of the Town of Kwinana agrees to the

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement of a community facility to be

developed on the site;
The community facility under iii is that chosen by the Council of the Town of Kwinana;
The land owner enters into a suitable agreement with the Town of Kwinana guaranteeing requirements i to iv are mot

IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of year taking. practical protection of vegetation.

DEDICATED FAUNA UNDERPASS

Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of



Subdivision Approval has been issued where lot layout shown.





FIRE MANAGEMENT PLAN

Wellard Village Development

Town of Kwinana

Prepared by FirePlan WA
August 2007

TABLE OF CONTENTS

1.0	DITO	POSE OF THE MANAGEMENT PLAN	2
1.0	PUR	POSE OF THE MANAGEMENT PLAN	3
2.0	SUB	DIVISION LOCATION AND DETAILS	3
3.0	SITI	E DETAILS	3
4.0	STA	TUTORY CONDITIONS	7
5.0	BUS	H FIRE HAZARD ASSESSMENT	7
6.0	FIR	E MANAGEMENT PLAN	7
	6.1	Fire Protection around Stages of Development	8
	6.2		8
	6.3	Fire Protection in Northeastern Wetland	8
	6.4	Fire Protection in Bush Forever Site	9
	6.5	Strategic Firebreak Standards	9
	6.6	Dwelling Construction	9
	6.7	Building Protection Zone	10
7.0	WA	TER FOR FIRE FIGHTING	10
8.0	SUMMARY		10
	8.1	Developers Responsibility	10
	8.2	Town of Kwinana Responsibility	11
	8.3	Department of Planning and Infrastructure Respons	sibilities 11
Appendix A		Fire Hydrant Markings	12

The recognized underlying Principals applying to Bush Fire Protection:

In making these comments and recommendations in this Plan it should be understood that the focus of this document is to look into minimizing the impact and threat of an inevitable bush fire in a known bush fire prone area to the people residing or staying within this Residential Development.

It must be concluded that bush fires will occur inevitably within this immediate locality. If there is not an immediate response with sufficient resources, the heavy fuel loading and climatic conditions prevailing at the time will in a short space of time, encourage high intensity fires to develop posing a risk to life and property. Any person living or staying within a bush fire prone area in the South West of Western Australia must take this established fact into account.

Disclaimer: The measures contained in this fire management plan are considered to be minimum standards and they do not guarantee that a building will not be damaged in a bush fire. All surveys, forecasts, projections and recommendations made in this report associated with the project are made in good faith on the basis of information available to FirePlan WA at the time; and achievement of the level of implementation of fire precautions will depend among other things on the actions of the landowners or occupiers over which FirePlan WA has no control. Notwithstanding anything contained therein, FirePlan WA will not, except as the law may require, be liable for any loss or other consequences (whether or not due to the negligence of the consultants, their servants or agents) arising out of the services rendered by the consultants

1.0 PURPOSE OF THE MANAGEMENT PLAN

The purpose of this Bushfire Management Plan is to detail the Fire Management methods and requirements that will be implemented within the proposed subdivision as part of the Wellard Village Structure Plan. The aim of the Bushfire Management Plan is to reduce the threat to residents and fire fighters in the event of a fire within or near the subdivision and to conserve the Bush Forever Areas and Recreational Reserves.

2.0 SUBDIVISION LOCATION AND DETAILS

The subject land is located south of Wellard Road and east of Gilmore Road. See Figure 1.

The Council adopted the Wellard Structure Plan (copy is shown at Figure 2) and highlights that the land consists/will consist of urban land uses including public open space, schools, a village centre and a railway station. Bush Forever reserves are located within the south east portion of the structure plan area.

Figure 3 includes a plan highlighting the Stage 4 development within the village at Wellard development. The Stage 4 area as well as the future stages of the structure plan is the subject of this Fire Management Plan.

3.0 SITE DETAILS

Generally the site is coastal Banksia woodland with a wetland in the NW portion of the site. A portion of the site in the SE corner will be retained as a Bush Forever site which will link into the Leda Nature Reserve. Wildfires have been common through most of the site over many years.




Figure 2 Concept Development Proposal.





Figure 3 Stage 4 Development.



4.0 STATUTORY CONDITIONS

The Western Australian Planning Commission has endorsed the Wellard Structure Plan for the land to the north of the railway line the Commission is expected to adopt the Structure Plan layout for the area south of the railway line shortly. Subdivision approval has been granted for all the land north of the railway and for a small portion south of the railway (Stages 8-11). Development within Stages 1-3 having been completed and housing construction has commenced within Stage 4.

Given that the Stage 4 area abuts a wetland area comprising of trees and shrubs a Fire Management Plan is required for that area. A Fire Management Plan is also required for the future development to the south of the railway line including the recently approved Stages 8-11 area.

5.0 BUSH FIRE HAZARD ASSESSMENT

The assessment of fire risk takes into account existing site conditions which include:

- Topography with particular reference to ground slopes and accessibility;
- Vegetation cover both remnant and likely revegetation;
- Relationship to surrounding development

The Bush Fire Hazard Assessment is Extreme in the development site given that the southern portion has not yet been developed for urban purposes. The hazard rating for the adjoining properties to the south west is also extreme in remnant vegetation to the west, north and east is Urban Development.

The Mediterranean climate experienced by this area is such that the majority of rain falls in late autumn through to early spring. This rainfall supports substantial vegetation growth which dries off in Summer/Autumn.

The combination of prevailing winds and dry vegetation poses a fire risk and bush fire control is considered essential for the protection of life and property, and to ensure that frequently and uncontrolled burning does not degrade existing and replanted vegetation.

6.0 FIRE MANAGEMENT PLAN

The aim of the Fire Management Plan is to reduce the threat to residents and fire fighters in the event of bush fire within or near the site.

The Fire Management Plan has been developed to incorporate fire management methods.

- Protection around each stage of development;
- Strategic firebreaks systems;
- Protection of wetlands;
- Building Protection Zone.

6.1 Fire Protection Requirements around Stages of Development

The main threat to each stage of development to a wildfire (bushfire) is from a fire in the Banksia woodland remnant vegetation threatening houses adjoining and the within the site.

To provide protection to residents in the various stages, each stage is to contain the following bush fire protection requirements.

- A strategic firebreak is to be constructed on the outside of the development on the alignment of the internal road in the next stage. This firebreak is to be to the standard of a strategic firebreak as detailed in Section 6.5. It may be necessary in some places (very heavy sand) to lay road base to provide access for large fire appliances.
- A building protection zone is to be established between the last lots in each stage to be sold and the strategic firebreak described above. The standard of the building protection zone is detailed in Section 6.7.
- Fire hydrants are to be installed within each stage with hydrant locations marked as detailed in Appendix B.

6.2 Fire Protection in Undeveloped Areas.

In the Banksia woodland areas that have not been developed the following fire protection are required.

- Maintain existing boundary and internal firebreaks to the strategic firebreak standard as detailed in Section 6.5.
- A strategic firebreak is to be installed along the western boundary of the Homestead Ridge Estate that abuts the Bush Forever site. This strategic firebreak is the responsibility of the Department of Planning and Infrastructure who own the Bush Forever site.

6.3 Fire Protection in Northeastern Wetland and Recreation Area.

The north-eastern wetland area is highlighted in Figure 2 – Wellard Village Structure Plan. The area is notated with a "3" and contains a Conservation Category Wetland.

Some fire protection measures have already been implemented for this wetland as detailed below.

- A lawned recreation area is located on the western side of the reserve which separates the Wetland from Urban Development to the west.
- The walk trail within the reserve which is located about 2-10 metres away from the existing residences, which consists of a 2 metre wide track with Low vegetation in a lmetre zone along each side of the track. The track is to be cleared to 3metres wide and will then be satisfactory for access by fire appliances and fire vehicles
- Henley Boulevard is located along the eastern side of the reserve which provides adequate separation to urban development in the south and southeastern of the wetland.

• A retaining wall along the northern boundary of the Lots 327, 326, 330, 331 and 341 which varies in height from 1 to 2metres will act as a barrier to ember attack and radiant heat if the wetland is on fire with a northerly wind.

Additional Fire protection measures are required for Lots 327, 326, 330, 331, 341 as detailed below:-

An access for fire appliances is to be provided from the cul de sac onto the walk trail. If
necessary this access can have removable bollards to control non emergency service
vehicles.

6.4 Fire Protection in Bush Forever Site

The Bush Forever Site is highlighted on Figure 2 – Wellard Structure Plan. The area is notated with a "15" and is located in the south eastern portion of the structure plan area.

Leda Nature Reserve adjoins the development on the southern boundary. A portion of the reserve is located is on the north side of Leda Boulevard and adjoins existing houses in the Homestead Ridge Estate and the proposed development. Most of the proposed development has a road reserve separating the Bush Forever site from the urban development. Some of the Homestead Ridge Estate has a road reserve separating the existing development from the Bush Forever Site. Where a road does not separate the development (existing or proposed) the following fire protection measures are required:-

- A strategic firebreak is to be installed between the development(existing or proposed) and the Bush Forever Site. The strategic firebreak is to be to the standard as detailed in Section 6.5.
- All dry grassed areas (i.e. non reticulated) for 20metres within the Bush Forever Site is to be maintained to a maximum height of 50mm.
- A 20metre building protection zone (including the strategic firebreak) is to be implemented in the Bush Forever land to provide a low fuel buffer between the Bush Forever land and the development. See Section 6.7 for Building Protection zone standards.

6.5 Strategic Firebreak System Standards

A Strategic Firebreak is to provide access for fire fighting equipment. This firebreak must be 6metres wide with 4 metre vertical clearance and have a 4 metre trafficable surface suitable for fire fighting equipment. In some places road base material will be required due to heavy sand conditions as large fire trucks may use these firebreaks.

6.6 Dwelling Construction Standards

Building of new houses within the Homestead Ridge Estate the Bush Forever Site is to comply to the Australian Standard AS 3959 "Construction of Buildings in Bush Fire Prone areas" Level 2 Construction provides residents better protection against wildfires.

Provided building protection zones over public land comply with Section 6.7 then building of houses to Australian Standard AS3959 Level 1 Construction is recommended.

Copies of The Homeowners Bush Fire Survival Manual or other suitable documentation will be issued to each property owner by the developer on the sale of the allotments that adjoin the Bush Forever Site or Parks and Recreational Reserves

6.7 Building Protection Zone Standards

The aim of the Building Protection Zones is to reduce bush fire intensity close to dwellings and to minimise the likelihood of flame contact with buildings.

The building protection zone is a low fuel area immediately surrounding a building.

Non flammable features such as driveways, lawn, or landscaped gardens (including deciduous trees) should form part of building protection zones. Isolated trees and shrubs may be retained within building protection zones. A building protection zone of 20 metres wide is required. It must fulfil the following conditions:

- Bush Fire fuels including dry grass must be maintained below a height of 50mm.
- Branches must be pruned back 3metres from the eaves of all buildings.
- Trees within the Bush Forever site may remain provide bush fire fuels are reduced (to 50mm).
- All leaves, tall grass, logs and tree branches must be removed from within the building protection zone area.
- The aim must be to maximize the area of non-flammable ground cover, especially the area abutting the buildings.
- Building Protection Zone are to be installed prior to any dwelling construction commencing.

Definition. Bush fire fuels. Under the Bush Fire Act "bush" is defined to include "trees, bushes, plants, stubble, scrub, and undergrowth of all kind whatsoever whether alive or dead and whether standing or not standing"

7.0 WATER FOR FIRE FIGHTING.

The site is to have mains water installed and fire hydrants are to be installed at 200metre intervals along all roads unless otherwise required by the Town of Kwinana or the Fire and Emergency Services Authority and are to be identified by standard pole and/or road markings.

8.0 SUMMARY

8.1 Developer's Responsibility

As a condition of subdivision approval for future stages within the Village at Wellard Structure Plan area the developer is required to implement the applicable fire protection measures detailed in Section 6 and 7 of this Fire Management Plan as they apply to the particular subdivision.

The Developer will be required to implement and maintain these works until the development is completed or the ownership of the Wetlands and Bush Forever Site is transferred to the relevant authorities. If ownership of the Wetlands is transferred to the applicable authority, the new owners will be responsible for the fire management in accordance with this Fire Management Plan.

8.2 Town of Kwinana Responsibility

The responsibility for compliance with the law rests with individual property owners and occupiers and the following conditions are not intended to unnecessarily transfer some to the responsibilities to the Town of Kwinana.

The Town of Kwinana shall be responsible for:


- Developing and maintaining District Fire Fighting Facilities
- Maintaining in good order the condition the various equipment and apparatus utilised for fire fighting purposes.
- Ensure that this Fire Management Plan is implemented.

Further to the above, currently all lots within Homestead Ridge that abut the Bush Forever Site have existing dwellings. In the event that any of these dwellings are demolished or a new building is proposed to be built, it is recommended that the Town of Kwinana advise the applicant that the building plans for the particular allotment comply with Building standards as detailed in Section 6.6 of this Fire Management Plan.

8.3 Department of Planning and Infrastructure Responsibilities.


Given the Bush Forever site has been sold to the Department of Planning and Infrastructure it is their responsibility to implement and maintain the fire protection requirements detailed in Section 6.4 of this Fire Management Plan

Appendix A Fire Hydrant Markings




BLUE RAISED RETROREFLECTIVE PAVEMENT MARKER & HYDRANT INDICATING GUIDLINES

The implementation of the blue raised retro reflective pavement marker (RRPM's) and new hydrant indicating regime is designed to provide greater ability for fire fighters to readily identify fire hydrant locations, particularly at night or where smoke affects visibility.



Blue raised retro-reflective pavement marker

Attachment E – Wellard Village Structure Plan: Proposed Modification



legend

Wellard Village Structure Plan - Northern Precinct

METROPOLITAN REGION SCHEME RESERVES

Railways

Public Purposes

Denoted As Follows:

HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage Public Purposes

Denoted As Follows: CF Community Facility PS Primary School

WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots) Residential R20 Residential R30 Residential R40

Special Use

Denoted As Follows:

S School

Neighbourhood Centre R60

(Neigbourhood Node) Neighbourhood Centre R80

(Incorporating retail, office, residential

and community facilities)

Easement Possible Retirement Village Site

3 Wetland boundary Wetland Buffer

Possible Tree Retention Area

Indicative Neighbourhood Centre 400m

walkable catchment

Indicative Train Station 400m and 800m walkable catchment

Structure Plan Boundary

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana.

This site may be reduced in land area subject to the following requirements being met:
i. The Council of the Town of Kwinana agrees to the

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement of a community facility to be

developed on the site;
The community facility under iii is that chosen by the
Council of the Town of Kwinana;
The land owner enters into a suitable agreement with
the Town of Kwinana guaranteeing requirements i to iv

() IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of vegetation.

DEDICATED FAUNA UNDERPASS


Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of



Subdivision Approval has been issued where lot layout shown.

key elements

MODIFICATION 2 ENDORSED LOCAL STRUCTURE PLAN



legend

METROPOLITAN REGION SCHEME RESERVES

Railways

Public Purposes

Denoted As Follows:

HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage Public Purposes

Denoted As Follows: CF Community Facility

PS Primary School

WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots) Residential R20

Residential R30

Residential R40 Special Use

Denoted As Follows:

S School

OTHER

Neighbourhood Centre R60

(Neigbourhood Node)

Neighbourhood Centre R80

(Incorporating retail, office, residential

and community facilities)

Easement

Possible Retirement Village Site

30 Wetland boundary Wetland Buffer

Possible Tree Retention Area

Indicative Neighbourhood Centre 400m

walkable catchment

Indicative Train Station 400m and 800m walkable catchment

Structure Plan Boundary

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana.

This site may be reduced in land area subject to the following

i. The Council of the Town of Kwinana agrees to the

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement for a community facility to be

developed on the site;
The community facility under iii is that chosen by the Council of the Town of Kwinana;
The land owner enters into a suitable agreement with the Town of Kwinana guaranteeing requirements i to iverse

/___ IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of vegetation.

DEDICATED FAUNA UNDERPASS

Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of



Subdivision Approval has been issued where lot layout shown.



MODIFICATION 2 LODGED LSP MODIFICATION REQUEST

Our Ref: 02/019 IKF: ct

9 April 2010

Attention: Paul Neilson

Chief Executive Officer Town of Kwinana PO Box 21 KWINANA WA 6167

Dear Paul

PROPOSED MODIFICATION - WELLARD VILLAGE STRUCTURE PLAN

On behalf of our client Wellard Joint Venture partners - Peet Limited and Department of Housing, we write to request that the Town of Kwinana consider a series of proposed modifications to the approved Wellard Village Structure Plan. The changes, which will be discussed in further detail below, do not materially alter the intent of the Structure Plan and, given their minor nature, we request that they be adopted by the Town in accordance with Clauses 6.17.5.1 and 6.17.5.2 of Town Planning Scheme No.2.

Please find attached a plan entitled 'Proposed Modifications to Wellard Village Structure Plan' (Plan No. 02/019/G006B; 08 April 2010) which illustrates the changes outlined below.

1. Reclassification of a Park, Recreation & Drainage Reserve to Public Purposes Reserve

This change reflects the fact that a significant portion of the reserve is set aside for drainage purposes. The Department of Planning has previously argued that the drainage aspect dominates the reserve and detracts from it also functioning as public open space. This position is now accepted and in doing so, the credit applied to this area of open space will be forfeited.

This modification does not affect the required public open space contribution for the development; surplus public open space is still being provided within The Village at Wellard. Attached is an updated copy of the Public Open Space Provision schedule (9 April 2010), Public Open Space Schedule (9 April 2010) and Public Open Space Plan (Job: 02_019 POS Plan; 9 April 2010).

2. Addition of the indicative 400m walkable catchment around the train station

3. Adjustment to the colour of the indicative 800m walkable catchment around the train station, from red to blue

A 400m walkable catchment in relation to the Wellard train station has now been shown on the Plan at the request of the Department of Planning. The indicative 800m walkable catchment in relation to the Wellard train station is now shown in blue (as opposed to red), consistent with the 400m train station walkable catchment. These changes are illustrative only and will not alter the development outcome.

4. Recoding a number of lots from Residential R10 to Residential R20

When the Wellard Village Structure Plan was prepared it proposed that all lots along the eastern edge of Structure Plan area would be coded R10. This relatively low density was proposed to achieve optimal integration with the existing 'Homestead Ridge Estate' that backs onto the development area. Homestead Ridge is characterised by densities of R5.



Taylor Burrell Barnett Town Ranning & Des

187 Roberts Road Subvacu PD Box 6166 Subvacu East Western Australia 6008

Topologie 1199 d. Self. 5 d. 1 Foregoing (Sol 1286), 1296 States

An R10 coding was confirmed to be appropriate when the advertising of the Structure Plan yielded a strong community desire for lower densities along the eastern alignment of the Structure Plan area.

In retrospect it is considered the lots identified on the modified plan (attached) need not have been coded R10 as they do not in fact serve as an interface to the adjoining Homestead Ridge Estate. The lots instead face a significant swathe of open space; being a Bush Forever Site. This would suggest that issues of integration are not relevant here. We also note that the subject lots are not visible from Homestead Ridge Estate.

A density of R20 is proposed; this is consistent with the base coding for Wellard. An R20 density will also enable a greater number of homes to utilise the Wellard train station and enjoy an outlook over the Bush Forever site; which in turn equates to an increased equity outcome.

5. Reassign Park, Recreation & Drainage Reserve to Residential R40

This change is proposed in order to reconcile an anomaly between the Wellard Village Structure Plan and the detailed subdivision proposal that is presently before the Commission. The change does not impact on the subdivision's open space provision as this area was not included in the original POS contribution.

The substitution of an R40 density over this small area of open space is principally driven by a desire to offer a more regular subdivisional pattern than would be possible if the POS was retained.

6. Delete Parks, Recreation & Drainage Reserve

The Structure Plan erroneously identified a public access way (PAW) for the purposes of Parks Recreation and Drainage. Clearly a PAW does not conform to the purposes of such a Reserve and we seek its deletion from the Plan. This will not alter the development outcome, but will ensure the Plan is an accurate depiction of the final development scenario. Again this will bring the Structure Plan into conformity with the subdivision application presently before the Commission.

We trust that you will find the above-mentioned changes to be largely administrative in nature and we look forward to your support. Should you have any queries regarding our request, or any aspect of this letter generally, please do not hesitate to contact the undersigned.

Yours faithfully TAYLOR BURRELL BARNETT

JULIE-ANNE HATCH SENIOR PLANNER

CC: Paul Sewell/Frank Ness Department of Planning
Trevor Finlayson Peet Limited

adopted structure plan



legend

ZONES AND R-CODES

Railways **Public Purposes**

Denoted As Follows HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage Public Purposes

Denoted As Follows

Community Purpose PS

Primary School WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots) Residential R20 Residential R30 Residential R40 Special Use

Denoted As Follows School

OTHER

Neighbourhood Centre R60 (Neigbourhood Node)

Neighbourhood Centre R80

(Incorporating retail, office, residential and community

facilities)

Easement

Possible Retirement Village Wetland Boundary

Wetland Buffer Possible Tree Retention


Indicative Neighbourhood Centre 400m walkable

catchment

Indicative Train Station 400m and 800m walkable catchment (as shown on Adopted Structure Plan) Indicative Train Station 400m and 800m walkable catchment (as shown on Proposed Modifications)

Structure Plan Boundary

Community Purpose Facility Important Vegetation Area Dedicated Fauna Underpass proposed modifications



proposed modifications

Modify Park, Recreation & Drainage reserve to Public Purpose reserve, denoted WSD

Show indicative train station 400m walkable catchment

Show indicative train station 800m walkable catchment in blue

Modify Park, Recreation & Drainage reserve to Residential R40

Re-code Residential R10 (large lots) to Residential R20

Delete Park, Recreation & Drainage Reserve over PAW





PUBLIC OPEN SPACE SCHEDULE - SOUTHERN PRECINCT Requested by Department of Planning Wellard Village Structure Plan December 2009

Gross Site Area (ha)		201.1755
Deductions		
Schools (D2 & D3)	11.3600	
Neighbourhood Centre (D12, refer Note 4)	0.2724	
Railway Reserve, PTA Station, Carpark & Kiss n Ride (D13 & 15)	7.0110	
Bush Forever Site (D16)	17.1000	
Drainage Basins (1:1 yr storm event)	1.4525	
Pump Station (D27)	0.0945	
Total Deductions		37.2904
Net Subdivisible Area		163.8851
Required Public Open Space (10%)		16.3885
Public Open Space Requirements		
Unrestricted public open space - minimum 80%	13.1108	
Restricted public open space - maximum 20%	3.2777	
Total		16.3885
PUBLIC OPEN SPACE PROVISION		
Credited Unrestricted Public Open Space		
Passive Recreation	7.2555	
Active and Passive Recreation	0.9775	
Total Credited Unrestricted POS		8.2330
Restricted Public Open Space		
Drainage Basins (1:5yr storm event) - denoted * on POS Provision Schedule)	0.8755	
Total Restricted POS		0.8755
Total Restricted and Credited Unrestricted POS		9.1085
Percentage of Credited POS		5.56%
(Unrestricted and Restricted POS Contribution)	ion) 3.36%	

Notes:

- 1. To be read in conjunction with Public Open Space Provision Schedule (August 2009) and Public Open Space Plan (date: 20 Aug 09; job: 02_19 POS PLAN).
- **2.** The gross site area of the Northern and Southern Precincts have been defined by a centreline through the railway reserve. As it is not possible to determine these areas by the Certificates of Title, the accuracy of these areas cannot be verified.
- **3.** The unrestricted POS includes 100% credit for drainage north of the rail reserve, in accordance with Town of Kwinana and Western Australian Planning Commission's approval (18 March 2004) of the Wellard Village Structure Plan Northern Precinct, report dated January 2003. In particular, the January 2003 Structure Plan report refers to the 100% credit for drainage in the Public Open Space Calculations table (Table 6.1) on page 26.
- **4**. The Neighbourhood Centre deductions are based on current planning (refer Neighbourhood Centre Concept Plan) and may be subject to modifications at the detail design stage.
- **5**. The residential component of Deduction No. 5 (built form and parking) which is part of a mixed use development, within the Neighbourhood Centre, has not been calculated as a deduction.
- **6**. The north-eastern side of Main Street, Deduction No. 6, is intended to accommodate mixed use development; only the commercial car parking has been calculated as a deduction.
- **7**. Surplus restricted open space (in excess of 20% maximum) has been calculated as a deduction, in accordance with Liveable Neighbourhoods policy.
- **8.** The Resource Enhancement Buffer (POS area 10) has been credited as unrestricted public open space given the buffer area is vegetated and includes a footpath, therefore is considered usable open space.



legend

Passive Open Space



Active and Passive Open Space



Bush Forever

Public Purposes DENOTED AS FOLLOWS:

HS High School

Community Facility

Primary School PS

WSD Water Supply Sewerage & Drainage



Peter Carnley Anglican Community School K-12

Neighbourhood Centre R80



POS Area No. - not credited

(balance POS areas part of 10% POS contribution)

Deduction Number



Possible Tree Retention Area

Structure Plan Boundary

22 Wetland Boundary




Wetland Buffer

Indicative POS 200m Walkable Catchment (POS less than 3000m²)



Indicative POS 400m Walkable Catchment (POS greater than 3000m²)

MODIFICATION 3 ENDORSED LOCAL STRUCTURE PLAN



key elements


High school site with shared co-located oval

POS link to existing Homestead Ridge Estate

Public primary school site

Bush Forever site

Extension of Leda Boulevard



METROPOLITAN REGION SCHEME RESERVES

Railways

Public Purposes

Denoted As Follows:

HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage Public Purposes

Denoted As Follows:

CF Community Facility PS Primary School

WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots)

Residential R20

Residential R30 Residential R40

Special Use

Denoted As Follows:

S School

OTHER

Neighbourhood Centre R60

(Neigbourhood Node)

Neighbourhood Centre R80

(Incorporating retail, office, residential

and community facilities)

Easement

Possible Retirement Village Site

Wetland boundary 0

Wetland Buffer

Possible Tree Retention Area Indicative Neighbourhood Centre 400m

walkable catchment

Indicative Train Station 400m and 800m walkable

catchment

Structure Plan Boundary

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana.

This site may be reduced in land area subject to the following

requirements being met:
i. The Council of the Town of Kwinana agrees to the

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement for a community facility to be

developed on the site;
The community facility under iii is that chosen by the
Council of the Town of Kwinana;
The land owner enters into a suitable agreement with
the Town of Kwinana guaranteeing requirements i to iv

IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of vegetation.

DEDICATED FAUNA UNDERPASS

Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of



Subdivision Approval has been issued where lot layout shown.

MODIFICATION 3 LODGED LSP MODIFICATION REQUEST

21 January 2011

Attention: Paul Neilson

Chief Executive Officer Town of Kwinana PO Box 21 KWINANA WA 6167

Dear Paul

PROPOSED MODIFICATION - WELLARD VILLAGE STRUCTURE PLAN

On behalf of our client Wellard Joint Venture partners - Peet Limited and Department of Housing, we write to request that the Town of Kwinana consider proposed modifications to the approved Wellard Village Structure Plan.

This request follows a previous request to amend the Structure Plan, lodged with Council on the 15 November 2011 and subsequently endorsed at the 24 November Council meeting. At this time we agreed to defer consideration of the proposed re-coding from R10 to R20 and associated design interface adjacent to the Bush Forever site, to enable on-going dialogue between the Town and Homestead Ridge residents.

Following the preparation and discussion of numerous design options over the subject land, we understand these modifications have been agreed "in principle" by the landowners.

Please find attached a plan entitled 'Proposed Modifications to Wellard Village Structure Plan' (Plan No. 02/019/G006D; 21 January 2011) which illustrates the changes as discussed below.

1. Recoding Lots from Residential R20 to Residential R10

The Wellard Village Structure Plan currently identifies R10 coded lots along the western edge of the Bush Forever site (north of Leda Boulevard) except for a few R20 coded lots near the end of Spinner Lane.

In accordance with the Homestead Ridge residents' expectations, this Structure Plan modification proposes R10 lots adjacent to the Bush Forever site and in proximity to the existing Spinner Lane residents. This is consistent with one of the key design principles of the original Structure Plan to provide R10 lots along the eastern edge of the Structure Plan area to ensure an appropriate integration/transition with the Homestead Ridge Estate which is characterised by densities of R5.

2. Recoding Lots from Residential R10 to Residential R20

The Wellard Village Structure Plan currently identifies R10 coded lots along the western edge of the Bush Forever site (north of Leda Boulevard) except for a few R20 coded lots near the end of Spinner Lane.

As mentioned above, when the original Wellard Village Structure Plan was prepared it proposed that all lots along the eastern edge of the Structure Plan area would be coded R10. This relatively low density was proposed to achieve optimal integration/transition with the existing Homestead Ridge Estate that backs onto the development area.



Taylor Burrell Barnett Town Planning & Oasi

197 Roberts Road Subject PD Box 6186 Subjects East Western Australia 6008

Talledance (1931) 1936 1931 i Presidente (1931 1938) Atrice administra

In retrospect, it is considered the lots identified on the modified plan (attached) need not have been coded R10 as they do not directly interface with the adjoining Homestead Ridge Estate. The lots instead address the Bush Forever site. This would suggest that issues of integration/transition are not relevant here. We also note that the subject lots are not visible from the Homestead Ridge Estate by virtue of the topography and density of vegetation in the Bush Forever site.

A density of R20 is proposed over a small portion of this interface; this is consistent with the base coding for Wellard. An R20 density will also enable a greater number of homes to utilise the Wellard train station and enjoy an outlook over the Bush Forever site; which in turn equates to an increased equity outcome.

3. Modified Street Block Layout

As a result of the proposals contained within 1. and 2. above, the R code changes necessitate modifications to the street block configuration due to varied lot sizes and dimensions. These modifications include:

- R10 lots with direct frontage to the Bush Forever site this results in the deletion of the road interface. A pedestrian access way has also been introduced to provide greater pedestrian access to, and surveillance through, the Bush Forever site.
- Recoding R10 lots to R20 this results in a narrower north-south street block (refer Site 2).
- Recoding R20 lots to R10 this requires the introduction of two cul-de-sacs to replace the road interface that previously existed. The southern cul-de-sac is intended to provide access to the proposed R10 lots for vehicles and waste management; and facilitates increased pedestrian movement and surveillance through to the Bush Forever site and Homestead Ridge Estate (refer Site 1).

FIRE MANAGEMENT

In accordance with the approved Fire Management Plan for the Village at Wellard, please find attached a plan entitled 'Fire Management Plan' (Plan No. 02/019/124; 20 January 2011) which illustrates the Fire Management requirements adjacent to the Bush Forever site.

These requirements include:

- A 6m wide Strategic Firebreak with 4m vertical clearance and a 4m trafficable surface suitable for fire fighting equipment (refer Section 6.4 & 6.5 of the Wellard Village Fire Management Plan).
- All dry grassed areas (i.e. non reticulated) for 20m within the Bush Forever site is to be
 maintained to a maximum height of 50mm. A 20m Building Protection Zone (including the
 Strategic Firebreak) is to be implemented in the Bush Forever land to provide a low fuel
 buffer between the Bush Forever land and the development (refer Section 6.4 as part of the
 Wellard Village Fire Management Plan).
- 20m low fuel 'Building Protection Zone' immediately surrounding a building (refer Section 6.7 as part of the Wellard Fire Management Plan).



 Dwellings/buildings on lots adjacent the Bush Forever site must comply with Australian Standards AS3959 'Construction of buildings in bush fire prone areas' (refer Section 6.6 as part of the Wellard Village Fire Management Plan).

DESIGN PRINCIPLE

In accordance with Council's requirements a Detailed Area Plan will be prepared for these lots, consistent with the existing R10 lots within the Village at Wellard. In addition to the requirements of the approved DAP (refer Plan No.02/019/86; 20/05/2008) for these sites, further design requirements will be included to address the interface with the Bush Forever site and Homestead Ridge lots.

These design principles are likely to include:

- The building envelope shall be set back a minimum of 14 metres from the rear lot boundary (refer Fire Management Plan).
- Houses are required to suitably address all adjacent street frontages to maximise visual surveillance.
- The secondary street elevation of the dwelling and/or pedestrian access way shall feature a suitable level of detail including windows in a manner consistent with the primary street elevation.
- The dwellings abutting the Bush Forever site, shall be suitably designed and orientated to ensure passive surveillance. The dwelling shall have a habitable room and an outdoor living area addressing the Bush Forever site.
- Fencing in front of the building envelope shall comply with the Residential Design Codes, all other boundary fencing shall be of a rural and open nature and shall exclude asbestos, pickets, sheet iron and any other material which in the opinion of Council would detract from the amenity of the area.
- Corner lots with a public road/or pedestrian access way may comprise a portion of sold fencing to screen plant, equipment, clothes drying areas etc.

The DAP will be progressed in consultation with Council officers to ensure an optimum design interface is achieved with the Bush Forever site.

Conclusion

We trust the information provided is sufficient and adequately details the proposed modifications. Accordingly, we would appreciate the expedient assessment of the proposed modifications. As discussed with the Town of Kwinana, given the minor nature of the modifications and extensive consultation undertaken with the Homestead Ridge residents, we confirm that advertising is not required, and the Structure Plan modifications will be formally considered at the 9 February 2011 Council meeting.



Should you have any queries in relation to the proposed modifications, please do not hesitate to contact Julie-Anne Hatch or the undersigned.

Yours faithfully TAYLOR BURRELL BARNETT

BEN KARSAKIS

PLANNER – URBAN DESIGN


CC: Paul Sewell

Rob Cole

Department of Planning

Peet Limited

adopted structure plan



legend

ZONES AND R-CODES

Railways
Public Pui

Public Purposes

Denoted As Follows HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage
Public Purposes
Denoted As Follows

CF Community Purpose

PS Primary School

WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots)
Residential R20
Residential R30
Residential R40
Special Use

Denoted As Follows
S School

OTHER

Neighbourhood Centre R60 (Neighbourhood Node)

Neighbourhood Centre R80

(Incorporating retail, office, residential and community

facilities) Easement

Easemer

Possible Retirement Village Wetland Boundary

Wetland Buffer

Possible Tree Retention

Indicative Neighbourhood Centre 400m walkable catchment


Indicative Train Station 400m and 800m walkable catchment (as shown on Adopted Structure Plan) Indicative Train Station 400m and 800m walkable

catchment (as shown on Proposed Modifications)
Structure Plan Boundary

Community Purpose Facility Important Vegetation Area

Dedicated Fauna Underpass

proposed modifications



proposed modifications


- Re-code Residential R20 to Residential R10 (large lots)
- 2 Re-code Residential R10 (large lots) to Residential R20
- Street block layout modified (within _____)




s: NTS@A3 d: 21 Jan 2011 p: 02/019/G006D



TOM CHELPARKE BARNET



MODIFICATION 4 ENDORSED LOCAL STRUCTURE PLAN



legend

METROPOLITAN REGION SCHEME RESERVES

Railways

Public Purposes

Denoted As Follows:

HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage Public Purposes

Denoted As Follows: CF Community Facility

PS Primary School WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots) Residential R20

Residential R30 Residential R40 Special Use

Denoted As Follows:

S School

OTHER

Neighbourhood Centre R60

(Neigbourhood Node)

Neighbourhood Centre R80

(Incorporating retail, office, residential and community facilities)

Easement

Possible Retirement Village Site

Wetland boundary Wetland Buffer VIIII)

Possible Tree Retention Area

Indicative Neighbourhood Centre 400m

walkable catchment Indicative Train Station 400m and 800m walkable

catchment

Structure Plan Boundary _._.

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana.

This site may be reduced in land area subject to the following

requirements being met:
i. The Council of the Town of Kwinana agrees to the

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement for a community facility to be

developed on the site;
The community facility under iii is that chosen by the
Council of the Town of Kwinana;
The land owner enters into a suitable agreement with
the Town of Kwinana guaranteeing requirements i to iv

(IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of vegetation.

DEDICATED FAUNA UNDERPASS

Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of



Subdivision Approval has been issued where lot layout shown.

key elements

MODIFICATION 4 LODGED LSP MODIFICATION REQUEST

17 April 2012

Attention: Brenton Scambler

Chief Executive Officer Town of Kwinana PO Box 21 KWINANA WA 6167

Dear Brenton

PROPOSED MINOR MODIFICATIONS - WELLARD VILLAGE STRUCTURE PLAN

On behalf of our client Wellard Joint Venture partners - Peet Limited and Department of Housing, we request the Town of Kwinana consider proposed modifications to the approved Wellard Village Structure Plan. The changes, which are discussed in detail below, are extremely minor in nature and accordingly do not alter the intent of the Structure Plan.

Please find attached a plan entitled 'Proposed Minor Modifications to Wellard Village Structure Plan' (Plan No. 02/019/G006F; 13 April 2012) which illustrates the changes as discussed below.

1. Include a Laneway within a Street Block

The Wellard Village Structure Plan currently identifies an R20 coded street block along the southern boundary of the Structure Plan area. This Structure Plan modification proposes to include a laneway at the south-east end of the street block. The purpose of the laneway is to allow a more direct route for a sewer pipeline and minimise earthworks in the area.

The inclusion of the laneway will provide rear loaded lot product, and greater passive surveillance, addressing the adjoining public open space. This is consistent with the Structure Plan design along the eastern edge of the public open space.

2. Recode a Residential Street Block from R20 to R30

The inclusion of the laneway discussed above provides the opportunity to recode the proposed street block from R20 to R30, particularly given the street block is located adjoining public open space. The proposed R30 coding is consistent with the coding of other street blocks which address the public open space.

The increase in coding will provide a greater diversity of lot product and a higher density of development within the Structure Plan area.

Conclusion

We trust the information provided is sufficient and given the minor nature of the modifications, that advertising is not required. Accordingly, we would appreciate the expedient assessment of our request.



Taylor Burrell Barnett Town Planning & Des

197 Roberts Road Subject PD Box 6186 Subjects East Western Australia 6008

Polichimus (199) 1955 5344 f. Secritains (1991 1898) Virgin Diquis

Should you have any queries in relation to the proposed modifications, please do not hesitate to contact Ben Karsakis or the undersigned.

Yours faithfully TAYLOR BURRELL BARNETT

JULIE-ANNE HATCH ASSOCIATE

CC: Paul Sewell

Department of Planning

Ryan Hunter Peet Limited

adopted structure plan



legend

ZONES AND R-CODES

Railways Public Purposes

Denoted As Follows
HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage
Public Purposes

Denoted As Follows
CF Community Purpose

PS Primary School

WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots)
Residential R20
Residential R30
Residential R40
Special Use

Denoted As Follows S School

OTHER

 \asymp

Neighbourhood Centre R60 (Neigbourhood Node)

Neighbourhood Centre R80

(Incorporating retail, office, residential and community facilities)

=== Easement

Possible Retirement Village

Wetland Boundary
Wetland Buffer

Possible Tree Retention

Indicative Neighbourhood Centre 400m walkable catchment

Indicative Train Station 400m and 800m walkable catchment (as shown on Adopted Structure Plan)

Indicative Train Station 400m and 800m walkable catchment (as shown on Proposed Modifications)

Structure Plan Boundary

CF Community Purpose Facility

(Important Vegetation Area

Dedicated Fauna Underpass

proposed minor modifications



proposed minor modifications


1 Include laneway within street block

2 Re-code street block from R20 to R30





MODIFICATION 5 ENDORSED LOCAL STRUCTURE PLAN



legend

METROPOLITAN REGION SCHEME RESERVES

Railways

Public Purposes

Denoted As Follows:

HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage Public Purposes

Denoted As Follows:

CF Community Facility PS Primary School

WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots) Residential R20 Residential R30

Residential R40 Special Use

Denoted As Follows:

S School

OTHER

Neighbourhood Centre R60 (Neigbourhood Node)

> Neighbourhood Centre R80 (Incorporating retail, office, residential

and community facilities)

Easement

Possible Retirement Village Site

Wetland boundary Wetland Buffer

Possible Tree Retention Area

Indicative Neighbourhood Centre 400m

walkable catchment

Indicative Train Station 400m and 800m walkable catchment

Structure Plan Boundary _._.

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana.

This site may be reduced in land area subject to the following requirements being met:
i. The Council of the Town of Kwinana agrees to the

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement for a community facility to be

developed on the site;
The community facility under iii is that chosen by the Council of the Town of Kwinana;
The land owner enters into a suitable agreement with the Town of Kwinana guaranteeing requirements i to iv are mot

(IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of vegetation.

DEDICATED FAUNA UNDERPASS


Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of



Subdivision Approval has been issued where lot layout shown.

key elements

MODIFICATION 5 LODGED LSP MODIFICATION REQUEST



18 February 2013

Attention: Brenton Scambler

City of Kwinana PO Box 21 Kwinana WA 6966



PROPOSED MODIFICATION TO THE WELLARD VILLAGE LOCAL STRUCTURE PLAN – RESIDENTIAL DENSITY CODING FOR STAGE 24 AND 31

I refer to the meeting on 12 February 2013 between the City of Kwinana, Peet Limited and Taylor Burrell Barnett (TBB) with respect to the implementation of the approved subdivision for Stages 23 – 30 of the Village at Wellard (Figure 1).

Taylor Burnell Barnett Town Planning & Design

187 Roberts Road Subject FO Box 8185 Subjects East Western Australia 5008

Teleprining (DS) English 1991 Factorials (DS) ESSE Metalysons

In the course of discussion it was understood that the City of Kwinana is willing to support a proposed variation for Stage 24 and 31 of the subdivision area (The 'Subject Area') (Figure 2). This support, however, is contingent upon the consideration of a formal request for modification to the Wellard Village Local Structure Plan to ensure that it is in accordance with the proposed subdivision variation.

As a result of this understanding TBB has prepared and formally submits the following as a request for modification of the Wellard Village Local Structure Plan. The proposed modification aims to amend the coding and reserve alignments of the subject area in accordance with that shown in Figure 3. The resultant modification to the approved structure plan is shown in Figure 4.

In support of this request we provide the following justification:

Proposed Variation of Subdivision Layout

The conditions of subdivision for Stage 23-30 require that the landowner, Peet Limited, provide all lots with frontage to a constructed road in accordance with the approved plan. Within the subject area the approved plan of subdivision identifies a road alignment north-east to the Bush Forever site, and then running south-east and finally due south, parallel with the Bush Forever site (Figure 2).

Upon detailed design of the road alignment the project team's engineers have advised that due to the steep gradient of the land, the proposed road alignment and lot configuration will not be achievable. The key design limitations to the construction of the approved road include:

- a) The grade of the proposed road running north-east and turning south east, which would create a blind corner that will be unacceptable from a traffic safety perspective (Marked as 'Unacceptable Road Gradient' in Figure 2); and
- b) The proposed road alignment adjacent to the Bush Forever site, which will require the construction of an earth bund that will exceed the width of the road reserve area, and as such expand into the adjacent Bush Forever site (Marked as 'Required Earth Bunding' on the attached Figure 2). It is understood that this will be an unacceptable outcome to the Department of Planning as the caretakers of the Bush Forever site.

In addition to the engineering constraints, the City of Kwinana has noted that the vegetation within the subject area is of high ecological value, and as such should be retained where possible. In particular the mature Jarrah and Marri trees within the northern section of the subject area were considered worthy of retention.

In order to address the engineering constraints and maximise the retention of mature trees, a redesign of the subject area has been proposed by the landowner (Figure 5). This redesign identifies a more direct road connection between Brantwood Turn and Furness Loop, which will provide a safer road network with a more acceptable gradient. The proposal will also permit the retention of mature trees within two large residential lots to the north of the road alignment.

The proposed variation to the approved plan of subdivision is to be considered as a variation to the Deposited Plan for the subject lots. It is understood that the revised subdivision layout is acceptable to City of Kwinana officers, subject to the submission of a request for a structure plan modification in accordance with Figure 3.

Residential Density Coding

In order to ensure that the Wellard Village Local Structure Plan provides comprehensive guidance for the subdivision and development of the subject area, it is proposed that the structure plan be modified in accordance with Figure 3. This will ensure that the majority of the area is identified as 'Residential R20', with the small section immediately adjacent the Bush Forever site being identified as 'Residential R10 (Large Lots)'.

The future development of the subject lots for residential purposes will then be guided by the provisions of the Local Structure Plan, an adopted Detailed Area Plan and the Residential Design Codes. Due to the proposed lot areas, further subdivision of the subject lots would not be permissible under either the R20 or R10 coding.

Fire Management

The City of Kwinana and the Western Australian Planning Commission have previously granted approval for a comprehensive Fire Management Plan for the Wellard Village area. This management plan requires specific actions to be undertaken for any lot that immediately abuts the Bush Forever site, including:

- a) **Installation of a 6m wide Strategic Firebreak** within the Bush Forever site immediately adjacent the proposed lots;
- b) **Maintenance of all dry grassed areas** for 20m within the Bush Forever Site to a maximum height of 50mm; and
- c) **Establishment and maintenance of a Building Protection Zone** of 20m from the nominated Building Envelope to the area of bushfire risk.

The Fire Management Plan is currently implemented through the conditions of subdivision and through the Detailed Area Plan(s) approved by the City of Kwinana.

The implementation of the required fire management actions for the modified subdivision layout proposed for Stage 24 and 31 are outlined in Figure 6, identifying that the Strategic Firebreak will be connected to the road network at Brantwood Loop. The revised subdivision layout is entirely in accordance with the Fire Management Plan, and all actions required for fire management under the conditions of subdivision can be transferred to the revised subdivision layout.

Conclusion


It is considered that the proposed minor modification to the Wellard Village Local Structure Plan is in accordance with the broader principles of the LSP and consistent with all local and State Planning Policies. It is additionally considered that the proposed modification is minor in the context of the wider LSP, and can be approved by the City of Kwinana without any further consultation.

Council's earliest consideration of this matter would be greatly appreciated. Should you have any further queries, please do not hesitate to contact the undersigned on 9382 2911.

Yours faithfully TAYLOR BURRELL BARNETT

JARROD ROSS ASSOCIATE














ZONES RESIDENTIAL R10 (large lots) RESIDENTIAL R20


Proposed Modification to Wellard Village Structure Plan

A PEET LTD & DEPT OF HOUSING JV

FIGURE 3







legend

METROPOLITAN REGION SCHEME RESERVES

Railways

Public Purposes

Denoted As Follows:

HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage Public Purposes

Denoted As Follows:

CF Community Facility PS Primary School

WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots) Residential R20 Residential R30

Residential R40 Special Use

Denoted As Follows:

S School

OTHER

Neighbourhood Centre R60 (Neigbourhood Node)

> Neighbourhood Centre R80 (Incorporating retail, office, residential

and community facilities)

Easement

Possible Retirement Village Site

Wetland boundary Wetland Buffer

Possible Tree Retention Area

Indicative Neighbourhood Centre 400m

walkable catchment

Indicative Train Station 400m and 800m walkable catchment

Structure Plan Boundary _._.

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana.

This site may be reduced in land area subject to the following requirements being met:
i. The Council of the Town of Kwinana agrees to the

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement for a community facility to be

developed on the site;
The community facility under iii is that chosen by the Council of the Town of Kwinana;
The land owner enters into a suitable agreement with the Town of Kwinana guaranteeing requirements i to iv are mot

(IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of vegetation.

DEDICATED FAUNA UNDERPASS


Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of




Subdivision Approval has been issued where lot layout shown.

key elements





MODIFICATION 6 ENDORSED LOCAL STRUCTURE PLAN



legend

METROPOLITAN REGION SCHEME RESERVES

Railways

Public Purposes

Denoted As Follows:

HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage Public Purposes

Denoted As Follows:

CF Community Facility PS Primary School

WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots) Residential R20

Residential R30 Residential R40

Residential R80 Special Use

Denoted As Follows: S School

OTHER

Neighbourhood Centre R60

(Neigbourhood Node) Neighbourhood Centre R80

(Incorporating retail, office, residential

and community facilities)

Easement

Possible Retirement Village Site Wetland boundary

Wetland Buffer

Possible Tree Retention Area

Indicative Neighbourhood Centre 400m

walkable catchment

Indicative Train Station 400m and 800m walkable catchment

Structure Plan Boundary

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana.

This site may be reduced in land area subject to the following

requirements being met:
i. The Council of the Town of Kwinana agrees to the

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement for a community facility to be

developed on the site;
The community facility under iii is that chosen by the
Council of the Town of Kwinana;
The land owner enters into a suitable agreement with
the Town of Kwinana guaranteeing requirements i to iv

(IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of vegetation.

DEDICATED FAUNA UNDERPASS

Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of



Subdivision Approval has been issued where lot layout shown.

key elements

MODIFICATION 6 LODGED LSP MODIFICATION REQUEST

28 March 2013

Attention: Brenton Scambler

City of Kwinana PO Box 21 Kwinana WA 6966

Dear Brenton

PROPOSED MODIFICATION TO THE WELLARD VILLAGE LOCAL STRUCTURE PLAN – STREET/BLOCK LAYOUT FOR SOUTH OF THE VILLAGE CENTRE

Please find enclosed for your consideration three copies of a proposed modification to the approved Wellard Village Structure Plan with respect to the area immediately south of the Village Centre ('The Subject Area'). Included for Council's consideration are:

Taylor Burrell Barnett Tokyo Planning & Design

Specing Physiol ABN 74881437925

7 Roberta Road Subiggo PO Box 8186 Subrago East Western Australia 6008

Teller Rate (1991) Profes 299 1 Ferromains (1991) 15 65 d 1996 season (1991)

- Plan 1: Proposed Modification to Wellard Village Structure Plan
- Plan 2: Wellard Village Structure Plan Revised March 2013

To assist the City in its consideration of this application we present the following supporting information:

BACKGROUND

The Wellard Village Structure Plan was most recently approved by Council on 13 June 2012 and subsequently endorsed by the Western Australian Planning Commission¹. The current structure plan layout for the Subject Area is characterised by a network of street blocks in a north-eastern / south-western alignment, parallel with the adjacent passenger rail line (**Plan 1**).

In preparation of detailed subdivision plans the project team's engineers reviewed the required earthworks for the subject area, and noted a significant gradient difference between the train station and the southern portions of the subject area. In reviewing this gradient difference it was noted that the current street block layout would require substantial retaining walls along the lot frontage in order to accommodate the slope and provide a flat street block for rear loaded residential development.

The retaining walls that would be required are considered to be a poor urban development outcome, as they will reduce the amenity provided by the streetscape, the ability to incorporate street trees and the provision of passive surveillance opportunities. They will also reduce lot diversity due to difficulties in providing some lot product with front retaining walls, and increase the overall cost of residential development to the detriment of future homeowners.

It should be noted that a separate proposal to modify the Wellard Village Structure Plan was lodged with the City on 16 February 2013 and is currently under assessment. In order to ensure continuity between the two modifications the revised Wellard Village Structure Plan (March 2013) incorporates the proposed February revision as if it were approved by Council and the WAPC.

PROPOSED MODIFICATION

In order to address the incongruence between the site gradient and the approved street block layout it is proposed that the subject area be redesigned in accordance with that shown in **Plan 1** and reflected in **Plan 2**. The revised layout proposes a network of street blocks in a north-western / south-eastern alignment, running perpendicular to both the railway station and the site gradient. This network will allow the natural gradient difference to be accommodated within individual lots, thereby necessitating small retaining walls along selected side boundaries rather than a large retaining wall along all lot frontages.

The revised alignment has also necessitated modifications to the street layout and central public open space to accommodate the revised street block alignment. In order to ensure permeability and amenity within the local area, the design provides strong pedestrian linkages between the railway station, open space and High School/Primary School to the south. The total area of public open space provided is 6,325m², which is an increase of 26% from that proposed in the current structure plan layout.

In addition it is also proposed that a precinct immediately south-east of the public open space be zoned 'Residential R80', as this precinct is intended to be developed as grouped or multiple dwellings. The current zoning of 'Residential R40' is not considered optimal for a grouped or multiple dwelling site, as this will primarily encourage grouped dwelling development of a lot size similar to that of the surrounding single lot product, thereby stifling lot diversity. It is considered that the lot size of 'Residential R80', being a minimum of 160m² and an average of 180m², is more appropriate for grouped and multiple dwelling development within 400m-800m of a train station.

CONCLUSION

It is considered that the proposed modification to the Wellard Village Local Structure Plan is in accordance with the broader principles of the LSP and consistent with all local and State Planning Policies. It is additionally considered that the proposed modification is minor in the context of the wider LSP, and can be approved by the City of Kwinana without any further consultation.

Council's earliest consideration of this matter would be greatly appreciated. Should you have any further queries, please do not hesitate to contact the undersigned on 9382 2911.

Yours faithfully TAYLOR BURRELL BARNETT

JARROD ROSS ASSOCIATE




LEGEND METROPOLITAN REGION SCHEME RESERVES RAILWAYS PUBLIC PURPOSES HIGH SCHOOL HS **RESERVED LANDS** PARK, RECREATION & DRAINAGE PUBLIC PURPOSES WSD WATER SUPPLY SEWERAGE AND DRAINAGE **ZONES** RESIDENTIAL R20 RESIDENTIAL R30 RESIDENTIAL R40 OTHER NEIGHBOURHOOD CENTRE R80 INDICATIVE NEIGHBOURHOOD CENTRE 400m INDICATIVE TRAIN STATION 400m AND 800m WALKABLE CATCHMENT








PROPOSED MODIFICATION TO WELLARD VILLAGE STRUCTURE PLAN
A PEET LTD & DEPT OF HOUSING JV





legend

METROPOLITAN REGION SCHEME RESERVES

Railways

Public Purposes

Denoted As Follows:

HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage Public Purposes

Denoted As Follows: CF Community Facility

PS Primary School

WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots) Residential R20

Residential R30 Residential R40

Special Use

Denoted As Follows:

S School

OTHER

Neighbourhood Centre R60

(Neigbourhood Node)

Neighbourhood Centre R80

(Incorporating retail, office, residential

and community facilities)

Easement

Possible Retirement Village Site

Wetland boundary Wetland Buffer

Possible Tree Retention Area

Indicative Neighbourhood Centre 400m

walkable catchment

Indicative Train Station 400m and 800m walkable catchment

Structure Plan Boundary _._.

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana.

This site may be reduced in land area subject to the following

requirements being met:
i. The Council of the Town of Kwinana agrees to the

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement for a community facility to be

developed on the site;
The community facility under iii is that chosen by the Council of the Town of Kwinana;
The land owner enters into a suitable agreement with the Town of Kwinana guaranteeing requirements i to iv are mot

(IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of vegetation.



DEDICATED FAUNA UNDERPASS


Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of



Subdivision Approval has been issued where lot layout shown.

key elements

MODIFICATION 7 ENDORSED LOCAL STRUCTURE PLAN



METROPOLITAN REGION SCHEME RESERVES Railways Public Purposes Denoted As Follows: HS High School LOCAL SCHEME RESERVES Park, Recreation & Drainage Public Purposes Denoted As Follows: CF Community Facility PS Primary School WSD Water Supply Sewerage & Drainage ZONES AND R-CODES Residential R10 (large lots) Residential R20 Residential R25 Residential R30 Residential R35 Residential R40 Residential R80 Special Use Denoted As Follows: S School OTHER

Neighbourhood Centre R60 (Neighbourhood Node)

Neighbourhood Centre R80 (Incorporating retail, office, residential and community facilities)

Easement

Wetland boundary Wetland Buffer

Possible Tree Retention Area Indicative Neighbourhood Centre 400m

walkable catchment Indicative Train Station 400m & 800m walkable

catchment Key Movement Network

(subject to detailed subdivision design)

Bushfire Setback

(20m separation between bushland vegetation and residential building)

- - Structure Plan Boundary

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana. This site may be reduced in land area subject to the following requirements being met:

i. The Council of the Town of Kwinana agrees to the reduction;

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

iii. The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed contribution to the lown of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement for a community facility to be developed on the site; iv. The community facility under iii is that chosen by the Council of the Town of Kwinana; v. The land owner enters into a suitable agreement with the Town of Kwinana

guaranteeing requirements i to iv are met.

IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of vegetation.

DEDICATED FAUNA UNDERPASS

Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of Kwinana.

Subdivision Approval has been issued where lot layout shown.

4

5

9

14

Bush Forever site

MODIFICATION 7 LODGED LSP MODIFICATION REQUEST



3 February 2014

Attention: Paul Neilson, Manager Planning and Development

City of Kwinana PO Box 21 KWINANA WA



PROPOSED MINOR MODIFICATION TO THE WELLARD VILLAGE STRUCTURE PLAN – SOUTH-WESTERN PRECINCT

Telephone (188) P. SEZ 2.581 Fectionile (1811 9.28% also also

Taylor Burrell Barnett Town Planning & Dies

Phy Ltd ABN 74831 437 925

I refer to previous discussions with the City regarding the progression of subdivision and development of Lots 9039 and 9401 Wellard Road Wellard, and the need to modify the structure plan framework for this locality.

In response to this discussion the proponent, Peet Limited, has agreed to withdraw the Wellard Village LSP Addendum lodged on 4 December 2013 in favour of the attached proposed modification to the existing Wellard Village Structure Plan.

The lodgement of the proposed modified plan is based on the further advice received from the Department of Planning via email on 20 January 2014, and the modifications proposed are entirely consistent with the advice received.

To assist in providing clarity for Council's consideration of the proposed structure plan modification we provide the following:

BACKGROUND

The Wellard Village Structure Plan was most recently approved by the City of Kwinana and the Department of Planning in 2010. In more recent subdivisions within the structure plan area it has become increasingly difficult to apply flexibility in urban design due to the rigid nature of the structure plan map, which outlines the full street block design without regard to the natural gradient of the land, environmental constraints or engineering requirements;

The above issues have resulted in the decision that any variation in subdivision design from the rigid format of the structure plan, regardless of rationale or significance, will require a formal modification to the structure plan. This requirement results in an unnecessary burden and significant delay on both the Council and the landowner, and can easily be resolved with some minor modifications to the overall structure plan.

STRUCTURE PLAN MODIFICATION

The proposed approach seeks to update the Wellard Village Structure Plan by removing unnecessary detail from the plan for the remaining subdivision areas, and allowing these details to be determined as a component of the subdivision design. The modifications are outlined further as follows:

a) Modification of indicative road design: It is proposed that the indicative road design be removed from the remaining subdivision area in favour of identifying 'Key Movement Networks' to be considered in subdivision design. This will allow flexibility in the subdivision design to ensure that the developer can modify the road network in order to address constraints, including modifications to retain trees and accommodate natural gradients.

- b) Modification of Residential coding allocation: The subject area is to retain its existing land use zoning and general density code allocation. It is proposed to grant the subject area a density code of R25 as a base coding with a higher coding of R35 where lots have greater access to high quality transport and open space facilities, such as where lots directly abut or front Public Open Space or the Primary/High School Site. Residential lots created within 400m of the Wellard Village Train Station are to retain their existing R40 coding.
- c) Modification of Public Open Space (POS) distribution: It is proposed that the POS distribution be slightly altered to reflect an updated opportunities and constraints plan and ensure that the POS is well located in terms of residential amenity and vegetation/tree retention. The proposed POS provision is still entirely compliant with the structure plan report and the requirement for open space under the WAPC's Liveable Neighbourhoods.
- d) Addition of 20m bushfire setback to Leda Reserve: It is proposed to identify the required 20m bushfire hazard setback between the future residential development and the Leda Reserve native vegetation to ensure this is clearly conveyed in the preparation of subdivision applications. The provisions applicable to the setback and bushfire management requirements are contained within the existing Bushfire Management Plan.

IMPLEMENTATION

The adoption of the proposed Wellard Village Structure Plan modification is considered to be most appropriately dealt with under the provisions of 6.17.5.1 of *Town Planning Scheme No. 2* as a change that does not materially alter the intent of the Wellard Village Structure Plan on the basis that:


- a) The structure plan modification does not propose a shift in the zoning or overall density of the subject area, but rather defers detailed street/block designs to the more appropriate stage, being subdivision design;
- b) The requirement for the provision of public open space throughout the locality is to remain unaltered, in that 10% of the Wellard Village Structure Plan area will be required as public open space in accordance with Liveable Neighbourhood standards; and
- c) The proposed modification does not impact upon any landowner other than the applicant, as the subject area and immediately adjacent urban zoned areas are all within the ownership and control of the applicant.

CONCLUSION

The City's earliest consideration of the proposed structure plan modification under clause 6.17.5.1 of *Town Planning Scheme No. 2* would be greatly appreciated. Should you have any questions or require any further information please do not hesitate to contact the undersigned on 9382 2911.

Yours faithfully TAYLOR BURRELL BARNETT

JARROD ROSS ASSOCIATE



METROPOLITAN REGION SCHEME RESERVES Railways Public Purposes Denoted As Follows: HS High School LOCAL SCHEME RESERVES Park, Recreation & Drainage Public Purposes Denoted As Follows: CF Community Facility PS Primary School WSD Water Supply Sewerage & Drainage ZONES AND R-CODES Residential R10 (large lots) Residential R20 Residential R25 Residential R30 Residential R35 Residential R40 Residential R80 Special Use Denoted As Follows: S School OTHER

Neighbourhood Centre R60 (Neighbourhood Node)

Neighbourhood Centre R80 (Incorporating retail, office, residential and community facilities)

Easement

Wetland boundary Wetland Buffer

Possible Tree Retention Area Indicative Neighbourhood Centre 400m

walkable catchment Indicative Train Station 400m & 800m walkable

catchment Key Movement Network

(subject to detailed subdivision design)

Bushfire Setback

(20m separation between bushland vegetation and residential building)

- - Structure Plan Boundary

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana. This site may be reduced in land area subject to the following requirements being met:

i. The Council of the Town of Kwinana agrees to the reduction;

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

iii. The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed contribution to the lown of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement for a community facility to be developed on the site; iv. The community facility under iii is that chosen by the Council of the Town of Kwinana; v. The land owner enters into a suitable agreement with the Town of Kwinana

guaranteeing requirements i to iv are met.

IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of vegetation.

DEDICATED FAUNA UNDERPASS

Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of Kwinana.

Subdivision Approval has been issued where lot layout shown.

4

5

9

14

Bush Forever site

From: Jarrod Ross To: "Brenton Scambler"

"Clay Thomas"; Julie-Anne Hatch; Samantha Thompson Cc: Subject: 02~019 | Wellard | LSP Modification - Further Information

Date: Monday, 24 February 2014 2:20:00 PM

image001.jpg image002.jpg Attachments:

02 019 234B POS (131216).pdf

02~019 POS Schedule - Updated 10 January 2014 (Lodged).pdf

02 019 196D STPM S32 (140224).pdf

Importance:

Hi Brenton,

As discussed, please find attached:

- a) A comparison plan outlining the current Wellard Village LSP with the proposed modification;
- b) The updated Public Open Space Plan; and
- c) An updated POS Schedule which was submitted as a component of the most recent subdivision application, identifying that we are still within the required 10% open space.

Please let me know if you require any further information or have any questions.

Kind Regards,

Jarrod Ross **Associate**

cid:3307007990_917880





Taylor Burrell Barnett Town Planning & Design

187 Roberts Road Subiaco WA 6008 Telephone 9382 2911 Facsimile 9382 4586 Mobile 0407 641 209 www.taylorburrellbarnett.com.au


This email is confidential and is intended for the use of the named recipient only. If you have received this message in error, please inform us immediately, and then delete it. Unless it specifically states otherwise, this email does not form part of a contract.


PLEASE CONSIDER THE ENVIRONMENT BEFORE PRINTING THIS E-MAIL














PUBLIC OPEN SPACE SCHEDULE Wellard Village Structure Plan 10 January 2013 (Update draft Balance of Title Subdivision)

Gross Site Area (ha)		320.5888
Deductions		
Schools (D1, D2, D3 & D17)	24.0237	
Neighbourhood Centre (D4-12)	3.1165	
D4 0.1026		
D5 1.1850		
D6 0.5998		
D7 0.1893		
D8 0.2295		
D9 0.0493		
D10 0.2372		
D11 0.2514		
D12 0.2724		
Railway Reserve, PTA Station, Carpark & Kiss n Ride (D13-15;refer Notes 5&6)	13.3634	
Bush Forever Site (D16)	17.1041	
Conservation Category Wetland (D18)	9.0300	
Drainage Basins (1:1 yr storm event - D19, D21-D24 & D28)	1.4190	
Dedicated Drainage Areas (D20, D25, D26)	0.7814	
D20 0.544	0.701	
D25 0.09005		
D26 0.14735		
Pump Station (D27)	0.0410	
Pump Station (D22)	0.0400	
Surplus Restricted Public Open Space	2.4942	
Total Deductions		71.4133
Net Subdivisible Area		249.1755
Required Public Open Space (10%)		24.9176
Public Open Space Requirements		
Unrestricted public open space - minimum 80%	19.9340	
Restricted public open space - maximum 20%	4.9835	
Total		24.9176
PUBLIC OPEN SPACE PROVISION		
Credited Unrestricted Public Open Space		
Passive Recreation	13.4129	
Active and Passive Recreation	7.0802	
Community Purpose Site	0.1320	
Total Credited Unrestricted POS		20.0316
Restricted Public Open Space	F 2652	
Conservation Category Wetland Buffer	5.2652	
Resource Enhancement Wetland	1.1560	
Drainage Basins (1:5yr storm event) - denoted * on POS Provision Schedule)	1.1064	
Total Restricted POS	2.4022	7.5276
Restricted POS Not Credited (7.5276-5.0444), refer Note 6.	2.4832	4.0035
Total Credited Restricted POS		4.9835
Total Credited Restricted and Unrestricted POS		25.0151
Percentage of Credited POS (Unrestricted and Restricted POS Contribution)		10.039%

Notes:

- **1**. To be read in conjunction with Public Open Space Provision Schedule (26 November 2013) and Public Open Space Plan (date: 26 November 2013; job: 02_19 POS PLAN).
- 2. The unrestricted POS includes 100% credit for drainage north of the rail reserve, in accordance with Town of Kwinana and Western Australian Planning Commission's approval (18 March 2004) of the Wellard Village Structure Plan Northern Precinct, report dated January 2003. In particular, the January 2003 Structure Plan report refers to the 100% credit for drainage in the Public Open Space Calculations table (Table 6.1) on page 26.
- **3**. The Neighbourhood Centre deductions are based on current planning (refer Neighbourhood Centre Concept Plan) and may be subject to modifications at the detail design stage.
- **4**. Surplus restricted open space (in excess of 20% maximum) has been calculated as a deduction, in accordance with Liveable Neighbourhoods policy.
- **5.** The Resource Enhancement Buffer (POS area 10) has been credited as unrestricted public open space given the buffer area is vegetated and includes a footpath, therefore is considered usable open space.

MODIFICATION 8 ENDORSED LOCAL STRUCTURE PLAN



METROPOLITAN REGION SCHEME RESERVES Railways Public Purposes Denoted As Follows: HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage Public Purposes

Denoted As Follows:

CF Community Facility PS Primary School

WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

OTHER

Residential R10 (large lots)

Residential R20 Residential R25

Residential R30

Residential R35

Residential R40 Residential R80

Special Use

Denoted As Follows:

S School

Neighbourhood Centre R60 (Neighbourhood Node)

Neighbourhood Centre R80 (Incorporating retail, office, residential

and community facilities)

Easement

Wetland boundary Wetland Buffer

Possible Tree Retention Area

Indicative Neighbourhood Centre 400m

walkable catchment

Indicative Train Station 400m & 800m walkable catchment

Key Movement Network

(subject to detailed subdivision design)

Bushfire Setback

(20m separation between bushland vegetation

and residential building)

- - Structure Plan Boundary

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana. This site may be reduced in land area subject to the following requirements being met:

i. The Council of the Town of Kwinana agrees to the reduction;

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

iii. The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed

contribution to the lown of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement for a community facility to be developed on the site; iv. The community facility under iii is that chosen by the Council of the Town of Kwinana; v. The land owner enters into a suitable agreement with the Town of Kwinana guaranteeing requirements i to iv are met.

IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of vegetation.

DEDICATED FAUNA UNDERPASS

Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of Kwinana.

Subdivision Approval has been issued where lot layout shown.

4

5

9

14

MODIFICATION 8 LODGED LSP MODIFICATION REQUEST



Attention: Brenton Scambler

Chief Executive Officer City of Kwinana PO Box 21 KWINANA WA



Taylor Burrell Barnett Town Platining & Design

87 Roberta Road Subraco PO Box 8166 Subraco East Western Australia 6008

Dear Brenton

PROPOSED MINOR MODIFICATION TO WELLARD VILLAGE LOCAL STRUCTURE PLAN – SOUTH OF VILLAGE CENTRE

On behalf of our Client Wellard Joint Venture partners – Peet Limited and Department of Housing, we request the City of Kwinana consider a proposed minor modification to the approved Wellard Village Structure Plan with respect to the area immediately south of the Village Centre. Included for Council's consideration are the following plans:

- 1. Wellard Village Structure Plan Proposed Modification [June 2014] (plan: 02/019/106R);
- 2. LSP Modification Comparison Plan (plan: 02/019/196F).

To assist the City in its consideration of this application, we provide the following supporting information.

BACKGROUND

A minor modification to the Wellard Village Structure Plan was recently approved by the City of Kwinana in March 2014 in relation to the western precinct of the development. In more recent subdivisions within the Structure Plan area it has become increasingly difficult to apply flexibility in urban design due to the rigid nature of the Structure Plan, which outlines the full street block design. Accordingly, the recently approved Structure Plan modification removed the unnecessary detail from the western precinct of the Structure Plan, allowing these details to be addressed at the subdivision stage. It is proposed to adopt this approach with the proposed modification sought by this application.

The current Structure Plan layout for the proposed modification area is characterised by a network of street blocks in a north-western/south-eastern alignment which are predominately coded R40. A portion of a central street block which abuts public open space is coded R80. In preparation of the subdivision design, the project team's engineers identified that due to the site levels and intended subdivision design of the R80 coded land, significant retaining walls will be required to accommodate drainage.

The required retaining walls are considered to be a poor development outcome, as they will reduce the amenity provided by the streetscape. They will also increase the overall cost of residential development to the detriment of future homeowners.

STRUCTURE PLAN MODIFICATION

The proposed modification seeks to update the Wellard Village Structure Plan by removing unnecessary detail from the plan, and allowing these details to be determined as a component of the subdivision design. The proposed modification also seeks to recode a small portion of land from R80 to R40 to enable a more appropriate development outcome given the site levels. The modifications are outlined further below.

- a) Modification of indicative road design: It is proposed that the indicative road design be removed from the proposed modification area in favour of identifying a 'Key Movement Network' adjacent the High School site and public open space, to be considered in subdivision design. This will allow flexibility in the subdivision design to ensure the road network can be modified in order to address constraints, including accommodating drainage and natural gradients and modifications to retain trees.
- b) Modification of Residential Coding Allocation: The subject area is to retain its existing land use zoning and general density code allocation of R40. It is proposed to replace a small portion of the R80 coding which was affected by the drainage issue with an R40 coding, consistent with the surrounding land. The R40 coding will facilitate a development outcome which can more appropriately accommodate the site levels.

CONCLUSION


It is considered that the proposed modification to the Wellard Village Local Structure Plan is in accordance with the broader principles of the LSP and is of a minor nature in the context of the overall LSP. We therefore believe this proposed change to the LSP can be considered by the City of Kwinana as a minor modification under clause 6.17.5.1 of LPS2.

The City's earliest consideration of the proposed Structure Plan modification would be greatly appreciated. Should you have any queries or require any additional information please do not hesitate to contact the undersigned.

Yours faithfully TAYLOR BURRELL BARNETT

JULIE-ANNE HATCH

ASSOCIATE



METROPOLITAN REGION SCHEME RESERVES Railways Public Purposes Denoted As Follows: HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage Public Purposes

Denoted As Follows:

CF Community Facility PS Primary School

WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

OTHER

Residential R10 (large lots)

Residential R20 Residential R25

Residential R30

Residential R35

Residential R40 Residential R80

Special Use

Denoted As Follows:

S School

Neighbourhood Centre R60 (Neighbourhood Node)

Neighbourhood Centre R80 (Incorporating retail, office, residential

and community facilities)

Easement

Wetland boundary Wetland Buffer

Possible Tree Retention Area

Indicative Neighbourhood Centre 400m

walkable catchment Indicative Train Station 400m & 800m walkable

catchment

Key Movement Network

(subject to detailed subdivision design)

Bushfire Setback

(20m separation between bushland vegetation and residential building)

- - Structure Plan Boundary

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana. This site may be reduced in land area subject to the following requirements being met:

i. The Council of the Town of Kwinana agrees to the reduction;

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

iii. The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed contribution to the lown of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement for a community facility to be developed on the site; iv. The community facility under iii is that chosen by the Council of the Town of Kwinana; v. The land owner enters into a suitable agreement with the Town of Kwinana

guaranteeing requirements i to iv are met.

IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed tree survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of vegetation.

DEDICATED FAUNA UNDERPASS

Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of Kwinana.

Subdivision Approval has been issued where lot layout shown.


4


5

9

14







LEGEND

INDICATIVE NEIGHBOURHOOD CENTRE 400m WALKABLE CATCHMENT
INDICATIVE TRAIN STATION 400m AND 800m WALKABLE CATCHMENT

KEY MOVEMENT NETWORK (SUBJECT TO DETAILED SUBDIVISION DESIGN)

POSSIBLE TREE RETENTION
IMPORTANT VEGETATION AREA


ZONES AND R-CODES

RESIDENTIAL R40

OTHER

KEY MOVEMENT NETWORK (SUBJECT TO DETAILED SUBDIVISION DESIGN)

LSP Modification Comparison Plan PROPOSED MODIFICATION TO WELLARD VILLAGE STRUCTURE PLAN A PEET LTD & DEPT OF HOUSING JV



MODIFICATION 9 LODGED LSP MODIFICATION REQUEST

Our Ref: 02/019 KS:dd

23 December 2014

Attention: Brenton Scambler

Chief Executive Officer City of Kwinana PO Box 21 KWINANA WA



PROPOSED MINOR AMENDMENT TO WELLARD VILLAGE LOCAL STRUCTURE PLAN – INTRODUCTION OF DENSITY CODE RANGE (R25-R40) IN SOUTH WESTERN PRECINCT

On behalf of our Client Wellard Joint Venture partners – Peet Limited and Department of Housing, we request the City of Kwinana consider a proposed minor modification to the approved Wellard Village Local Structure Plan (LSP) to primarily introduce a density code range of 'Residential R25-R40' in the south western precinct of the development. The proposed modifications are consistent with discussions with the City of Kwinana and Department of Planning.

Included for Council's consideration are the following plans:

- 1. Wellard Village Structure Plan Proposed Modification (December 2014) (Plan No: 02/019/106Z);
- 2. LSP Modification Comparison Plan (Plan No: 02/019/262B).

To assist the City in its consideration of this application, we provide the following supporting information.

STRUCTURE PLAN MODIFICATION

The proposed approach seeks to amend the Wellard Village LSP by removing detail from the plan and allowing this detail to be determined as a component of the subdivision design. The modifications are outlined further below.

1. Re-code Residential R25 & Residential R35 to Residential R25-40

A modification to the Wellard Village LSP was lodged with the City of Kwinana in February 2014 to remove the indicative road design within the south western precinct of the development and apply a base density code of R25, with a higher coding of R35 where lots have greater access to transport and open space facilities (i.e. adjacent Public Open Space or the Primary/High School site).

This amendment seeks to introduce a density code range of 'Residential R25-R40' in the south/south western precinct with supporting locational criteria as outlined on the attached plan. The proposed modification generally retains the existing coding but rather introduces a density code range to enable more flexibility at the detailed design stages. The density code range will be supplemented with locational criteria which specifies a base coding of 'R25' and the 'R40' code may be applied in areas of high amenity (near Public Open Space and Somerford Promenade, where existing trees are intended to be retained) and areas in proximity to the High School site or Primary School site.

The purpose of the modification is to provide further flexibility, the need for which has been highlighted through the detailed design process and particularly in responding to fire management measures. Whilst the density codes defined on the LSP provide more flexibility than the street block layout previously shown, the current density codes still restrict the ability to modify the subdivision design without requiring a modification to the LSP. For example, with respect to land within the north western precinct coded 'R35', in order to address fire management the street blocks are required to be further set back. The optimum layout based on these new design parameters is not compliant with the existing LSP and therefore an LSP modification is required. Furthermore, fire management is not only a consideration adjacent Leda Reserve but also in the vicinity of both the High School and Primary School sites. The introduction of a density code range would avoid the need to undertake additional LSP modifications in the future.



Taylor Burrell Barnett Town Flamming & Design

197 Roberts Road Subject PD Box 5136 Subject East Western Australia 6008

Emphone (IS) ESSE 3311 Excepture (IS) 1585 VESC principal

2. Extension of Key Movement Network

Given the density code range proposed for the southern precinct, it is also proposed to extend the Key Movement Network along the southern edge of the development. This will ensure a key linkage is provided which connects the eastern and western precincts south of the railway line.

3. Re-code development site from Residential R40 to Residential R80

It is proposed to modify the density code of a development site in the eastern precinct from 'Residential R40' to 'Residential R80'. The current R40 density code was adopted some time ago, and although it was an appropriate and commonly imposed residential density at the time, it is now considered to be a lower density for a development site in an established locality of high amenity and within close proximity to the Village Centre and Wellard Train Station. The land immediately to the west of the site is also coded R80 and therefore the proposed density code is considered appropriate for the site.

4. Modify Bushfire Setback & Notation

The Bushfire Setback is currently identified in the western precinct of the LSP area. It is proposed to extend the setback to the southern portion where the density code range is also proposed.

The corresponding notation on the LSP states that a 20m separation shall be provided between bushland vegetation and a residential building. However, through the preparation of a Fire Management Plan required under Conditional Subdivision Approvals WAPC Ref: 149233 & WAPC Ref: 149522, a 20m road reserve and 7m building setback is now required for the western precinct. Furthermore, a Bushfire Attack Level Assessment has been approved by the City of Kwinana for the southern precinct. Accordingly, we propose to modify the Bushfire Setback notation in the legend from 'Bushfire Setback (20m separation between bushland vegetation and residential building)' to 'Bushfire Setback (in accordance with approved Fire Management Plan/Bushfire Attack Level Assessment)'. This modification will ensure the LSP remains current without the need to undertake additional modifications in the future should the requirements of the Fire Management Plan change or the Bushfire Attack Level Assessment is modified.


CONCLUSION

The City's earliest consideration of the proposed structure plan modification under clause 6.17.5.1 of *Town Planning Scheme No. 2* would be greatly appreciated. Should you have any queries regarding our request, please do not hesitate to contact the undersigned.

Yours faithfully TAYLOR BURRELL BARNETT

JULIE-ANNE FITZGERALD ASSOCIATE

CC: Alysha Cass – Peet Limited



Railways Public Purposes Denoted As Follows:

HS High School

METROPOLITAN REGION SCHEME RESERVES

LOCAL SCHEME RESERVES

Park, Recreation & Drainage Public Purposes

Denoted As Follows: CF Community Facility PS Primary School

WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots) Residential R20 Residential R25-R40 Residential R30 Residential R40 Residential R80 Special Use

Denoted As Follows:

School

OTHER Neighbourhood Centre R60

(Neighbourhood Node) Neighbourhood Centre R80

(Incorporating retail, office, residential and community facilities)

Easement Wetland boundary Wetland Buffer

Possible Tree Retention Area

Indicative Neighbourhood Centre 400m

walkable catchment Indicative Train Station 400m & 800m walkable

catchment Key Movement Network

(subject to detailed subdivision design) Bushfire Setback (in accordance with approved Fire Management Plan/Bushfire Attack Level

Assessment) **— • —** Structure Plan Boundary

CF COMMUNITY PURPOSE FACILITY

Denotes a community purposes site of 5000m² to be vested free of cost in the Crown in accordance with section 152 (1) (f) of the Planning and Development Act 2005, or granted freehold to the Town of Kwinana. This site may be reduced in land area subject to the following requirements being met:

i. The Council of the Town of Kwinana agrees to the reduction;

ii. The reduction is not more than 3800m² (i.e. a minimum site area 1200m²);

minimum site area 1200m²);

iii. The land owner makes a reasonable financial contribution to the Town of Kwinana as agreed to by Council, with this based upon an equitable funding arrangement for a community facility to be developed on the site; iv. The community facility under iii is that chosen by the Council of the Town of Kwinana; v. The land owner enters into a suitable agreement with the Town of Kwinana quaranteeina requirements it to iv are met

guaranteeing requirements i to iv are met.

IMPORTANT VEGETATION AREA

Existing linear Public Open Space and adjacent road reserves will incorporate and protect vegetation where practical. The ability to protect vegetation will be determined through a detailed free survey at the subdivision design stage, with the final subdivision design being articulated to ensure the practical protection of vegetation.

DEDICATED FAUNA UNDERPASS

Denotes location for dedicated fauna underpass to be provided as part of extension of Leda Boulevard. The underpass is to facilitate fauna connectivity either side of Leda Boulevard within the Bush Forever Site. The underpass is to be located, designed and constructed to the satisfaction of the Department of Environment and Conservation and Town of Kwinana.



Subdivision Approval has been issued where lot layout shown.

Adopted Structure Plan



Legend

ZONES AND R-CODES

Railways

Public Purposes

Denoted As Follows

HS High School

LOCAL SCHEME RESERVES

Park, Recreation & Drainage

Public Purposes

Denoted As Follows

CF Community Purpose

PS Primary School

WSD Water Supply Sewerage & Drainage

ZONES AND R-CODES

Residential R10 (large lots)

Residential R20

Residential R25

Residential R30

Residential R35 Residential R40 Residential R80

Special Use

Denoted As Follows S School

OTHER

Neighbourhood Centre R60

(Neigbourhood Node)

Neighbourhood Centre R80

(Incorporating retail, office, residential and community facilities) Fasement

() Wetland Boundary

Wetland Buffer

Possible Tree Retention

Indicative Neighbourhood Centre 400m walkable catchment Indicative Train Station 400m and 800m walkable catchment

Key Movement Network

(subject to detailed subdivision design) ——— Bushfire Setback

(20m separation between bushland vegetation and residential building)

---- Structure Plan Boundary

Important Vegetation Area Dedicated Fauna Underpass

Proposed Minor Modifications



Proposed Minor Modifications



Re-code Residential R25 and Residential R35 to Residential R25-R40.

Include provisions relating to Residential R25-R40 code range:

RESIDENTIAL R25-R40 CODE RANGE

Any subdivision application within the Residential zone (R25-R40 code range) is to be accompanied by a Residential Code Plan which indicates the R-Code applicable to each lot within the subdivision area, consistent with the density coding provisions outlined as follows:

- a) The base coding of the Residential zone (R25-R40) is R25;
- b) R40 density code may be applied in areas of high amenity, including near public open space or Somerford Promenade, or areas in proximity to the High School site or Primary School site.

The Residential Code Plan shall be approved by the WAPC at the time of determination of the subdivision application. The approved Residential Code Plan shall then form part of the approved Structure Plan.

- Extend Key Movement Network
- Re-code development site from Residential R40 to Residential R80.

THE VILLAGE AT WELLARD

Modify Bushfire Setback notation in the legend from 'Bushfire Setback (20m separation between bushland vegetation and residential building)' to 'Bushfire Setback (in accordance with approved Fire Management Plan/Bushfire Attack Level Assessment)'.

TEM OBELIERNIL BERNEN