


Designated Garage Location

NOTE: Road names within Stage 13 subject area are shown for information purposes only. Road names are awaiting approval from Geographic

1) NOTE: These lots are adjacent to the future Perth-Mandurah Railway Line, which may impact on the amenity of the land in terms of noise and vibration. These lots are required to comply with AS 2107:2000 (acoustics - recommended design sound levels and reverberation times for building interiors). Written certification from a suitably qualified acoustic consultant is to be submitted to Council with the Building Licence Application to ensure the dwelling complies with these



The District Town Planning Scheme and R-Codes are varied in the following manner;

- 1. The dwellings (including patios and gazebos) must be located within the building envelopes where shown;
- 2. The requirements to consult with adjoining or other land owners to achieve these variations of the R-Codes is not
- 3. Development shall be designed so that its shadow cast at midday 21 June, onto any adjoining property does not exceed 40% of the adjoining property's site area;
- 4. Sheds and outbuildings are to be constructed of similar materials and colours as the dwelling where they are visible from the street or public open space;
- 5. Trees identified on the Detailed Area Plans require planning approval prior to removal;
- 6. Council has discretion to vary the provisions of the Detailed Area Plans (including setbacks and garage locations) to improve solar penetration;
- 7. Compliance with the provisions of the Detailed Area Plan negates the requirement to obtain planning approval for lots less than 350m2 in area;
- 8. The following requirements shall apply to Traditional Lots: (i) The minimum primary street setback shall be 3.0m with an average ranging between a minimum of 4m and a maximum of 6m:
- (ii) The minimum garage setback shall be 2.0m from the primary street where vehicles are parked parallel to the street alignment;
- (iii) A minimum of 45% private open space is applicable
- (iv) A minimum Outdoor Living Area of 30m2 is applicable. Outdoor Living Areas shall have a minimum dimension of 4.0m and be located to maximise solar penetration from

Stage 13 - The Village at Wellard Detailed Area Plan

| IENT | DRAWN BY | AMENDMENT | DESCRIPTION | DATE | APPROVAL |
|-------------------------|----------|-----------|-------------|------|----------|
| PEET & CO | T.B. | | | | |
| TE PLAN NUMBER | SCALE | | | | |
| 9 JUNE 2006 02/019/066B | 1:2000 | | | | |
| 0m 0 20 40 60m | U | | | | |

